



3 1761 11653470 2

CA2 ON
PS 31
-V37



REGISTRATION REPORT.

ONTARIO,

1879.

614.1

058

(1879)



Library
of the
Academy of Medicine,
Toronto.

6163

REPORT

RELATING TO THE REGISTRATION OF

BIRTHS, MARRIAGES & DEATHS

IN THE

PROVINCE OF ONTARIO,

FOR THE YEAR ENDING 31ST DECEMBER,

1879.

Printed by Order of the Legislative Assembly.




Toronto:

PRINTED BY C. BLACKETT ROBINSON, 5 JORDAN STREET.

1881.

6163



CONTENTS.

REMARKS	PAGE.
	6
TABLE shewing the total number of <i>Births, Marriages</i> and <i>Deaths</i> in each County, with the increase and decrease	8-9
“ giving the increase or decrease of <i>Births, Marriages</i> and <i>Deaths</i> in the County Towns	10-11
shewing the number of <i>Births, Marriages</i> and <i>Deaths</i> in the Cities and principal Towns in Ontario, with the population in each place as returned by the assessor for the year 1879 ; also, the principal causes of Death	12
Remarks on the foregoing tables	13
Comparison between the Cities of Ontario and some cities of the United States, similar in population	14
<i>Births :</i>	
Sex of the children born	16
Proportion of male and female <i>Births</i>	16
Order of <i>Births</i> by months, 1878-79	16
Quarterly Return of <i>Births</i> , 1878-79	17
Average number of <i>Births</i> in the several periods	17
Difference between the number of male and female <i>Births</i> during the last eight years	18
Percentage of <i>Births</i> in each quarter for the last six years	18
Comparative statement of <i>Births</i> for ten years	18
Number of Illegitimate <i>Births</i> , Twins and Triplets for eight years, with remarks	19
<i>Marriages :</i>	
Remarks on <i>Marriages</i> by Denominations, percentages, etc.	22
Quarterly Return of <i>Marriages</i>	22
Order of <i>Marriages</i> by months... .. .	23
Remarks on <i>Marriages</i> by ages... .. .	23
Percentage of <i>Marriages</i> in Quinquennial periods to the whole number married	24
Synopsis of <i>Marriages</i> , exhibiting great disparity of age, with remarks	25-26
<i>Deaths :</i>	
Number of <i>Deaths</i> , with remarks	28
Ages at time of death, “	28
Proportion of male decedents to female decedents in Ontario compared with those in some of the States of the American Union	29
Death rate at different ages	30

	PAGE.
Quarterly Return of Deaths	30
Monthly " in rotation according to numbers	30
Remarks on Deaths occurring at different periods of the year	31
Remarks on the rises and falls in the mortality from month to month during the year... ..	31
Causes of the two high points in the death wave	32-33
Record of the ten highest causes of death for the years 1871-79 inclusive ...	34
Ten highest causes of death, with the per centage of the whole number of Deaths, from specified causes, for the years 1877, '78 and '79, with remarks thereon	35
Table shewing the total Deaths registered in each County, and the numbers and percentages of those who died from Phthisis... ..	36
Remarks on Deaths from Phthisis	37-38
" " Old Age	39
" " Infantile Debility	39
" " Pneumonia... ..	39
" " Heart Disease	40
" " Diphtheria	41
" " Convulsions	42
" " Dropsy	42
" " Enteritis	42
" " Diarrhœa	42
" " Typhoid Fever	43
" " Scarlet "	43
" " Measles	43
" " Small-pox	43
" " Other Diseases	44
Table shewing the average age at death of males and females in the Province and in the Cities during 1879	44
Percentage of the Deaths under one year to the number of Deaths in the Cities of Ontario during 1879	45
Average age at Death of males and females in the Counties of Ontario for the year 1879, with remarks	46-48
Deaths by occupations over the average age... ..	49
" " under "	49
Ten occupations which shew the highest average age, and the ten occupations shewing the lowest average age at the time of Death	50
Remarks on Deaths by occupations	50
Ten occupations which shew the largest number of Deaths from Phthisis ...	52
Ten highest causes of Death by occupations, with remarks upon the same ...	52
General remarks on the Report	53

APPENDIX.

TABLE A.—Births, shewing the number of male and female Births in each month of the year	PAGE.
	iv.

	PAGE.
TABLE B.— <i>Marriages</i> , shewing the denomination of each person married	xii.
“ C.—Shewing the month in which each person was married	xx.
“ D.— “ “ ages of the persons at the time of their marriage	xxii.
“ E.— <i>Deaths</i> , shewing the Deaths by months, ages and sex, and specified causes alphabetically arranged	xxx
“ F.—Shewing causes of Death in the several Counties in the Province	lvi.
“ G.— “ the Deaths at different ages	lxxvi.
“ H.— “ Deaths by occupations, giving the causes	cxvi.
“ I.— “ Deaths by occupations in the several Counties... ..	cxviii.

REGISTRAR-GENERAL'S OFFICE, ONTARIO,

December 9th, 1880.

To His Honour the Honourable John Beverley Robinson, Lieutenant-Governor of the Province of Ontario.


MAY IT PLEASE YOUR HONOUR,—

In compliance with the Statute in that behalf, the undersigned respectfully presents to Your Honour the Annual Report of Births, Marriages and Deaths for the year ending 31st December, 1879.

Respectfully submitted,

ARTHUR S. HARDY,

Registrar-General.



Digitized by the Internet Archive
in 2023 with funding from
University of Toronto

<https://archive.org/details/31761116534702>

REPORT
RELATING TO THE REGISTRATION OF BIRTHS,
MARRIAGES AND DEATHS,
IN THE
PROVINCE OF ONTARIO,
FOR THE YEAR ENDING 31ST DECEMBER, 1879.

PARLIAMENT BUILDINGS,

TORONTO, December 7th, 1880.

To the Honourable A. S. HARDY,

Registrar-General of the Province of Ontario.

SIR,—I have the honour to present a Report of the Births, Marriages and Deaths registered in this Province during the year ending 31st December, 1879.

During the year there were 41,035 Births, 12,509 Marriages and 17,958 Deaths registered in Ontario.

The registered number of Births was greater than in 1878 by 799 ; that of Marriages was less by 220, while the registered Deaths shewed an increase of 150.

The total registrations were 71,502, an increase of 25,902 in four years, or since 1876, the date the present Act came into force.

TABLE SHEWING THE TOTAL NUMBER OF BIRTHS, MARRIAGES AND DEATHS IN EACH COUNTY, WITH THE INCREASE AND DECREASE.

COUNTIES.	Number of Births.	Number of Marriages.		Number of Deaths.		Total Number of B., M. & D. 1879.		Total Number of B., M. & D. 1878.		Increase, 1879.		Decrease, 1879.	
		Increase.	Decrease.	Increase.	Decrease.	Increase.	Decrease.	Increase.	Decrease.	Increase, 1879.	Decrease, 1879.	Increase, 1879.	Decrease, 1879.
Algoma.....	260	128		71		22		52		19		383	
Brant.....	734	71		225				341		30		1300	
Bruce.....	1416	103		381		11		468		64		2265	
Carleton.....	1092	18		368				639				2087	
Elgin.....	574			276				321		40		2159	
Essex.....	1078			321		46		527		26		1171	
Frontenac.....	864	200		253				460				1926	
Grey.....	1314	81		412		4		442		3		1577	
Haldimand.....	555			165				195				1456	
Halton.....	497			146		27		230		42		2168	
Hastings.....	970			376		7		584		12		915	
Huron.....	1815	78		451				651		17		873	
Kent.....	1022	105		416		64		444		94		1930	
Lambton.....	1072			293		8		442		56		2917	
Lanark.....	540			211		25		248				1882	
Leeds and Grenville.....	1056	99		351				465				1809	
Lennox and Addington.....	510	53		191				249				999	
Lincoln.....	672	27		187		181		415				1872	
Middlesex.....	2013	61		670				1011				1274	
Muskoka and Parry Sound.....	818	172		142		31		187		56		1351	
Norfolk.....	715			265		42		325		24		3694	
Northumberland and Durham.....	1252	18		547		56		595		50		3608	
Ontario.....	1140			376		45		499		31		1147	
Oxford.....	1191	5		349				448				1305	
Peel.....	538			147				242				2394	
Perth.....	1205			340				461		1		2015	
Peterborough.....	876	21		193				295		79		1988	
Prescott and Russell.....	1112	131		184				236		3		927	
Prince Edward.....	381			157				216				2006	
Renfrew.....	833			168				236				1364	
Simcoe.....	1464	101		475				586		23		1640	
Stormont, Dundas and Glengarry.....	1013	36		359		37		552				1552	
Thunder Bay.....	62			10				26				754	
												4	
												1333	
												2525	
												2410	
												1990	
												98	
												124	

Victoria.....	844	58	228	16	262	21	1324	1313	21
Waterloo.....	1194	67	302	40	494	1	1990	2098	108
Welland.....	725	4	216	315	1	1236	1261	5
Wellington.....	1781	68	534	9	609	64	2924	3047	123
Wentworth.....	1624	116	517	1	1020	105	3161	3173	12
York.....	4213	131	1234	7	2002	36	7449	7361	88
Totals.....	41035	1697	898	12509	403	623	17958	798	648	71502	70773	1708	979
Increase in Births, 799.				Decrease in Marriages, 220.				Increase in Deaths, 150.				Total increase in B., M. and D., 729.	

TABLE SHEWING THE INCREASE OR DECREASE (as the case may be) of BIRTHS, MARRIAGES AND DEATHS in the County Towns of Ontario in 1879.

COUNTY TOWNS.		BIRTHS.			MARRIAGES.			DEATHS.			TOTAL NO. OF BIRTHS, MARRIAGES AND DEATHS.		
		1878.		1879.	1878.		1879.	1878.		1879.	1878.		1879.
		Increase.	Decrease.		Increase.	Decrease.		Increase.	Decrease.		Increase.	Decrease.	
Brantford.....	262	254	8		102	108	6	144	142		508	504	
Walkerton.....	106	92	14		42	33	9	26	39		174	164	
Ottawa.....	474	479	5		290	236	54	456	410		1220	1125	
St. Thomas.....	125	154	29		74	103	29	60	84		259	341	
Sandwich.....	24	31	7		16	23	7	26	45		66	99	
Kingston.....	352	389	37		176	134		195	264		723	787	
Owen Sound.....	98	104	6		59	47		49	62		206	213	
Cavuga.....	39	28	11		8	6		14	20		61	54	
Milton.....	41	51	10		8	13	5	14	16		63	80	
Belleville.....	301	330	29		127	104	23	223	237		651	661	
Goderich.....	111	128	17		41	41		61	74		213	243	
Chatham.....	133	157	24		121	136	15	86	97		340	390	
Sarnia.....	94	93	1		47	67	20	58	62		199	222	
Perth.....	68	80	12		34	44	10	15	40		117	164	
Brockville.....	160	199	39		84	31	53	60	64		304	294	
Napance.....	66	81	15		54	48	6	50	60		170	189	
St. Catharines.....	172	186	14		152	70	82	198	193		522	449	
London.....	521	539	18		298	253	45	344	366		1163	1158	
Simcoe.....	58	87	29		34	48	14	32	35		124	170	
Cobourg.....	102	93	9		41	49	8	66	56		209	198	
Whitby.....	75	79	4		37	22	15	45	48		157	149	
Woodstock.....	153	144	9		87	40	47	85	70		325	254	
Brampton.....	102	96	6		45	56	11	53	63		200	215	
Stratford.....	191	183	8		92	69	23	57	77		340	329	
Peterborough.....	178	186	8		89	72	17	97	96		364	354	
L'Orignal.....	24	35	11		40	18	22	21	40		85	93	

Pictou....	57	59	2	1	66	56	10	43	42	1	166	157	9
Penbroke	117	121	4	30	29	1	42	54	189	204	15
Barrie	125	139	14	66	64	2	61	84	23	252	287	35
Cornwall	91	121	30	75	67	8	83	102	19	249	290	41
Lindsay	103	112	9	69	64	5	48	53	3	220	229	9
Berlin	133	120	13	61	55	6	64	79	15	258	254	4
Welland	41	45	4	24	27	3	8	16	8	73	88	15
Guelph	340	298	42	100	115	15	117	121	4	557	534	23
Hamilton.....	1008	994	14	335	329	6	594	646	52	1937	1969	32
Toronto	2637	2638	1	825	836	11	1466	1425	41	4928	4899	29
Totals.....	8682	8925	378	135	3849	3513	154	490	5061	5372	432	121	17592	17810	380
Increase of Births...										Increase in Deaths		Total Increase....			
243										311		218			
Decrease in Marriages. ...										336					

RETURN of BIRTHS, MARRIAGES and DEATHS in the Cities and Principal Towns of Ontario, with the Population in each place as returned by the Assessors for the year 1879, and the ratio per 1,000 persons living, also the Principal Causes of Death in those places.

CITIES AND PRINCIPAL TOWNS.	Population in 1879, as returned by the Assessors.	BIRTHS.		MARRIAGES.		DEATHS.		PRINCIPAL CAUSES OF DEATH.										Old Age.		
		Number returned.	Ratio to 1,000 of the Population.	Number returned.	Ratio to 1,000 of the Population.	Number returned.	Ratio to 1,000 of the Population.	MIASMATIC DISEASES.								Pneumonia.	Heart Disease.		Brain Disease.	Phtisis or Consumption.
								Diphtheria.	Dysentery.	Diarrhoea.	Typhoid Fever.	Scarlet Fever.	Other Fevers.							
Toronto.....	73813	2638	35.7	836	11.3	1425	19.3	34	9	70	36	5	4	158	45	57	79	38	69	
Hamilton.....	34268	994	29.0	329	9.5	646	18.8	25	1	24	16	40	5	56	10	23	34	12	17	
Ottawa.....	24015	479	19.8	236	9.8	410	17.0	6	2	7	1	1	3	44	26	10	10	15	14	
London.....	19666	539	27.4	253	12.8	366	18.6	3	8	2	9	2	41	15	14	10	23	22	
Kingston.....	14358	389	27.0	134	9.3	264	18.3	2	2	4	3	5	27	13	22	5	11	25	
Bramford.....	10587	254	24.0	108	10.2	142	13.4	6	2	5	9	11	6	10	2	7	8	
St. Catharines.....	10475	186	17.7	70	6.6	193	18.4	3	2	3	6	25	4	11	11	4	2	
Guelph.....	10072	298	29.5	115	11.4	121	12.0	3	2	3	1	3	14	9	10	1	9	5	
Belleville.....	9789	330	33.7	104	10.6	227	23.1	14	1	3	2	37	1	26	9	11	3	13	13	
Stratford.....	8885	183	20.5	69	7.7	77	8.6	4	3	2	4	4	2	3	2	5	
Chatham.....	7572	157	20.7	136	17.9	97	12.8	5	2	8	2	3	2	4	5	
Brookville.....	7468	199	26.6	31	4.1	64	8.5	3	2	4	4	2	3	2	5	
St. Thomas.....	7217	154	21.3	103	14.2	84	11.6	2	1	2	1	8	2	2	1	1	
Peterborough.....	6606	186	28.1	72	10.9	96	14.5	1	4	15	1	4	3	6	11	
Windsor.....	6022	172	28.5	46	7.6	94	15.6	2	5	11	3	1	1	2	2	
Lindsay.....	5521	112	20.2	64	11.5	53	9.6	1	1	4	5	2	3	1	1	2	
Port Hope.....	5390	102	18.9	53	9.8	60	11.1	1	1	2	9	3	1	1	2	3	
Cobourg.....	5178	93	17.9	49	9.4	56	10.8	1	1	2	10	1	3	1	6	3	
Woodstock.....	5123	144	28.1	40	7.8	70	13.6	3	1	1	6	5	5	1	4	6	
Barrie.....	4818	139	28.8	64	13.2	84	17.4	3	1	2	1	4	4	3	2	1	4	
Totals.....	276843	7748	28.0	2912	10.0	4629	16.7	108	31	143	79	104	31	484	157	195	107	162	211	

In these tables will be found the general statistics in relation to births, marriages and deaths in the counties, county towns, and principal cities and towns of the Province of Ontario during the year 1879.

The total number of births reported in the county towns was 8,925, against 8,682 last year, an increase of 243.

The Town of Brockville registered the greatest increase, viz., 39, and Toronto the smallest, viz., 1.

In 25 of the county towns the number of births registered was larger, and in 11 smaller, than in the previous year.

The City of Guelph shewed the largest decrease, viz., 42, and the Town of Sarnia the smallest.

During the year 3,513 marriages were recorded in these county towns as against 3,849 in 1878; a falling off to the extent of 336 in number. The most marked decrease was in the City of St. Catharines, where 82 marriages less were solemnized than in 1878.

The smallest decrease was in the Town of Pembroke, being one in number. No particular cause can be assigned for this decrease in the number of marriages. As, however, the ratio of marriages to population has in past years been above the standard, the decrease this year does not reduce the general average below what is considered, in towns in other countries similar in population to those in Ontario, to be about the true proportion.

22 county towns returned a decrease, and 13 an increase, in marriages, and one town, Goderich, returned exactly the same number as in 1878.

The table shews that 311 more deaths were registered in the county towns in 1879 than in 1878; the numbers being respectively 5,372 and 5,061—the largest increase, 69, was in the City of Kingston, and the smallest, 2, in the Town of Milton. Ottawa, which had the largest increase in 1878, has this year the largest decrease, 46, and Peterborough and Picton the smallest, 1. 28 county towns shew an increase, and 8 a decrease in the numbers returned.

The percentage of increase in the number of births registered is 2.8; the decrease in marriages amounts to 8.7 per cent.; and the increase in deaths to 5.3 per cent.

The returns from a majority of these county towns may be considered nearly if not quite complete.

The ratio of births in the principal cities and towns is 28 per 1,000 against 27 in 1878. Toronto, Hamilton, Ottawa, Guelph, Belleville, Peterborough, Windsor, Woodstock, and Barrie return a higher rate than 28 per 1,000, and the other cities and towns a lower rate; St. Catharines, with 17.7, being the lowest.

The ratio of marriages this year is only 10 per 1,000 of the population, while last year it was 11.9. Toronto, London, Brantford, Guelph, Belleville, Chatham, St. Thomas, Peterborough, Lindsay, and Barrie are above the average rate, and the rest of the cities and towns are below it. Chatham records the highest rate, 17.9 per 1,000, and Brockville the lowest, 4.1 per 1,000.

Eight marriages per 1,000 of the population are estimated as the standard; but in cities and towns the ratio is generally greater in consequence of many persons residing in the suburban districts resorting to them to be married.

Of the 20 cities and towns, 15 return a larger ratio than 8 per 1,000. That the marriages in Ontario were nearly all registered in 1879, notwithstanding the decrease in the number returned, is indicated by the fact that while there were 12,708 marriage licenses issued by the Marriage License Department, the returns from the various Division Registrars shew that 12,509 marriages were solemnized. The total population of these cities and towns, as given by the Assessors for 1879, was 276,843, an increase over 1878 of 5,430; the number of deaths registered was 4,629, an increase of 133, the ratio being 16.7 per 1,000. Toronto, Hamilton, Ottawa, London, St. Catharines, Kingston, Belleville, and Barrie are above this average rate; Belleville returns the highest death rate, 23.1 per 1,000; and Brockville the lowest, 8.5.

The following comparison between the cities of Ontario and some cities of the United States, similar in population, will be found worthy of notice.

ONTARIO, 1879.	Popula- tion.	Number of Deaths.	Ratio to 1,000 Living.	UNITED STATES.	Popula- tion.	Number of Deaths.	Ratio to 1,000 Living.
Toronto.....	73813	1425	19.3	Providence, R.I.	110675	1980	19.7
Hamilton	34268	646	18.8	Fall River, Mass....	45340	1054	22.8
Ottawa	24015	410	17.0	Lynn, " ...	32600	627	18.0
London	19666	366	18.6	Springfield, " 	31058	482	15.9
Kingston	14358	264	18.3	Salem, " 	25938	513	19.9
Brantford	10587	142	13.4	Bridgeport, Conn....	19835	399	20.1
St. Catharines	10475	193	18.4	Newport, R. I.	14028	223	15.1
Guelph	10072	121	12.0	Lincoln, " 	11565	208	17.9
Belleville	9789	227	23.1	Marlborough, Mass..	8420	166	17.1

BIRTHS.

BIRTHS BY MONTHS.

(For Table *see* Appendix, page iv.).

This table is a record of births registered in Ontario during the year 1879. The whole number reported was 41,035, an increase of 799 over 1878.

SEX OF THE CHILDREN BORN.

The number of births of males was 21,343, and of females 19,692. This gave 108.3 males to each 100 females; or 52 males and 48 females in each 100 children.

The number and proportion of male to female births in each month will be seen in the following table:—

SEX.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Males	2051	1872	2027	1628	1641	1510	1763	1858	1855	1717	1666	1755	21343
Females	1866	1753	1764	1560	1529	1406	1614	1638	1717	1632	1552	1661	19692
Males to each 100 Females	109.9	106.7	114.9	104.3	107.3	107.3	109.2	113.4	108.0	105.2	107.3	105.6	108.3

In March 114.9 males were born to each 100 females, while in October there were only 105.2 males born to 100 females.

ORDER OF BIRTHS BY MONTHS, 1878-1879.

MONTHS.	1878.			MONTHS.	1879.		
	Males.	Females	Total.		Males.	Females	Total.
March	1999	1826	3825	January	2051	1866	3917
August	1890	1677	3567	March	2027	1764	3791
April	1886	1608	3494	February	1872	1753	3625
January	1810	1664	3474	September	1855	1717	3572
October	1718	1683	3401	August	1858	1638	3496
February	1763	1590	3353	December	1755	1661	3416

ORDER OF BIRTHS BY MONTHS, 1878-1879.—*Continued.*

MONTHS.	1878.			MONTHS.	1879.		
	Males.	Females	Total.		Males.	Females	Total.
September	1710	1613	3323	July.	1763	1614	3377
December	1689	1532	3221	October	1717	1632	3349
November	1698	1501	3199	November	1666	1552	3218
July	1641	1544	3185	April	1628	1560	3188
May	1621	1533	3154	May	1641	1529	3170
June	1583	1457	3040	June	1510	1406	2916
	21008	19228	40236		21343	19692	41035

The births in January, 1879, preponderated, being 1,001 more than in the lowest month, June. March returned the largest number of births in 1878, and June, as in 1879, the lowest.

QUARTERLY RETURN OF BIRTHS, 1878-1879.

	1878.			1879.		
	Males.	Females	Total.	Males.	Females	Total.
Quarter ending March 31st.....	5572	5080	10652	5950	5383	11333
“ June 30th.....	5090	4598	9688	5468	5016	10484
“ September 30th	5241	4834	10075	5146	4798	9944
“ December 31st	5105	4716	9821	4779	4495	9274
Total	21008	19228	40236	21343	19692	41035

The average number of births within the several specified periods was as follows:—

For the year	41,035	—	Males, 21,343 ;	Females, 19,692.
“ month	3,419	“	1,778 ;	“ 1,641.
“ week	789	“	410 ;	“ 379.
“ day	112	“	58 ;	“ 54.

The difference between the number of male and female births during the last eight years is shewn in the following list:—

In 1872.....	1,027	more	male	children	were	born	than	female.
“ 1873.....	1,037	“	“	“	“	“	“	“
“ 1874.....	1,073	“	“	“	“	“	“	“
“ 1875.....	1,064	“	“	“	“	“	“	“
“ 1876.....	987	“	“	“	“	“	“	“
“ 1877.....	1,361	“	“	“	“	“	“	“
“ 1878.....	1,780	“	“	“	“	“	“	“
“ 1879.....	1,651	“	“	“	“	“	“	“

The following statement shews the total number of births in each quarter for the last six years, with percentages:—

QUARTER.	1874.	1875.	1876.	1877.	1878.	1879.	Total.	Percentage of the whole six years.
January to March.....	7610	6998	10012	12580	10652	11333	59185	27.7
April to June.....	7048	6481	9566	9899	9688	10484	53166	24.8
July to September.....	7034	6474	9623	9854	10075	9944	53004	24.8
October to December.....	6546	6015	9257	7624	9821	9274	48537	22.7
	28238	25968	38458	39957	40236	41035	213892	100.00

The following is a comparative statement of births for the ten years 1870-1879 inclusive:—

YEAR.	No. of Births Registered in Ontario.		Males to each 100 Females.	Males in each 100 Births.	Females in each 100 Births.	Ratio per 1,000 of the Population.
	Males.	Females.				
1870.....	10326	9172	112.5	52.9	47.1	12.0
1871.....	12871	11912	108.0	51.9	48.1	15.3
1872.....	12186	11159	109.2	52.2	47.8	14.4
1873.....	14285	13248	107.8	51.8	48.2	17.0
1874.....	14673	13600	107.8	51.8	48.2	17.4
1875.....	13468	12516	107.6	51.7	48.3	16.0
1876.....	19733	18746	105.2	51.2	48.8	23.7
1877.....	20659	19298	107.0	51.7	48.3	24.6
1878.....	21008	19228	109.2	52.2	47.8	25.0
1879.....	21343	19692	108.3	52.0	48.0	25.3

ILLEGITIMATE BIRTHS, TWINS AND TRIPLETS.

YEAR.	No. of Illegitimate Births.	Proportion of Illegitimate to the whole number of Births.	No. of Twins.	No. of Triplets.
1872.....	235	One in every 99 Births.	76	0
1873.....	229	“ “ 120 “	200	1
1874.....	196	“ “ 144 “	255	2
1875.....	198	“ “ 131 “	264	1
1876.....	392	“ “ 98 “	349	1
1877.....	529	“ “ 75 “	411	5
1878.....	575	“ “ 70 “	425	9
1879.....	524	“ “ 78 “	378	1
Average for the 8 years	359	One in every 102 Births.	294	2.5

TWIN BIRTHS.

The number of twin births returned during the year was 378, or 47 less than in 1878.

TRIPLETS.

Only one case of three children at a birth was recorded in 1879, though there were nine returned in 1878.

The total number of births returned for the last eight years was 264,867. This gives one pair of twins to every 112 births, and one case of triplets to every 13,940 births; one child in every 56 was therefore a twin, and one in every 4,646 was one of triplets.

ILLEGITIMATE.

It is satisfactory to find that the births of illegitimate children have decreased in number. In 1879, 524 were registered, being 49 less than in 1878.

This gives one illegitimate to 78 legitimate births. In 1878 the proportion was one in 70.

The County of York returned the highest number of illegitimate births, 171; Wentworth, 42; Middlesex, 30; Frontenac, 29; Huron, 22; Wellington and Brant, 15 each. These counties contain the principal cities, which in a great degree accounts for the large number of illegitimate births reported.

MARRIAGES.

MARRIAGES BY DENOMINATIONS.

(For Table *see* Appendix, page xii.)

There were 25,018 persons married in 1879. Of this number the religious denominations of 24,728 were given, the remainder, 290, either were members of no Church, or the clergymen who solemnized the marriages neglected to ascertain the denomination to which they belonged.

It is to be regretted that clergymen, who are generally so correct in their returns, should omit this item of information, so necessary to complete the particulars of a marriage return. When the parties do not belong to any Church the clergyman should state the fact in his report.

The percentage to the whole number married of those whose religious denominations were given is as follows:—

37.37	per cent.,	or 1 in every 2.67,	were	Methodists.
20.87	"	1	"	4.80, " Presbyterians.
16.98	"	1	"	5.88, " Episcopalians.
12.78	"	1	"	8.13, " Roman Catholics.
5.64	"	1	"	17.72, " Baptists.
1.94	"	1	"	51.51, " Lutherans.
1.88	"	1	"	53.06, " Bible Christians.
.77	"	1	"	128.79, " Congregationalists.
.57	"	1	"	172.92, " Mennonites.
.05	"	1	"	1902.15, " Quakers.
1.64	"	1	"	61.46, " of other denominations.

11,153 or 89.19 per cent. of these marriages were by license, and 1,324 or 10.58 per cent. by banns, and of the remaining 32 it is not reported whether they were solemnized by license or banns.

MARRIAGES BY MONTHS.

(For Table *see* Appendix, page xx.)

Quarterly Return of Marriages, with the percentage of the whole number for the years 1878-'79.

	No. of Marriages.	Per cent. of the whole No.	No. of Marriages.	Per cent. of the whole No.
Quarter ending 31st December	3917	30.77	4029	32.21
“ 31st March	3524	27.68	3295	26.34
“ 30th June	2727	21.42	2632	21.05
“ 30th September	2506	19.68	2496	19.95
Date of marriage omitted	55	.43	57	.45
	12729	100.00	12509	100.00

MARRIAGES BY MONTHS IN NUMERAL ORDER.

December.....	1,513
October.....	1,357
January.....	1,223
November.....	1,159
February.....	1,096
September.....	1,067
March.....	976
April.....	943
June.....	878
July.....	838
May.....	811
August.....	591

The average number of marriages per quarter was 3,127

"	"	"	"	month	"	1,042
"	"	"	"	week	"	240
"	"	"	"	day	"	34

As in former years, the winter appears to be the most popular season of the year for marrying. Of the months December returned the largest number of marriages—1,513, or 12.09 per cent. of the whole; and August the smallest number—591, or only 4 per cent. of the whole.

Dividing the year into periods of three months, according to numbers, we find that December, January and October form the highest quarter, with 4,093, or 32 per cent. of the whole number of marriages; while May, July and August form the lowest quarter, with 2,240, or 17 per cent. of the whole number.

MARRIAGES BY AGES.

(For Table see Appendix, page xxii.)

12,509 marriages were registered in 1879, being 229 less than in 1878. Whether the decrease was caused by there having been fewer marriages, or whether clergymen neglected to register them, is not known.

In 1879, 130 males who were under 20 years of age were married, while 2,842

females entered into the wedded state at or under that age, being a difference of 2,712. Between 20 and 25 (the great marrying period) the difference between the number of males and females marrying, though not so large as that under 20, was still very marked—4,820 males to 6,141 females, or 1,321 more females than males. In the next quinquennial period, between the ages of 25 and 30 years, a change takes place, and at these ages many more males were married than females, the numbers being 4,270 males to 2,126 females.

Throughout the remaining periods of life the males entering into the marriage state outnumbered the females.

The proportion of males and females married during the different quinquennial periods of life, for the years 1878-'79, as compared with the whole number of marriages recorded, is shewn in the following table :—

QUINQUENNIAL PERIODS OF LIFE.	1878.		1879.	
	Per cent. of the whole number Married.		Per cent. of the whole number married.	
	Males.	Females.	Males.	Females.
Under 20 years	1.04	20.82	1.04	22.71
From 20 to 25 years	38.57	49.00	38.53	49.09
“ 25 “ 30 “	34.70	16.86	34.13	17.00
“ 30 “ 35 “	11.55	5.08	12.56	4.95
“ 35 “ 40 “	5.02	2.20	5.59	2.70
“ 40 “ 45 “	2.92	1.20	2.78	1.36
“ 45 “ 50 “	1.65	0.87	1.86	0.89
“ 50 “ 55 “	1.28	0.50	1.34	0.39
“ 55 “ 60 “	0.77	0.23	0.79	0.16
“ 60 “ 65 “	0.44	0.16	0.47	0.17
“ 65 “ 70 “	0.32	0.04	0.30	0.07
“ 70 “ 75 “	0.11	0.02	0.17	.007
“ 75 “ 80 “	0.06	0.02	0.03	0.00
“ 80 and over	0.03	0.02	0.00

31 females of the age of 14 (who might very properly be called school girls), were married in 1879, and 35 entered the matrimonial state at the early age of 15. 5 young men married at the age of 17.

One of the remarkable features in the Returns of Marriages is the great difference sometimes shewn in the ages of the parties united. The following is a synopsis of the marriages exhibiting this disparity of years, and also giving the occupation of the bridegroom:—

COUNTIES.	BRIDEGROOM THE ELDER.		
	Occupation of Bridegroom.	Age of Bridegroom.	Age of Bride.
Halton	Gentleman	86	19
Huron	Farmer	70	37
Hastings	"	80	61
Grey	Labourer	70	37
Leeds and Grenville	Farmer	72	46
"	"	72	30
Lennox and Addington	"	76	50
Northumberland and Durham	Minister	70	50
Prescott and Russell	Farmer	72	57
"	"	72	68
Prince Edward	"	73	64
Simcoe	"	72	69
Victoria	Gentleman	75	60
Waterloo	"	74	43
"	Labourer	72	56
"	Farmer	75	50
Wellington	"	76	50
Wentworth	"	72	60
York	Tailor	82	68

COUNTIES.	BRIDE THE ELDER.		
	Occupation of Bridegroom.	Age of Bridegroom.	Age of Bride.
Prescott and Russell	Farmer	56	70
Prince Edward	"	19	64

The oldest man married during the year, according to this synopsis, was an octogenarian of 86, who married a maiden of 19. They were wedded in the County of Halton.

The united ages of the oldest couple reached 150 years, the bridegroom being 82 and the bride 68. The County of York claims this ancient pair. The youngest couple belonged to the County of Middlesex. Their united ages amounted to 32 years, or about one-fifth of the combined ages of the oldest couple. The age of the male, in this case, was 17, and of the female 15 years.

DEATHS.

NUMBER OF DEATHS.

The total number of deaths registered in Ontario during the year 1879 was 17,958, of which 9,458 were males, and 8,500 females. There was consequently an increase over 1878 of 150 deaths, viz., 100 males and 50 females. Allowing for increase of population, the death rate was about the same as in 1878, a little over 11 per 1,000 of population, or one death to every 90 persons living.

It may here be observed that from the nine cities in the Province, the total returns shew a mortality of about 18 per 1,000 of estimated population. With the single exception of Guelph, which reported only about 9 per 1,000, the returns from each of the cities are, it appears, as complete as can be expected.

Again, from the county towns the total returns give a mortality of about 13 per 1,000.

It is clear, therefore, that the returns are much more complete from the more densely populated places. As has been before observed, there are probably two causes for this—first, the greater interest taken by the people in towns and cities in the subject of Vital Statistics, and, second, the proximity of the people to the Registrar.

For Tables E and F, giving the Causes of Death, alphabetically arranged, and classified by Months, by Ages, and by Sex, also for the different counties, see Appendix, from page xxx. to lxxv.

AGES AT DEATH.

The table shews that there was a still further decline in the proportion of deaths of persons under the age of one year; the proportion in 1879 being 22·1 per cent.; 2 per cent. less than in 1877, and ·8 per cent. less than in 1878. This is nearly 2 per cent. lower than in England, where the average is about 24 per cent.

There was also a further decline in the proportion of deaths between the ages of 1 and 5 years, the proportion being 2·3 per cent. less than in 1877, and 1·1 per cent. less than in 1878; it was also 1·4 per cent. less than in 1876. Hence it was more than 1 per cent. lower than in any one of the four years 1876-1879 inclusive.

It appears evident then that a considerably smaller proportion died under the age of 5 years in 1879 in the whole Province, than during any one of the past four years.

If we examine the returns of deaths from the cities of the Province alone, we find a very much larger infantile death rate. The total number of deaths registered in the nine cities was 3,794; while the total number registered as dying under 1 year was 1,016. Thus considerably more than one-fourth of the deaths were of children under one year, or 27·28 per cent.

In some of the cities, however, this high rate was greatly exceeded, while in others the rate was lower than the average.

The largest proportionate death rate of children under one year is shewn to have been in London, where it was 32·58 per cent. In Toronto it was 30·24. In Ottawa and Hamilton it was 27·3 and 27·8 per cent. respectively. In St. Catharines it was 24·3 per cent., and in Brantford 24 per cent. In Belleville it was 20·2 per cent. In Kingston it was only little over half the average, or 11·5 per cent., which was remarkably low. In Guelph it was 19 per cent.

The infantile death rate in any locality is, as a rule, the most reliable index of its sanitary condition. I say as a rule, and it may be regarded as an invariable rule, unless an exception be made in case of epidemics of diseases, such as scarlet fever and measles, which are more particularly prevalent and fatal amongst young children. But even in case such epidemics prevail, the death rate may be kept low by proper sanitary administration; indeed, disease may be checked in its course entirely by wise precautions, such as isolation, disinfection, etc., so that with good sanitary conditions and supervision the death rate amongst the young should not in any place, or at any time, greatly exceed the average.

It is worthy of notice, and interesting to observe, that in 1879, between the ages of 5 and 10, and also of 10 and 20, there was a marked decrease in the proportion of deaths below that of any one of the three previous years, and that between the ages of 20 and 30 the proportion was about the same, while after the age of 30 years there was a marked increase in the proportionate number of deaths in each of the decennial periods.

That is, as the table shews, of those who died in 1879, a smaller proportion than in any one of the three previous years were under 20 years of age; while at ages above 30 a larger proportion died than in any one of the three preceding years—1876 to 1879.

It should be observed that while the average proportion of deaths at and under 20 years of age for the three previous years—1876-1878, inclusive—was 49.3 per cent., or nearly one-half of the total number of deaths, the proportion of persons dying at and under 20 years, in 1879, was only 44.8 per cent.

In 1877 more than one-half, 51.4 per cent., of those who died were only 20 years of age or under. It is pleasing to observe then that 4.5 per cent. less died in 1879, under, or at the age of 20 years, than the average at these ages in the three preceding years. It is stated that in Norway only 25 per cent. die before the age of 20 years, as observed in my report of last year.

The returns shew that 3,015 died after reaching the age of 70 years; and that 1,340 of the decedents survived the age of 80 years; while 269 survived 90 years. A much larger number exceeded 70 years in 1879 than in any of the three previous years.

The proportion of deaths amongst males to that amongst females in Ontario during the last five years, is shewn in the following table, as well as the proportion in some of the States of the American Union:—

ONTARIO.

In 1875 there were 4,941 male decedents to 4,909 females, or 100.8 males to 100 females.								
" 1876	"	9,746	"	"	8,877	"	109	"
" 1877	"	10,603	"	"	9,450	"	112	"
" 1878	"	9,358	"	"	8,450	"	110	"
" 1879	"	9,458	"	"	8,500	"	111	"

The average for the 5 years shews that 110 males died to every 100 females.

In 1875 there were 13,503 male births and 12,465 females, or 108 males to 100 females									
" 1876	"	19,733	"	"	18,746	"	105	"	"
" 1877	"	20,659	"	"	19,298	"	107	"	"
" 1878	"	21,008	"	"	19,228	"	109	"	"
" 1879	"	21,343	"	"	19,692	"	108	"	"

RHODE ISLAND.

Deaths in 1875, 2,108 males to 2,209 females, or 95.4 males to 100 females.								
"	1876,	1,969	"	2,147	"	91.7	"	"
"	1877,	2,132	"	2,318	"	92.0	"	"
"	1878,							

Births in	1875, 3,362	males to	3,146	females, or	106.9	males to	100	females,
"	1876, 3,291	"	3,038	"	108.3	"	"	"
"	1877, 3,163	"	3,072	"	103.0	"	"	"
"	1878, 3,402	"	3,312	"	102.7	"	"	"

MASSACHUSETTS.

Deaths in	1876,	16,485	males to	16,669	females, or	98.8	males to	100	females.
“	1877,	15,427	“	15,894	“	97.1	“	“	
“	1878,	15,384	“	15,986	“	95.6	“	“	
Births in	1876,	21,149	“	20,410	“	103.6	“	“	
“	1877,	21,466	“	20,375	“	105.3	“	“	
“	1878,	21,199	“	20,022	“	105.8	“	“	

DEATHS AT DIFFERENT AGES.

The death rate under one year, from one to five, from five to ten, and in each decennial period thereafter for the years 1876, 1877, 1878 and 1879, is shewn in the following table:—

	1876.		1877.		1878.		1879.	
	No.	Per cent. of the whole.	No.	Per cent. of the whole.	No.	Per cent. of the whole.	No.	Per cent. of the whole.
Total under one year	3,844	21.4	4,704	24.1	3,963	22.9	3,869	22.1
“ from one year to five years .	2,471	13.7	2,841	14.6	2,321	13.4	2,159	12.3
Total under five years..	6,315	35.1	7,541	38.7	6,284	36.3	6,028	34.4
Total from 5 to 10 years	1,012	5.6	1,064	5.6	904	5.2	777	4.4
“ 10 “ 20 “	1,341	7.5	1,391	7.1	1,187	6.8	1,057	6.0
“ 20 “ 30 “	1,696	9.5	1,687	8.6	1,623	9.4	1,622	9.4
“ 30 “ 40 “	1,316	7.4	1,310	6.7	1,201	7.0	1,205	6.8
“ 40 “ 50 “	1,116	6.2	1,444	5.8	1,026	6.0	1,112	6.3
“ 50 “ 60 “	1,099	6.1	1,098	5.6	1,067	6.1	1,166	6.6
“ 60 “ 70 “	1,311	7.3	1,389	7.1	1,276	7.4	1,486	8.5
“ 70 “ 80 “	1,595	9.0	1,572	8.1	1,551	9.0	1,675	9.6
“ 80 “ 90 “	917	5.1	1,000	5.2	951	5.5	1,071	6.2
“ 90 “ 100 “	228	1.2	272	1.5	214	1.3	269	1.5
	17,946	100.00	19,472	100.00	17,284	100.00	17,468	100.00

QUARTERLY RETURN OF DEATHS.

Quarter ending	Males.	Females.	Total.	Per cent. of the whole.
March 31st.....	2615	2412	5027	28.0
“ “ June 30th.....	2360	2142	4502	25.1
“ “ September 30th.....	2290	1947	4237	23.6
“ “ December 31st	2193	1999	4192	23.3
	9458	8500	17958	100.00

MONTHLY RETURN OF DEATHS, IN ROTATION ACCORDING TO NUMBERS.

	Males.		Females.	Total.
March	975	March.....	855	
April	894	April.....	842	
August	840	January.....	785	
February	836	February.....	772	
January	804	December.....	718	
December	788	May	688	
May	746	August.....	688	
July	737	November	661	
November.....	729	July	633	
June.....	720	September.....	626	
September	713	October... ..	620	
October	676	June.....	612	
	9,458		8,500	

NUMBER OF DEATHS AT VARIOUS PERIODS OF THE YEAR.

During the first quarter of the year 1879, 525 more deaths were registered than during the next quarter, and also a greater mortality than during any other quarter of the year. The next largest number was registered during the second quarter, or 265 more than during the third quarter; while 45 more died during the third than during the last quarter. 835, or about 20 per cent., more deaths were registered, therefore, during the first quarter of the year than during the last quarter. It more frequently occurs that the death rate in the third quarter is either greater than in any other quarter, or that it is greater than any except the first quarter; *i.e.*, it is either first or second in the list. In 1878 it was first; the greatest number dying in it.

According to the returns, 1,100 persons more died during the first half of 1879 than during the second half. In 1878, 121 less died during the first half of the year than during the second half. This is largely owing to the mortality in July and August of 1879 being comparatively low.

In 1879, the largest number of deaths was recorded in the month of March, and the smallest number in the month of October, while in the preceding year, 1878, the largest number was recorded in August, and the second largest in March—the smallest number was in December. April's record comes next to that of March in 1879, as it did in 1878, and is nearly 100 less.

As shewing the much greater mortality in March than in October, of 1879, 534, or 41 per cent., more deaths were recorded in the former than in the latter month.

THE DEATH WAVE IN 1879.

In tracing the rises and falls in the mortality from month to month during the year 1879, commencing with January, we find there are in that month 1,589 deaths recorded, or nearly 300 more than during the month of December, 1878. The mortality rises still higher in February, and though only 19 more deaths are recorded in this month than in January (February is a short month), the mortality is at the rate of about 6 per cent., or over, greater than in January. In March it increases at about the same ratio, and 1,830 deaths are recorded in this month, or 222 more than in the short month of February. The mortality has now reached its highest point in the year. In April it falls to about the same proportion that it had shewn in February. In May it drops rapidly, by over 300, or 17 per cent. less than in April—from 1736 to 1434. In June there is a further fall, but much less marked, and 102, or about 6 per cent., less die than in May. In July there is an apparent slight rise again, 38 more deaths being recorded in this month than in June; but as July is one day longer than June the actual mortality of the month is hardly so great as that of June. In August the mortality rises in a marked degree, and 158 more deaths are recorded than in the month of July. In September there is a marked fall again, and nearly 200 less deaths are recorded in it than in August. In October the mortality falls still lower, though not in so great a degree, and reaches its lowest point in the year. In November there is a rise again, and 94 more deaths are recorded than in October, while there is about the same increase also in the mortality in December.

The death wave then, in January, 1879, rises rapidly from the low point of the previous December (1878), and swells up through February and March at about the same rate each month, and reaches in March a point which is over 41 per cent. higher than the point of the wave in the previous December. In April it subsides a good deal, while in May it sinks about three times as rapidly, and falling in June at

about the same rate that it did in April, it reaches its first low point in this month, and keeps at about the same level in July. In August it swells a good deal again, but sinks in September to about the level of July, and in October still a little further, reaching its second low point. In November it swells again rapidly, and also at about the same rate in December, when it is not much lower than it is in the previous January.

The death wave, therefore, this year¹⁸⁷⁹(1879), as usual, presents two high points and two low points; but the wave differs much from that of 1878. Though the two high points were reached, as in 1878, one in the cold, wet weather in March, and one in the hot, dry weather in August, the highest point in 1879 was in March, instead of in August, as in 1878. Again, the high point in March, 1879, is about 6 per cent. higher than the high point in August, 1878, while the second high point, in August, 1879, is about 8 per cent. lower than the high point in March, 1878. The high point in March, 1879, is 11 per cent. *higher* than the high point in March, 1878; while the high point in August, 1879, is 13 per cent. *lower* than the high point in August, 1878.

¹⁸⁷⁹The second high point in the death wave in August, 1879, is not nearly so high as the high point in March, there being 302 more deaths recorded in March than in August, while the difference in the height of the two highest points in 1878 was not nearly so great as this; only about one-fourth as great as the difference between the two highest points in 1879; *i.e.*, the difference between the two highest points in 1879 is three times as great as the difference between the two highest points in 1878.

The two low points in 1879 were, one in June and July, and the other in October, and they shewed almost precisely the same rate of mortality as the two low points in 1878; though in this last year they occurred in June and December.

As may be inferred from the above, the mortality in March, 1879, was, according to the returns, unusually high. Many more died of consumption in this month than in any other month in the year, or in any month in the three previous years. From pneumonia nearly twice as many died as in March, 1878. Heart disease appears to have been particularly fatal in March of the year under consideration. More than twice as many died from this cause in that month as in March, 1878, and 50 per cent. more than in March, 1877. More died of apoplexy than in March, 1878, or March, 1877. Congestion of the lungs and bronchitis also caused many deaths in March, 1879.

The greater ascending sweep in the death wave in 1879 was between January and March; and the greater descending sweep, and a long one it was, was between March and June and July. The lesser ascending sweep—a short, steep one—was between July and August; and the lesser descending sweep was between August and October.

CAUSES OF THE TWO HIGH POINTS IN THE DEATH WAVE.

It is deemed advisable to repeat the words of the Annual Report for the previous year, 1878, in reference to the causes of the two high points in the death wave.

“In the cold weather of winter, or more especially in this country, in the damp, cold, windy weather in the latter part of winter and early spring, there is a tendency to sickness and death through the organs of respiration; inflammation and congestion of the lungs, bronchitis and pleurisy being the affections most prevalent at this season of the year. In the warm weather of summer the tendency to sickness and death is through the digestive organs; diarrhoea, cholera infantum, and, later, dysentery, being the diseases which are especially prevalent and fatal during this season.

"In winter a fall of mean temperature below the average increases the sickness and mortality from affections of the chest. In summer a rise of mean temperature above the average increases the number of cases of death from abdominal affections.

"Regarding the winter or spring high death point, it is important to observe that it is not the first cold weather in autumn or early winter that gives rise to the great increase in the mortality, but it is that at the end of the winter, after the severe cold is past. Why is this? It cannot be doubted that, though the cold at this later period is accompanied by winds and greater humidity of the atmosphere, those who then 'to death succumb' have been, during the winter, exposed to some pre-disposing causes of lung diseases—to causes which have made them readily susceptible and prone to these affections. The most eminent authorities have brought forward convincing evidence that the re-breathing of breathed air in unventilated rooms is a common and constant cause of diseases of the lungs and air passages. Here, then, doubtless we have the chief factor, the principal cause, of the high March death-rate from diseases of the organs of the chest: exposure during the winter to impure air in close, unventilated rooms. Other causes, to be sure, help to swell up the wave of death at this period. There will be found a few in this country badly housed and fed during the winter, and cold and hunger combine with the foul air to predispose to these fatal diseases, manifested with the chills of spring; others are inactive and spend much of their time in cramped positions with contracted lungs, and these organs then much more readily take on congestions and inflammations on exposure to cold damp air.

"In reference to the summer high death point, it may be said that the warmer the atmosphere the more rapid the generation of malaria, and the development and growth of all sorts of disease germs, moulds, mildews, etc., etc.; and the greater the insanitary conditions, *i.e.*, the more we allow ourselves to be surrounded with excremental or waste organic matter of any sort, the more abundant the development and growth of those causes of disease. Indeed, without the presence of decomposing organic matter, as on the surface of the ground or in the soil, there cannot be any development of such causes. These effluvia and the microscopic germs or seeds of these minute vegetable growths, moulds, mildews, etc., pervade the air, and attach themselves to the foods we eat, and are absorbed by the drinks we use; especially are they absorbed by milk, the universal food of the young. They take root and grow upon fruits, and indeed more or less upon all sorts of alimentary substances. And not only are they, hence, taken into the body with the food we eat, but they are drawn into the lungs and blood with the air we breathe. In the body they interfere greatly with healthy nutrition, and give rise to general debility and intestinal diseases; the more readily and more severely affecting those who had passed the previous winter housed in unventilated apartments, but who, with perhaps better developed lungs than digestive organs, escaped the effects of, or lived through, the cold damp blasts of March.

"There is abundant evidence on record in proof of the above. Indeed the facts are well recognized. But it must be observed, and should ever be borne in mind, that it is not the weather, *per se*, that is responsible for the high rate of mortality at these particular periods.

"Furthermore, a useful and practical lesson may be deduced from our knowledge in reference to these high points in the death wave.

"It is more than probable, it is certain, that, with better ventilation in dwellings, schools, etc., and more outdoor life and exercise during the winter, and with more perfect sanitary surroundings, more perfect cleanliness, by the removal and proper disposal of all waste, excremental matters in cities, towns, villages, and even around farm-houses, whereby the air, water and food are rendered purer during the summer, the two high points in the death wave might be lowered in a marked degree. And it is further probable that much might be done in this direction by individual and united public health efforts."

The following is a Record of the ten highest Causes of Death for the years 1871, 1872, 1873, 1874, 1875, 1876, 1877, 1878 and 1879.

1871.	1872.	1873.	1874.*	1875.	1877.	1878.	1879.
Whole No. of deaths registered. 9182	Whole No. of deaths registered. 10745	Whole No. of deaths registered. 11069	Whole No. of deaths registered. 10352	Whole No. of deaths registered. 18653	Whole No. of deaths registered. 20053	Whole No. of deaths registered. 17808	Whole No. of deaths registered. 17958
Phthisis..... 1042	Phthisis..... 1120	Phthisis..... 1217	Phthisis..... 1143	Phthisis..... 2259	Phthisis..... 2157	Phthisis..... 1999	Phthisis..... 2065
Scarlatina..... 630	Scarlatina..... 642	Old age..... 778	Pneumonia... 642	Old age..... 1405	Old age..... 1661	Old age..... 1722	Old age..... 1749
Pneumonia... 508	Old age..... 545	Lung disease. 533	Old age..... 536	Diphtheria... 864	Infantile debility..... 1164	Infantile debility..... 1100	Infantile debility..... 955
Exhaustion... 467	Pneumonia... 514	Typhoid fever 401	Typhoid fever 369	Pneumonia... 786	Pneumonia... 1050	Diphtheria... 980	Pneumonia... 942
Old age..... 414	Diarrhoea..... 407	Heart disease. 399	Heart disease. 351	Lung disease. 662	Diphtheria... 964	Pneumonia... 826	Heart disease. 784
Heart disease. 333	Heart disease. 350	Cerebro-spinal meningitis... 324	Diarrhoea..... 334	Heart disease. 569	Scarlet fever. 717	Heart disease. 621	Diphtheria... 574
Typhoid fever, 261	Dysentery.... 342	Stomach disease 321	Enteritis..... 283	Convulsions.. 544	Heart disease. 697	Convulsions.. 454	Convulsions.. 445
Dropsy..... 241	Exhaustion... 332	Brain disease. 278	Convulsions.. 267	Diarrhoea.... 539	Diarrhoea.... 666	Enteritis..... 417	Dropsy..... 400
Convulsions... 209	Typhoid fever, 329	Pneumonia... 276	Dropsy..... 239	Typhoid fever 436	Convulsions.. 573	Diarrhoea.... 401	Enteritis..... 393
Diarrhoea.... 207	Brain disease. 318	Cholera infantum..... 276	Lung disease.. 231	Dropsy..... 381	Enteritis..... 497	Typhoid fever 379	Diarrhoea.... 340

* No report in 1875.

Ten highest causes of death, with their percentage of the whole number of Deaths from specified causes for the years 1877, 1878 and 1879.

	1877.			1878.			1879.	
Whole number of Deaths from specified causes	19,260		Whole number of Deaths from specified causes	16,852		Whole number of Deaths from specified causes	16,897	
DISEASES.	No. of deaths.	Per cent. of the whole.	DISEASES.	No. of deaths.	Per cent. of the whole.	DISEASES.	No. of deaths.	Per cent. of the whole.
Phthisis	2157	11.2	Phthisis	1999	11.8	Phthisis	2065	12.2
Old Age	1661	8.6	Old Age	1722	10.2	Old Age	1749	10.3
Infantile Debility...	1164	6.0	Infantile Debility..	1100	6.5	Infantile Debility..	955	5.6
Pneumonia	1050	5.4	Diphtheria	986	5.8	Pneumonia	942	5.5
Diphtheria	964	5.0	Pneumonia	826	4.9	Heart Disease	784	4.6
Scarlet Fever. . .	717	3.7	Heart Disease	621	3.6	Diphtheria	574	3.4
Heart Disease	697	3.6	Convulsions	454	2.1	Convulsions	445	2.6
Diarrhoea	666	3.4	Enteritis	417	2.4	Dropsy	400	2.3
Convulsions	573	2.9	Diarrhoea	401	2.3	Enteritis	393	2.3
Enteritis	497	2.5	Typhoid Fever	379	2.1	Diarrhoea	340	2.0

CERTIFIED CAUSES OF DEATH.

There is a manifest improvement in 1879 in the nature of the certified causes of death, especially as regards children. A much smaller number is classed under the head of Infantile Debility. There are not nearly so many under the head of Old Age. Both of those causes are highly unsatisfactory. There are too many by far under these heads still ; and I must continue to urge upon physicians the great desirability of being as explicit as possible in regard to this point, as it is most desirable to have correct causes of death given, alike in the interest of the Science of Medicine, especially preventive medicine, and in the interest of the public generally.

TEN HIGHEST CAUSES OF DEATH.

In looking over the ten highest causes of death in 1879, I do not find much change from the previous year. Typhoid fever is the only disease in the list of 1878 which is not in that of 1879, but Dropsy, as it were, takes its place. Consumption and Old Age come first on the list, as they have done for many years. Infantile Debility is third on the list, as it has been for the last three years. Pneumonia (Inflammation of the Lungs) has crept up to be fourth on the list, and taken the place of Diphtheria, which is now sixth on the list. Heart disease is one place higher than last year.

Table showing the total deaths registered in each County, the number who died from Phthisis out of that number, and the percentage thereof in 1877, 1878 and 1879.

COUNTIES.	Total No. of Deaths, 1877.	Number of Deaths from Phthisis.	Percentage of the whole.	Total No. of Deaths, 1878.	Number of Deaths from Phthisis.	Percentage of the whole.	Total No. of Deaths, 1879.	Number of Deaths from Phthisis.	Percentage of the whole.
Algoma	133	11	8 per cent.	33	5	15 per cent.	52	9	17 per cent.
Brant	397	63	16 "	311	45	14 "	341	40	11 "
Bruce	419	66	15 "	404	28	7 "	468	58	12 "
Carleton	505	81	16 "	712	65	9 "	699	79	11 "
Elgin	353	39	11 "	281	26	9 "	321	33	10 "
Essex	478	48	10 "	501	58	11 "	527	61	11 "
Frontenac	449	20	4 "	489	48	9 "	460	68	14 "
Grey	466	31	6 "	439	29	6 "	442	34	7 "
Haldimand	203	31	15 "	197	30	15 "	195	32	16 "
Halton	297	51	17 "	188	14	7 "	230	30	13 "
Hastings	621	81	13 "	572	91	16 "	584	89	15 "
Huron	626	54	8 "	634	64	10 "	651	61	9 "
Kent	460	39	8 "	350	39	11 "	444	34	7 "
Lambton	427	43	10 "	386	33	8 "	442	41	9 "
Lanark	315	31	9 "	249	20	8 "	248	31	12 "
Leeds and Grenville	576	94	16 "	499	87	17 "	465	80	17 "
Lennox and Addington	298	36	12 "	271	36	13 "	249	44	17 "
Lincoln	467	65	14 "	418	39	9 "	415	50	12 "
Middlesex	1044	116	11 "	955	127	13 "	1011	119	11 "
Muskoka and Parry Sound	361	22	6 "	163	8	5 "	187	11	6 "
Norfolk	380	26	7 "	275	36	13 "	325	45	13 "
Northumberland and Durham	693	84	12 "	685	83	12 "	595	91	15 "
Norfolk	561	66	11 "	468	69	14 "	499	57	11 "
Ontario	544	57	10 "	563	85	15 "	448	45	10 "
Oxford	324	30	9 "	243	19	7 "	242	20	8 "
Perth	477	48	10 "	382	39	10 "	461	43	9 "
Peterborough	351	29	8 "	292	31	10 "	295	32	10 "
Prescott and Russell	372	37	10 "	378	27	7 "	344	30	8 "
Prince Edward	187	31	16 "	193	36	18 "	216	47	21 "
Renfrew	409	15	3 "	252	36	14 "	236	31	13 "
Simcoe	742	50	6 "	563	56	10 "	586	41	7 "
Stormont, Dundas and Glengarry	693	33	5 "	691	69	10 "	552	70	12 "
Thunder Bay	154	11	7 "	41	1	2 "	26	1	3 "
Victoria	358	47	13 "	283	36	12 "	262	27	10 "
Waterloo	524	44	8 "	495	48	9 "	494	57	11 "
Welland	322	39	12 "	316	42	13 "	315	28	8 "
Wellington	680	63	9 "	672	72	11 "	609	44	7 "
Wentworth	1038	111	10 "	915	110	12 "	1020	109	10 "
York	2349	264	11 "	2038	212	10 "	2002	243	12 "
	20053	2157	10 per cent.	17808	1990	11 per cent.	17958	2065	11.5 per cent.

PHTHISIS (CONSUMPTION).

The returns in 1878 shewed a slight increase in the proportion of deaths from Consumption, over 1877, and 1879 shews a still further increase over 1878. But the number returned in proportion to the total number of deaths was not so great in 1879 as in 1876.

The distressingly large number of 301 more females than males fell victims to this disease in this Province in 1879; or 34 per cent. more, viz., 1183 females and 882 males.

And between the ages of 10 and 50, the proportion of female to male deaths was even greater, 950 females having died between these ages, against 600 males.

We have, doubtless, then in Ontario at least 50 per cent. more females than males dying from consumption between the ages of 13 and 45, or during the period of maternity.

We may pause to ask, what will be the effect of this on heredity—on coming generations? The disease is doubtless transmitted from parent to offspring—so, at least, say our best medical authorities.

Between the ages of 10 and 15, more than three times as many females died of this disease, viz., 10 males and 32 females.

Between 15 and 20, 125 per cent. more females than males died of it, viz., 61 males and 138 females.

Between the ages of 10 and 20, about 140 per cent. more females than males died of consumption, viz., 71 males and 170 females.

Between the ages of 20 and 30, about 60 per cent. more females than males died of the disease.

Between the ages of 30 and 40, 35 per cent. more females died of it; and between 40 and 50 years, 26 per cent. more.

After the age of 50, probably after the age of 47 or 48, and in infancy, more males died of consumption than females.

In almost every country it is found that many more females than males die of this dread disease, though the difference is not usually so great as the returns in this Province shew it to be here.

It is not possible to conceive of any natural cause for a so much greater mortality amongst females than males from consumption. If only 882 males die of the disease, why should 1183 females die of it? This is a pertinent question, to which an answer should be found.

Doubtless one principal cause is the more general confinement of women in-doors, in unventilated rooms, depriving them of pure air; another, the drudgery of household duties—overwork—during the period of child-bearing; and yet another, the irrational education and training of young girls; all of which causes were referred to in last year's Report.

The largest number by far of males, as well as of females, died of consumption between the ages of 20 and 30; *i.e.*, a much larger number than during any other decennial period of life. The next largest number of both males and females died in the next decennial period—between 30 and 40; and the next largest between 40 and 50, of both males and females; while the next largest again, amongst males, is between 60 and 70; amongst females it is between 15 and 20.

In every month more females than males died of the disease, except in March and May, when a few more males than females died of it. In 1878, more females than males died of it every month.

Many of both sexes die of consumption every month. A smaller number died of it in July than any other month in 1879. In 1878, the month giving the lowest mortality from this disease was September; in 1877 it was June. The month shewing the greatest

mortality in 1879 was March, giving 32 more than April, the next in order. In 1878, too, the most fatal month was March, and the next April; while in 1877 the most fatal was April and the next March.

Of the 5 months July to November, inclusive, of 1879, the average number of deaths per month from this disease was 144; while of the 7 months December to June, inclusive, the average number per month was 192. In 1878, the average of the 5 months July to November, was 153; and the average of the 7 months December to June was 176. In 1877, the average of the same 5 months was 163; and of the 7 months, 191. The returns shew, therefore, that in 1879 the mortality from consumption during the 7 winter and spring months, was 33.3 per cent. greater than the mortality during the 5 summer and autumn months. In 1878, the difference in the mortality between these two periods of the year was only 15 per cent.; and in 1877, 17 per cent.

The above corresponds with the low point in the general death wave in August, and the high point in March, 1879.

It would be interesting, and doubtless profitable to investigate the causes of the difference in the mortality from consumption, in the different counties of Ontario.

Of the total number of deaths recorded in the whole Province in 1879, 11.5 per cent., as above stated, were from consumption. But some counties returned a proportion very much greater than this, and others a proportion very much less.

In the county of Brant in 1879, the returns shewed that the proportion of deaths from consumption was a little less than the average of the whole Province; or 11 per cent. of the totals from the county. The proportion had been considerably higher for the 3 previous years, 1876-77-78, viz., 14.5 per cent., 16 per cent., and 14 per cent., respectively; giving a per centage for the 4 years of about 3 per cent. above the average of the Province for the four years.

Haldimand has likewise given a high death rate from consumption during the 4 years, 1876 to 1879, inclusive—16, 15, 15, and 16 per cent., respectively; or about 4.5 per cent. above the average of the whole Province for the 4 years.

Hastings in the four years, respectively, gave 17, 13, 16, and 15 per cent.; or 2 per cent. above the average of the totals from the Province.

The united counties of Leeds and Grenville have returned a very high mortality from consumption during the 4 past years above mentioned, 1874-1879, viz., 18, 16, 17, and 17 per cent.; or about 6.5 per cent. above the average.

Lennox and Addington have also returned a high rate of mortality from this disease, or 4 per cent. above the average.

In Prince Edward county the mortality from consumption in 1879 is quite startling, viz., 21 per cent., 4 per cent. higher than in any other county. During the 3 previous years, 1876, 77, 78, it had been 17, 16 and 18, respectively, thus giving an average per centage for the 4 years of about 18 per cent., or more than 7 per cent. above the average.

The lowest death rate from this disease, was, according to the returns, in Muskoka and Parry Sound. In these districts it was only, for the 4 years, 1876 to 1879, 6, 6, 5 and 6 per cent. respectively, of the total number of deaths returned.

In the County of Grey it was almost as low, and in the Counties of Kent and Huron it was considerably below the average; as it was also in Prescott and Russell, and in Peterborough.

The returns from the cities and principal towns, 20 in number, give a mortality from consumption about one per cent. below the average of the Province.

As witness of soil is unquestionably an important factor in causing consumption, the difference in the mortality from this disease in various counties may be to a certain extent traced to it, one part of the country, for instance, being better served by natural drainage than another. Again, more and more evidence is being brought forward every year by eminent experimental pathologists to prove that consumption is a contagious disease.

Considerable evidence of this character has accumulated during the past year. It has been shewn that the disease may readily be communicated by one animal to another; that it is highly probable it is often communicated from animals—as milch cows—to man, and that it is probable it may be communicated from person to person.

If it is thus contagious, the difference in mortality in different counties may be still further accounted for in this way. It may, as it were, become in some localities almost epidemical.

OLD AGE.

For the fourth year in succession, Old Age, so recorded, again comes next or second on the list of the ten highest causes of death in the Province in 1879.

Over 9 per cent. of the total deaths registered in Ontario are recorded against “old age,” and occur at 70 odd years.

In England, the proportion is only 5 per cent.; in Rhode Island less than 6; in Ohio, less than 5; and in Michigan less than 4 per cent.

In Ontario, in 1871, when the statistical returns were but very imperfect, or about half as complete as at present, the proportion returned as dying from old age was only 4.5; and in 1872 about 5 per cent.

And furthermore, as shewing that more correct diagnosis prevails in the cities and large towns than in the country, in regard to this, or that more care is exercised in the cities and towns in certifying to the causes of death of those advanced in life, we find that while the average age at death in the cities and towns is not much below that in the whole Province, in the total returns from the cities and eleven principal towns in Ontario only 4.5 per cent., instead of 9 per cent., as from the whole Province, were certified as dying from old age; *i.e.*, only about half as many, proportionately, were so recorded in the towns and cities as in the whole Province.

The cause of so many deaths being classed under this head, in the country especially, is doubtless largely owing to want of thought, or appreciation of the value of the true cause of death being given. It is necessary to repeat what has been said in former reports, that it is most desirable that physicians, in certifying to the cause of the deaths in advanced life, as well as indeed in all instances, should give the nature of the particular lesion or diseased state which, along with advanced life, in many of these cases, is the direct cause of dissolution. It should be borne in mind that it is as necessary to know the immediate cause of the death of those of advanced age, or over 60 or 70, as of the young.

INFANTILE DEBILITY.

Under the too indefinite heading of Infantile Debility 955 deaths were recorded in 1879; but it is pleasing to observe there were not so many cases returned last year as in 1878, when there were 1,100, or 15.1 per cent. more. It would, doubtless, in most instances, not be difficult to recognize the cause of this debility, and certify to it, if medical men would but give the matter sufficient attention. It is to be hoped that there will be a still further improvement in this respect next year.

Every month gives 50 to 100 of these cases; and strange to say, 101 were over one year old.

PNEUMONIA.

Pneumonia (inflammation of the lungs) comes fourth on the list of the ten highest causes of death in 1879. Were the cause of death of many of those recorded under the heads of old age and infantile debility correctly given, pneumonia would doubtless be second on the list instead of fourth.

In 1874, pneumonia was next to consumption, or second on the list of ten. It is usually third or fourth on the list. However, not half so many die of it as of consumption.

Of the 943 who died of this disease, 538 were males and 405 were females; or nearly 33 per cent. more males than females. More males than females died of it in every month in the year; and, unlike consumption, it destroys usually more males than females at every age.

The largest number dying in any one month, 157, or one-sixth of the whole, died in March; and the smallest number, 21, in August.

This shews how far this disease helped to swell the high total death wave in March, 1879, and to keep down the usual high point in August. In 1878, the month most fatal for this disease was April, when 99 died of it; and the least fatal month was July, when 43 succumbed to it. In 1877 the returns were similar in this respect to 1879; March recording 177 deaths and August 25.

In that year it was in March that the death wave reached its highest point; while the highest point in the wave in 1878, was in August.

The returns usually shew (viewing those for several years) a gradual and steady increase from month to month in the number of deaths from pneumonia, from July or August up to March or April of the following year, and then a gradual and steady decrease to July or August, excepting that the increase is often more rapid or sudden in January.

As regards the ages at which most patients die of this disease, the largest number is recorded in 1879, as being under 1 year, viz., 221; and the next largest, 140, between 1 and 5 years. The next largest number, 99, is between 60 and 70 years of age; and the next 86, between 50 and 60. Only 50 died of the disease between the ages of 10 and 20; while between the ages of 5 and 15, only 40 died of it.

But, in considering the above figures, it is necessary to bear in mind and consider the numbers which die from all causes at these ages.

The total number of deaths under 1 year, from all causes, was, in 1879, 3869; 22, of these, or 5.7 per cent., 1 in 17.5, died from pneumonia. Between the ages of 60 and 70, 1486 died from all causes, and 99 of these, or 6.6 per cent., 1 in 15, died from pneumonia.

Again, between the ages of 10 and 20, 1057 died from all causes, and 50, or 4.7 per cent., from pneumonia.

The period of life most free from this disease appears to be that between the ages of 5 and 10, when only 2.8 per cent. of the totals died of it; and the most fatal period is that between the ages of 50 and 60, when 7.4 per cent. died of it.

HEART DISEASE.

Under this head, 784 deaths were recorded in 1879, as against 621 in 1878, or 26 per cent. more.

Of the whole number of deaths in 1879 from specified causes, 4.6 per cent. were from heart disease. In 1878 and 1877, the proportion in each year was 3.6 per cent.

Of this disease, 416 males and 368 females died in 1879. In 1878 more females than males died of heart disease. Under 10 years of age, 20 males and 14 females died of it in 1879. Between 10 and 60, on the other hand, 164 males and 201 females died of the disease. While of those over 60, again, whose ages were given (only a few were not given), 209 were males and 138 females.

Many die of heart disease of one kind or another at all seasons of the year, though more die usually during cold than during warm weather. In 1879, however, March was a particularly fatal month for this disease, when 102 died of it. The largest number dying in any one month in 1878 was 63, in May; and the largest number in any month in 1877 was 78, in January. July was the least fatal month in 1879, 40 dying in it.

As to the most fatal period of life, few comparatively die of heart disease under 20 years of age. In 1879, 77 in all died at ages under 20; 34 under 10 years, and 43 between 10 and 20. Between 20 and 30, 59 died of it; and between 30 and 40, 65 died. In the next four decennial periods, from 40 to 80, there died in each period respectively, 87, 111, 148, and 159, so that in each decennial period of life up to 80 a gradually increasing number died of this disease.

The increased frequency of deaths from heart disease, as age increases, seems still more marked when the number of deaths from this disease in each decennial period is compared with the total number of deaths from all causes in that period.

Thus, in Ontario, in 1879, 7,862 died under 20 from all causes, and 77 of these were from heart disease; or one death from heart disease in every 102 from all causes. Between 20 and 30 years of age, 1,622 died from all causes, and 59, or one in 27.5, from heart disease. In the next decade, 30 to 40 years of age, one died from heart disease in every 18.5 from all causes; and in the next four decades, 40 to 80, one died from this cause in every 13, 10.7, 10, and 10.5 respectively.

Much the largest proportion then died of heart disease between the ages of 50 and 80, in Ontario, in 1879.

The most critical decennial period, however, of life is shewn to be between the ages of 60 and 70 years. This was shewn also by the returns of 1877, and, in a marked degree, by those of 1878.

Heart disease seems, from the returns, to be less common or fatal in the cities than in the country. The percentage of deaths, in proportion to the totals, in the 20 largest cities or towns in Ontario, was somewhat (0.4 per cent.) below that of the whole Province, viz., 4.2 per cent. In Toronto, the proportion was exactly 4 per cent; in Hamilton, Ottawa, and London, it was less than 4 per cent; the proportion for the whole Province being 4.6 per cent.

DIPHTHERIA.

There was happily a large decrease in the number of deaths from diphtheria in 1879, as compared with 1878, or, indeed, with 1877 and 1876 also. There were recorded for each of the four years, 1876 and 1879 (inclusive), respectively, 864, 964, 986, and 574 deaths from this disease. So that while there had been a large increase from year to year for the three previous years, there was last year a marked decrease. It was only in 1876 that the disease was first sufficiently prevalent and fatal in Ontario to have a place in the list of the ten highest causes of death.

The returns for 1879, as well as those for the two previous years, shew that the disease is much more common or fatal in rural than in urban districts. This appears to be the experience in other countries also. In Ontario, in 1879, in the 20 cities and large towns, collectively, the returns shewed one death from diphtheria in every 43 deaths from all causes, while in the rest of the Province there was one death from this disease in every 28 from all causes. This notwithstanding that in some of the towns the disease seems to have been epidemic, and in them the mortality was much greater.

The disease is regarded as eminently a filth disease, and if not arising solely from insanitary conditions, is at least more readily spread and more fatal in such conditions.

In Chatham, there were 5 deaths from diphtheria in a total of 97 deaths, or 1 in less than 20 from all causes; in Brantford, 1 from diphtheria in 24 from all causes; in Hamilton, 1 in 25; in Belleville, where the ravages of the disease appear to have been the most severely felt, 1 died in every 16 from all causes.

In Toronto, 1 died of diphtheria in every 42 from all causes; in Ottawa, 1 in 68; in Kingston, only 2 deaths were recorded from this disease; in St. Catharines and Guelph, 3 each; and in London, none.

No deaths from diphtheria are returned from Algoma, Lennox and Addington, or Thunder Bay. Muskoka District and Ontario County each return only 2; Renfrew and Victoria, 3 each. A few counties return 4, 5, and 6. Huron returns 32, and Prescott and Russell, 42.

The month in which the smallest number died of this disease in 1879 was July, when 20 were recorded. In December, the largest number, 76, was recorded. November and January were nearly as fatal as December.

Of the 574 who died of diphtheria, 283, or nearly one half, died at ages under 5 years; 35 of these were under 1 year; 184 died between 5 and 10 years of age; 55 between 10 and 15; 17 between 15 and 20; and only 18 in all older than 20 years. So that ages between 1 and 10 are by far the most critical as regards this disease.

 CONVULSIONS.

During the year, 445 deaths were registered as caused by convulsions—9 less than in 1878. Of these, 250 were males and 195 females; 319 were under 1 year, and 94 between 1 and 5 years.

Besides these, 66 were registered during the year as caused by epilepsy; that is, doubtless, epileptic convulsions.

Of the 445 deaths under the head of convulsions, 10 occurred between the ages of 5 and 10 years; 10 more between 10 and 20 years; and only 9 after the age of 20. Of the 66 registered as due to epilepsy, only 16 were under 20 years of age.

DROPSY.

Dropsy comes eighth in the list of the highest causes of death in 1879, and with a record of 400 victims. It had not been in the list since 1876, when it was tenth, with a record of 381. 184 of the 400 in 1879 were males, and 216 females. They were remarkably evenly distributed in each month; 30 odd being recorded in nearly every month.

Of the 400, 27 were under 5 years of age, and 25 were between 5 and 20 years; the remainder—348 being over 20; 252 were over 50 years of age; 66 were between 60 and 70; and 102 between 70 and 80.

Besides these 400, 7 others (of females) were returned as ovarian dropsy, between 20 and seventy years of age. Only four were so returned in 1878.

ENTERITIS.

Inflammation of the lining membrane of the intestines (enteritis), in 1879, according to the returns, destroyed the lives of 393 persons—222 males and 171 females. Of these 94 were less than 1 year old, and 40 were between 1 and 5 years. In 1878, 417 deaths were returned from this cause; and in 1877 there were 497 so returned.

DIARRHŒA.

A smaller number of deaths from diarrhœa, the tenth on the list, was recorded in 1879 than in any year since 1874, and a smaller number in proportion to the totals than in any year since registration commenced.

In 1877, 666 deaths were recorded under this head; in 1878, 401, and last year (1879) 340.

Of the 340, 180 were males and 160 females. 213 were less than 1 year old, and 52 were between 1 and 5. Only 2 were between 5 and 10 years, and only 23 between 5 and 60 years; 47 were over 60 years of age.

Few, comparatively, therefore, die of this disease during middle life. It is, indeed, a disease of infancy and old age.

It is an ailment, too, peculiar to warm weather; 252, or about three-fourths of the 340 died during July, August, and September, 120 dying in August alone. Those who died of the disease in childhood, probably all, or nearly all, died in the warm season. Only 37, in all, died of it during the six winter and spring months—December to May, inclusive.

It is worthy of note that while in the cities and large towns (20 in number), in every 32 deaths from all causes, one was from diarrhœa, while in the rest of the Province, only 1 died of it in every 69 from all causes.

In Toronto alone, there were 70 deaths returned as from diarrhœa; or about 1 in every 20 from all causes. In the town of Windsor, the proportion was somewhat greater

than in Toronto, 5 deaths from it in a total of 94 deaths from all causes, or 1 in less than 19. In Hamilton, 1 in every 27 died of the disease. In these three places, the mortality was much greater from it than in any of the other cities or towns.

TYPHOID FEVER.

There was a falling off in the number of deaths from typhoid fever in 1879, the number being considerably smaller than in either of the four previous years. The four years—1876 to '79—returned, respectively, 436, 477, 379, and 308.

Of the 308 deaths in 1879, 168 were of males and 140 of females; 90 were between the ages of 20 and 30 years, 41 were between the ages of 15 and 20, 38 between 30 and 40, and 22 between 10 and 15. 169, therefore, or much over one-half, died at ages between 15 and 40. It is, therefore, peculiarly a disease of the prime of life.

As usual, the fever was most prevalent or fatal in the autumn months; 55 died in October, and only 12 in July.

While the difference between the proportion of deaths from typhoid in the cities and towns, collectively, and the rural districts was almost inappreciable in 1879, the disease appears to have been almost epidemic in Toronto, Hamilton, St. Catharines and Lindsay. In the 20 cities and large towns the percentage of deaths from typhoid fever was 1 in 58 from all causes, but the percentage in Hamilton was 1 in 40; in Toronto 1 in 39; in St. Catharines 1 in 32; in Lindsay 1 in 13.

SCARLET FEVER.

Only 259 deaths were registered as from scarlet fever in 1879; while there were 368 deaths from it in 1878; and in 1877, 717 deaths. The disease appears, therefore, to be on the decline, on the whole, throughout the Province, though in Hamilton and Belleville it appears to have been very prevalent and fatal. 40 of the 259 deaths, or nearly one-sixth occurred in Hamilton, and 37 in Belleville. There were 9 in London and only 5 in Toronto. 24 were under 1 year of age; 146 were between 1 and 5 years; 55 were between 5 and 10 years; and 10 were between 10 and 15 years. 235, therefore, of the 259 were under 15 years of age. Scarlet fever is much more prevalent in the colder seasons.

MEASLES.

The unusually large number of 67 deaths was caused by measles in 1879. In 1878 there were only 5 deaths registered from this disease, though in 1877 there were 29 deaths from it.

Of the 67 deaths, 11 were of those under 1 year of age; 33 were between 1 and 5 years; and 11 were between 5 and 10 years; 1 was over 40 years of age.

SMALL POX.

The large number of 195 deaths was caused by small pox in this Province in 1879; 103 males and 92 females. In 1878 there were only 36 deaths, and in 1877, 45 deaths from variola. Nearly one-half of the 195, 93, were under 5 years of age. 72 of these were between 1 and 5 years, and 33 were between 5 and 10. Nearly two-thirds of the 195, viz., 127, were returned from the County of Carleton, and 68 from Ottawa City alone. The County of Hastings and the County of Kent each returned 11 deaths from small-pox. Middlesex County returned 3; Oxford, 6; Perth, 4; Prescott and Russell, 14; and York, 5. Brant returns 8; Essex, 2; and 4 other counties return 1 each. This contagion has been confined, therefore, it appears, chiefly or wholly to these counties.

OTHER DISEASES.

There were about the average number of deaths from Cancer, Croup, Bronchitis, the various Brain Diseases and Accidents; and there is nothing special in relation to these which demands notice here.

For Table G, Deaths by Ages, see Appendix Page lxxvi.

Table shewing the Average Age at Death of Males and Females in the whole Province and in the Cities in 1879.

	INCLUDING DEATHS UNDER ONE YEAR.						DEDUCTING DEATHS UNDER ONE YEAR.					
	No. of male decedents.	Average age at death.	No. of female decedents.	Average age at death.	Total No. of deaths.	Average age at death.	No. of male decedents.	Average age at death.	No. of female decedents.	Average age at death.	Total No. of deaths.	Average age at death.
		Yrs.		Yrs.		Yrs.		Yrs.		Yrs.		Yrs.
* Whole Province....	9305	32.2	8388	31.4	17693	31.8	7067	41.8	6746	40.7	13813	41.2
		Yrs.		Yrs.		Yrs.		Yrs.		Yrs.		Yrs.
Toronto... ..	734	24.6	691	25.8	1425	25.2	499	37.6	484	36.4	983	37.0
Ottawa... ..	199	19.6	211	20.2	410	19.9	139	27.7	155	28.6	294	28.2
Hamilton... ..	342	23.5	304	24.2	646	23.9	245	32.2	221	33.1	466	32.7
Kingston... ..	133	33.3	111	31.4	244	32.4	99	48.8	82	46.2	172	47.5
Belleville... ..	111	21.5	96	22.6	207	22.1	82	28.5	78	29.3	160	28.9
Guelph... ..	62	28.0	59	27.6	121	27.8	45	35.8	41	34.4	86	35.1
London... ..	199	23.0	157	22.4	356	22.7	119	37.0	113	36.4	232	36.7
St. Catharines.	99	22.0	74	22.5	173	22.4	56	37.4	47	35.3	103	36.4
Brantford... ..	73	30.0	69	31.7	142	30.9	50	42.7	58	40.8	108	41.8

* Algoma, Muskoka, and Parry Sound omitted, through incomplete returns.

Percentage of the Deaths under One Year to the whole number of Deaths in the
Cities of Ontario, 1879.

CITIES.	No. of Deaths.	Percentage of the whole No. of Deaths.	CITIES.	No. of Deaths.	Percentage of the whole No. of Deaths.
Toronto	431	30 per cent.	Kingston	28	11 per cent.
Hamilton	180	27 “	Belleville	46	20 “
Ottawa	112	27 “	Brantford	34	24 “
London	116	32 “	Guelph	23	19 “
St. Catharines	46	24 “			

Average age at Death of Males and Females

COUNTIES.	INCLUDING ALL DEATHS UNDER			
	No. of Male Decedents.	Average Age at Death.	No. of Female Decedents.	Average at Death.
Brant	186	34.2 years.	155	35.6 years.
Bruce	249	27.1 "	219	26.6 "
Carleton	362	25.2 "	337	23.7 "
Elgin	170	37.5 "	151	35.2 "
Essex	276	28.1 "	251	24.6 "
Frontenac	250	34.3 "	210	33.4 "
Grey	239	35.0 "	203	28.0 "
Haldimand	102	32.1 "	93	26.2 "
Halton	131	35.0 "	99	26.4 "
Hastings	322	33.2 "	262	32.4 "
Huron	334	28.4 "	317	25.8 "
Kent	217	31.4 "	227	29.6 "
Lambton	227	26.5 "	215	25.8 "
Lanark	130	41.9 "	118	39.8 "
Leeds and Grenville	248	44.0 "	217	41.4 "
Lennox and Addington	149	40.1 "	100	36.4 "
Lincoln	216	30.0 "	199	31.4 "
Middlesex	575	32.1 "	436	28.6 "
Norfolk	172	32.5 "	152	30.6 "
Northumberland and Durham	304	40.1 "	291	39.0 "
Ontario	246	31.1 "	253	31.8 "
Oxford	230	35.8 "	218	33.3 "
Peel	116	31.5 "	126	33.4 "
Perth	241	25.4 "	220	23.8 "
Peterboro'	153	33.7 "	142	31.8 "
Prescott and Russell	188	29.0 "	156	26.4 "
Prince Edward	105	42.3 "	111	40.6 "
Renfrew	112	34.5 "	124	31.6 "
Simcoe	303	30.8 "	283	29.7 "
Stormont, Dundas and Glengarry	265	35.2 "	287	32.8 "
Victoria	154	36.8 "	108	32.6 "
Waterloo	276	34.5 "	218	36.8 "
Welland	179	36.2 "	136	35.2 "
Wellington	329	32.0 "	280	33.8 "
Wentworth	515	29.1 "	505	30.2 "
York	1033	29.2 "	969	31.4 "
Whole Province	9305	32.2 "	8388	31.4 "

in the Counties of Ontario, for the year 1879.

ONE YEAR.

DEDUCTING ALL WHO DIED UNDER ONE YEAR.

Total No. of Decedents.	Average Age at Death.	No. of Male Decedents.	Average Age at Death.	No. of Female Decedents.	Average Age at Death.	Total No. of Decedents.	Average Age at Death.
341	34.9 years.	142	44.2 years.	134	42.6 years.	276	43.4 years.
468	26.9 "	200	35.2 "	178	34.6 "	378	34.9 "
699	24.5 "	279	33.0 "	279	30.0 "	558	31.5 "
321	36.4 "	133	47.0 "	130	45.8 "	263	46.4 "
527	26.4 "	201	38.3 "	192	34.6 "	393	36.5 "
460	33.9 "	194	44.3 "	193	40.2 "	387	42.3 "
442	31.0 "	200	44.7 "	173	40.6 "	373	42.6 "
195	29.1 "	76	43.6 "	77	44.8 "	153	44.2 "
230	31.1 "	108	44.1 "	82	45.6 "	190	44.8 "
584	32.8 "	265	41.1 "	225	42.5 "	490	41.8 "
651	27.1 "	245	38.9 "	250	36.4 "	495	37.6 "
444	30.5 "	167	40.8 "	174	39.3 "	341	40.1 "
442	26.1 "	163	36.9 "	158	34.3 "	321	35.6 "
248	40.8 "	109	50.9 "	104	42.0 "	213	46.4 "
465	42.7 "	214	50.7 "	191	46.8 "	405	48.8 "
249	38.3 "	123	48.4 "	99	47.6 "	222	48.0 "
415	30.7 "	161	42.9 "	152	43.4 "	313	43.2 "
1011	30.4 "	417	46.1 "	353	40.8 "	770	43.5 "
325	31.5 "	122	42.0 "	134	41.4 "	256	41.7 "
595	39.6 "	256	47.7 "	252	45.8 "	508	46.8 "
499	31.5 "	156	45.6 "	184	43.8 "	340	44.7 "
448	34.5 "	162	50.4 "	170	48.8 "	332	49.6 "
242	32.5 "	87	37.5 "	105	40.6 "	192	39.0 "
461	24.6 "	172	40.5 "	158	37.6 "	330	39.1 "
295	32.8 "	116	43.0 "	113	42.5 "	229	42.8 "
344	27.7 "	141	39.0 "	122	32.0 "	263	35.5 "
216	41.5 "	83	52.2 "	101	50.0 "	184	51.1 "
236	33.1 "	184	45.7 "	102	42.8 "	286	44.3 "
586	30.2 "	190	45.0 "	214	38.6 "	404	41.8 "
552	34.0 "	203	44.6 "	218	41.8 "	421	43.2 "
262	34.7 "	113	49.6 "	74	44.8 "	187	47.2 "
494	35.7 "	213	45.4 "	268	43.7 "	481	44.5 "
315	35.8 "	131	48.4 "	109	46.3 "	240	47.4 "
609	32.9 "	231	42.4 "	226	40.8 "	457	41.6 "
1020	29.7 "	372	37.5 "	383	36.4 "	755	36.9 "
2002	30.3 "	738	39.2 "	669	41.4 "	1407	40.3 "
17693	31.8 "	7067	41.8 "	6746	40.7 "	13813	41.3 "

The average age of all who died in 1879 was 31.8 years; of males 32.2 years, of females 31.4. In 1878 the average was, for the whole, 29.78 years; males 30.09 years, and females 29.48 years, so that the duration of life was somewhat greater in 1879.

Deducting all who died under one year from the total number of deaths for 1879, we find the average age of the remainder to be 41.3 years; for males 41.8 years, and females 40.7 years. This gives an increase in the average length of life of 9.5 years for the whole; 9.6 years for the males, and 9.3 years for females.

It will be seen then that the extremely large number dying under one year very seriously affects the average age of the whole at death.

The number of deaths under one year, in 1879, in Toronto, was 431, or 30 per cent. of the whole number of deaths registered in that city.

In Hamilton the number was 180, or 27 per cent.; and in Ottawa 112, or 27 per cent.

There were 1651 more male than female births; but the deaths amongst males exceeded those amongst females by 958. The greatest difference between the number of deaths of males and of females appears to have been amongst those under one year of age—2204 males and 1665 females dying at this period of life; a difference of 539 or 32.3 per cent. Last year the numbers were 2210 males and 1753 females, a difference of 457, or 26 per cent. This excess in the mortality of males over that of females continues between 1 and 10 years of age, but not to so great an extent, there being 1528 males and 1408 females, or a difference of 120, or 8.5 per cent. Between the ages of 10 and 20, however, more females than males die; the figures standing 471 males and 586 females, an excess in the mortality of females of 115, or 24.4 per cent. The next decennial period of life is also more fatal to females than to males: 920 females died to 702 males—218, or 31 per cent. more.

The mortality of females is not so great in proportion between the ages of 30 and 40, the numbers being 668 females to 537 males, or an excess of 131, or 24.3 per cent. In the next decennial period, from 40 to 50, the mortality of females is still in excess of males, though very slightly, being 563 females to 549 males, 14 more, or 2.5 per cent.

In the next decade, from 50 to 60, the record shews that more males than females died—643 males to 523 females, a difference of 120, or 22.9 per cent. Between the ages of 60 and 70 years the difference between the mortality of males and that of females is greater than in the previous decade, the number being 854 males to 632 females, an excess in the deaths of males of 222, or 35.1 per cent.


Between the ages of 70 and 80 the difference in the number of deaths of males and of females is still greater—961 males died to 714 females, a difference of 247, or 34.5 per cent. Between the ages of 80 and 90 the difference in the number of deaths of males and of females is much smaller, being 602 males and 469 females, a difference of 133, or 28.3 per cent.

At ages in the last decade of the 100 years of life we find that 135 males and 111 females died, an excess amongst males of 24, or 21 per cent. 10 males and 13 females are reported as having reached the patriarchal age of 100 years and over.

To summarize this review of the deaths of males and of females during the ten decades of life—in the first decade the returns shew a preponderance of the deaths of males over those of females; in the second, third, fourth and fifth decades, on the other hand, the deaths of females are in excess of those of males. In the sixth and following decades the mortality amongst females is less than that of males. So that in the ten decennial periods of life the mortality amongst males exceeds that amongst females in six of them, while the mortality amongst females exceeds that amongst males in only four of them.

AGES AT TIME OF DEATH

NO OF DEATHS AT EACH AGE.



The Black line indicates the number of deaths of both sexes at all ages

Red line

Blue line

Males

Females

The various points on the three lines show the number of deaths at any given age. The number directly over the points at the top of the diagram is the age at time of death, and the number at the side of the diagram in a straight line with the points is the number who died at that age. Thus we find a point on the Black line opposite 140 at the side and under 50 years at the top, this shows that 140 persons died at the age of 50 in 1879.

Deaths by Occupations (for Table, *see* Appendix, page cxviii.) over the Average Age, 57½ years.

OCCUPATIONS.	No. of Deaths.	Average Age at Death.	OCCUPATIONS.	No. of Deaths.	Average Age at Death.
Soldiers and Pensioners	51	71 years.	Clergymen	46	62 years.
Gentlemen	184	68 "	Farmer's Wives	1651	60 "
Hunters and Fishermen	7	68 "	Shoemakers	94	60 "
Paupers	41	68 "	Public Officials	87	60 "
Tanners	6	68 "	Masons	32	60 "
Weavers	25	66 "	Builders	16	60 "
Farmers	2290	64 "	Millwrights	10	59 "
Tailors	39	64 "	Undertakers	1	58 "
Pedlars	7	64 "	Manufacturers	21	58 "
Gardeners	27	63 "			

Deaths by Occupations, under the Average Age.

OCCUPATIONS.	No. of Deaths.	Average Age at Death.	OCCUPATIONS.	No. of Deaths.	Average Age at Death.
Sawyers	6	57 years.	Teamsters	21	46 years.
Coopers	17	56 "	Bakers	20	46 "
Labourers	681	53 "	Brick-makers	5	45 "
Housewives	1264	53 "	Blacksmiths	59	45 "
Watchmakers	12	53 "	Sailors	26	45 "
Musicians	3	53 "	Teachers	56	44 "
Hackmen	6	52 "	Agents	24	44 "
Carriage and Waggon Makers . .	28	51 "	Lawyers	23	44 "
Carpenters	125	51 "	Chemists and Druggists	17	44 "
Merchants	113	51 "	Butchers	20	43 "
Millers	28	50 "	Moulders	12	41 "
Physicians	29	50 "	Railroad Employees	38	41 "
Provincial Land Surveyors . . .	8	50 "	Saddlers and Harness Makers . .	9	41 "
Cabinet-makers	23	50 "	Artists	1	41 "
Plasterers	6	50 "	Tinsmiths	12	40 "
Lumbermen	15	49 "	Milliners and Dress Makers . .	30	39 "
Engineers	16	48 "	Printers	20	39 "
Cooks	3	48 "	Machinists	23	38 "
Barbers	4	48 "	Seamstresses	21	37 "
Bricklayers	8	48 "	Servants	81	37 "
Other Mechanics	36	48 "	Editors	3	36 "
Other Occupations	55	47 "	Book-keepers	66	35 "
Stone-cutters	13	47 "	Bankers	3	35 "
Brewers	4	47 "	Pump-makers	1	34 "
Tavern-keepers	59	47 "	Telegraph Operators	8	28 "
Painters	31	46 "	Tobacconists	3	27 "

Ten Occupations which give the Highest Average Age, and the Ten Lowest at the time of Death, this year are given below in comparison with 1878.

1878.	No. of Deaths.	Average Age at Death.	1879.	No. of Deaths.	Average Age at Death.
Millwrights	7	70 years.	Soldiers and Pensioners	51	71 years.
Weavers	26	69 "	Gentlemen	184	68 "
Paupers	33	68 "	Hunters and Fishermen	7	68 "
Soldiers and Pensioners	48	67 "	Paupers	41	68 "
Gentlemen	170	65 "	Tanners	6	68 "
Gardeners	19	64 "	Weavers	25	66 "
Tanners	5	63 "	Farmers	2290	64 "
Farmers	2146	61 "	Tailors	39	64 "
Clergymen	45	60 "	Pedlars	7	64 "
Masons	32	60 "	Gardeners	27	63 "

Lowest Average Age.

1878.	No. of Deaths.	Average Age at Death.	1879.	No. of Deaths.	Average Age at Death.
Telegraph Operators	4	30 years.	Tobacconists	3	27 years.
Railroad Employees	32	32 "	Telegraph Operators	8	28 "
Barbers	8	33 "	Bankers	3	35 "
Editors	2	33 "	Book-keepers and Clerks	66	35 "
Milliners and Dressmakers	25	33 "	Editors	3	36 "
Moulders	8	34 "	Servants	81	37 "
Printers	18	36 "	Seamstresses	21	37 "
Book-keepers and Clerks	68	37 "	Machinists	23	38 "
Seamstresses	21	37 "	Printers	20	39 "
Tobacconists	7	38 "	Milliners and Dressmakers	30	39 "

In noticing the effects of the various occupations on the length of life of those engaged in them, it may be as well to repeat, in effect, what has been said before—that it ought to be borne in mind that it is not entirely the occupation *per se* which causes the average of life, in some employments, to be so very short. As a rule, those who die young, would not, except under the most favourable circumstances, have lived to advanced

age. These, by choosing such sedentary or confined occupations as that of clerk, book-keeper, printer, or milliner, naturally shorten their own existence.

The average age of those engaged in the various occupations named in Table I was one-half year higher in 1879 than in 1878—57½ years instead of 57 years. In 1877 the average was 56 years. It therefore appears that the length of life of those engaged in them is on the increase.

Of the 7830 persons who died in the 71 named occupations, 4635 were engaged in 19 of them, in each of which the average age at death was as great or greater than the average age of the whole 7830—57½ years, while 3195, or the remainder of the 7830, were engaged in the remaining 52 occupations, in each of which the average age at death was under the average age of the whole.

There were 19 occupations in 1879, instead of 18 as in 1878, in which those engaged lived to be above the average, and in these there were 4635 persons, as against 4344 in 1878. Nearly one-half again of the 4635, or 2290, were farmers, and not far short of three-fourths of the other half, or 1651, were farmers' wives. Thus, taking out farmers and farmers' wives, there were only 695 who were engaged in the 17 other occupations in which the life of those engaged reached or exceeded the average of the whole.

A smaller number, by nearly 100, in 1879 than in 1878, of those engaged in the 52 occupations in which life was below the average of 57½ years, reached the age of 50 years—2349 against 2446. But of the whole number in the tables, 7831, there were 274 more who lived to be 50 in 1879 than in 1878.

The 2349 who, in 1879, lived to be 50 years or over, and yet not up to the average of 57½ years, were engaged in 14 occupations, the same number of occupations, though not altogether the same sort, as in 1878, and included 1264 housewives (more than one-half), 681 labourers, 125 carpenters, and 113 merchants; more labourers, but fewer housewives, merchants, and carpenters than in 1878. Amongst those living to the average of or about 50 years were 29 physicians, averaging just 50 years, as against 18 in 1878; 28 carriage and waggon-makers, 28 millers, 23 cabinet-makers, and 17 coopers.

The table shews that there were 15 lumbermen averaging 48 years, while 11 in 1878 averaged 50 years; 16 engineers, averaging 48 years, while 19 in 1878 averaged 42 years only; 13 stone-cutters, averaging 47 years, against 19 in 1878 averaging 42 years only; 59 tavern-keepers, averaging 47 years, against 48 in 1878 who averaged 48 years; 31 painters, averaging 46 years, against 28 in 1878, who averaged only 40 years; 59 blacksmiths, averaging 45 years, while in 1878 there were 56 who averaged 53 years; 56 teachers, averaging 44 years, against 38 in 1878 who averaged 42 years only.

The average length of life of the 29 physicians was, in 1879, the same as the average of the 18 who died in 1878, viz., 50 years. 31 physicians, however, died in 1876, whose average age was 55 years; and in 1877, 28 died, averaging 53 years. So that it appears the length of life of physicians is on the decrease—from 55 and 53 to 50 years.

During the three years previous to 1879—1876 to 1878, inclusive—77 physicians died at the average age of 53 years.

In 1879 the deaths of 23 members of the legal profession were registered, whose average age was 44 years. In 1876, 20 died, and in 1877, 15 died, averaging 50 years; while in 1878, 19 died, averaging only 40 years. The average age for the three years—1876 to 1878—of the 54 who died in these years was 46.5 years.

On the other hand, 46 clergymen died during the year 1879, averaging 62 years; higher than the average of these in any one of the three previous years. During the three previous years 111 clergymen died, whose average age was 58.

The farmers, too, had averaged 61 years during the three years previous to 1879, and, as the table shews, 64 in this last year. The average length of life shewn by the farmers' wives was also greater in 1879 than the average of the three previous years.

The average length of life of tailors and shoemakers was likewise considerably greater in 1879 than the average of the three previous years.

Deaths by Occupations (Causes of Death). For Table, *see* Appendix, pages cxvi. and cxvii.

Ten Occupations which returned the largest number of Deaths from Phthisis.

OCCUPATIONS.	1878.			OCCUPATIONS.	1879.		
	Deaths from all causes.	Deaths from phthisis.	Rate per cent.		Deaths from all causes.	Deaths from phthisis.	Rate per cent.
Farmers	2146	304	14.1	Farmers	2290	246	10.7
Labourers	619	90	14.5	Labourers.....	681	117	17.1
Merchants	119	36	30.2	Book-keepers and Clerks.	66	34	51.5
Carpenters	141	30	21.2	Servants	81	29	35.8
Servants	89	25	28.0	Teachers	56	23	41.0
Book-keepers and Clerks.	68	21	30.8	Carpenters	125	22	17.6
Gentlemen	170	17	10.0	Merchants	113	21	18.5
Shoemakers	69	16	23.1	Blacksmiths.....	59	16	27.1
Teachers	38	14	36.8	Gentlemen	184	13	7.0
Stone-cutters	19	12	63.1	Shoemakers	94	13	13.8

Ten Highest Causes of Death, by Occupation.

CAUSE OF DEATH.	1878.		CAUSE OF DEATH.	1879.	
	No.	Per cent. of Death from all causes.		No.	Per cent. of Death from all causes.
Old Age.....	780	16.9	Old Age.....	770	15.6
Phthisis	772	16.8	Phthisis	749	15.2
Apoplexy and Paralysis.....	275	6.0	Heart Disease	370	7.5
Heart Disease	266	5.7	Pneumonia	282	5.7
Accident	233	5.0	Paralysis and Apoplexy.....	265	5.3
Fevers	203	4.4	Accident	214	4.3
Pneumonia.....	162	3.5	Fevers	174	3.5
Dropsy.....	140	3.0	Debility.....	179	3.6
Debility	122	2.6	Dropsy.....	178	3.6
Lung Disease.....	121	2.6	Cancer	139	2.8

Although the mortality amongst farmers, from all causes, is greater this year than in 1878, the numbers being 2290 against 2146 last year, yet the number dying of consumption in 1879 is 58 less than in 1878, a difference of 3.4 per cent.

It might be supposed, from the large number of farmers dying of consumption (246), that these tillers of the soil were more subject to this disease than persons engaged in other occupations; but when we compare the mortality from phthisis among farmers with the total number of that class dying from all causes, it will be found that, with the exception of "gentlemen," farmers furnish fewer victims to this disease, in proportion to their numbers, than any other occupation. This will be seen by referring to the table.

Out of 66 book-keepers and clerks whose deaths are recorded, 34 died of consumption, a percentage of 51.5, being the highest of any occupation. The close confinement, and the sedentary nature of their occupation, no doubt lay them open to the attacks of this insidious disease. Teachers are next, with 23 deaths from phthisis out of 56 from all causes, a percentage of 41.1. Teaching is a profession often entered into at an early age, before the system is fully matured, and as those who follow this occupation are exposed to the vitiated atmosphere of ill ventilated schoolrooms, they fall easy victims to this dread disease.

Servants are third highest, 29 dying of phthisis out of 81 from all causes, or 35.8 per cent. Probably among them are included domestics, who have not the means nor opportunities to take precautionary measures to protect themselves from cold and exposure, thus rendering themselves more liable to become subjects for consumption.

It seems strange that blacksmiths and carpenters, whose occupations are neither sedentary nor altogether confined to in-door work, should give so high a percentage of deaths from consumption; perhaps it is owing to a want of care in protecting themselves against the rapid changes of weather to which they are at times exposed. Blacksmiths return 16 deaths from consumption, out of 59 from all causes, or 27.1 per cent. Carpenters 22 out of 125 from all causes, or 17.6 per cent.

Fewer persons, returned as "gentlemen," died of consumption in proportion to the number of people dying from all causes, than under any other designation, viz: 13 deaths from it out of 184 from all causes, or 7 per cent. Persons to whom this designation is applied at the time of their death, are generally those who had retired from all occupation and reach advanced years, and were therefore past the period of life most subject to tubercular diseases. This may account for the small number, comparatively, of men of leisure reported as having died of consumption.

Although there is a very perceptible average improvement in the schedules received from the Division Registrars for the year under review, there is room for proficiency from some of those officials in more legible handwriting and more accuracy in the orthography of names, both of which are most essential items in the preparation of valuable and satisfactory records.

Among the most complete returns received are those from the following municipalities and are worthy of special mention, viz.: the cities of Hamilton, London and Toronto; the towns of Cornwall, Paris, Pembroke and Wingham; the villages of Forest, London East, New Edinburgh and Yorkville; the townships of Alfred, Brock, Eramosa, Gloucester, London, Plantagenet North, Tilbury West, and Wilmot.

In order to make the Registration Act more effectual it is desirable that some amendments should be made thereto during the coming session; I would therefore respectfully recommend as one, that each school teacher in the rural districts be appointed sub-registrar for his own section; and further that the time for receiving the registration of the particulars of births be extended under certain restrictions.

I would again suggest that some measures should be adopted to compel municipal councils to pay their clerks the fee allowed by Sec. 26 of the Act, for each birth, marriage and death registered, as further reports have been made to the Department during the past year of an additional number of municipal councils refusing to pay this fee, which, as pointed out in last year's report, must in a great degree lessen the encouragement on the part of Division Registrars to become thoroughly efficient in the discharge of their important duties.

I have the honour to be,

Sir,

Your obedient servant,

H. S. CREWE,

Inspector.

APPENDIX.

BIRTHS.

TABLE A.—BIRTHS BY MONTHS, 1879.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	No. of pairs.	Triplets.	Illegitimate.	Still Born.
Algonia:																	
Male.....	11	10	10	15	10	12	18	10	9	5	14	11	135				4
Female.....	7	15	12	8	9	4	16	8	6	7	12	12	125				1
Total.....	18	25	22	23	19	16	34	18	15	12	26	23	260	2			5
Brant:																	
Male.....	36	32	41	20	24	26	37	35	44	32	40	31	398			6	2
Female.....	46	30	37	24	27	24	24	27	28	22	25	22	336			9	4
Total.....	82	62	78	44	51	50	61	62	72	54	65	53	734			15	6
Bruce:																	
Male.....	63	67	73	49	57	54	59	59	66	56	46	55	704			5	3
Female.....	62	55	75	54	55	49	69	65	65	53	47	63	712			3	4
Total.....	125	122	148	103	112	103	128	124	131	109	93	118	1416	11		8	7
Carleton:																	
Male.....	51	53	47	48	54	39	31	45	56	34	48	59	565			1	2
Female.....	54	48	39	38	45	46	50	44	44	37	35	47	527			2	2
Total.....	105	91	86	86	99	85	81	89	100	71	83	106	1092	19		3	4
Elgin:																	
Male.....	29	27	27	17	25	19	30	23	23	26	18	29	293			1	1
Female.....	24	15	30	19	20	21	25	18	26	30	23	30	281			1	0
Total.....	53	42	57	36	45	40	55	41	49	56	41	59	574	6		2	1
Essex:																	
Male.....	44	53	42	40	39	38	49	55	59	53	47	40	559				2
Female.....	51	54	39	43	28	40	48	42	54	35	50	35	519			1	4
Total.....	95	107	81	83	67	78	97	97	113	88	97	75	1078	9		1	6

Frontenac :		46	34	47	33	34	38	44	37	45	32	38	39	467	19	0
Male.....		25	36	33	26	29	25	34	35	40	37	33	44	397	10	1
Female.....																	
Total.....		71	70	80	59	63	63	78	72	85	69	71	83	864	4	29	1
Grey :																	
Male.....		70	69	64	60	57	42	64	63	65	42	40	51	687	2	4
Female.....		60	64	55	53	40	46	45	50	45	43	46	61	627	4	3
Total.....		130	133	119	113	97	88	109	113	110	85	105	112	1314	16	6	7
Haldimand :																	
Male.....		34	24	27	22	15	19	23	27	24	20	15	21	271	4	1
Female.....		29	24	30	27	25	18	15	30	23	20	21	22	284	1	2
Total.....		63	48	57	49	40	37	38	57	47	40	36	43	555	4	5	3
Halton :																	
Male.....		25	23	26	15	35	14	15	32	18	28	21	23	275	2	2
Female.....		24	20	18	18	24	15	15	24	23	15	18	8	222	3	3
Total.....		49	43	44	33	59	29	30	56	41	43	39	31	497	7	5	5
Hastings :																	
Male.....		53	43	50	47	35	29	42	41	51	48	43	48	530	5	6
Female.....		45	44	39	40	35	35	34	42	33	35	31	27	440	7	8
Total.....		98	87	89	87	70	64	76	83	84	83	74	75	970	10	12	14
Huron :																	
Male.....		86	59	92	84	51	70	81	97	86	80	82	80	948	7	4
Female.....		71	94	75	62	65	54	84	76	72	77	61	76	867	15	5
Total.....		157	153	167	146	116	124	165	173	158	157	143	156	1815	13	22	9
Kent :																	
Male.....		51	40	48	43	50	46	36	49	55	41	44	44	547	1	2
Female.....		45	37	43	34	39	33	29	40	47	38	45	45	475	2	3
Total.....		96	77	91	77	89	79	65	89	102	79	89	89	1022	8	3	5
Lambton :																	
Male.....		57	54	49	44	40	29	41	47	47	51	39	51	549	3	2
Female.....		63	55	47	34	38	32	48	39	41	46	34	46	523	2
Total.....		120	109	96	78	78	61	89	86	88	97	73	97	1072	7	5	2

TABLE A.—BIRTHS BY MONTHS, 1879.—Continued.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	No. of pairs of twins.	Triples.	Illegitimate.	Still Born.
Lanark:																	
Male.....	18	28	27	20	20	7	17	25	25	19	20	20	246	1
Female.....	39	26	29	29	26	16	21	21	25	21	15	26	294	3	1
Total.....	57	54	56	49	46	23	38	46	50	40	35	46	540	3	3	2
Leeds and Grenville:																	
Male.....	56	50	72	48	41	36	28	55	48	50	42	42	568	8	4
Female.....	47	42	50	46	35	32	31	36	46	46	46	31	488	3	3
Total.....	103	92	122	94	76	68	59	91	94	96	88	73	1056	12	11	7
Lennox and Addington:																	
Male.....	31	25	29	17	18	18	22	21	22	16	30	20	269	4	0
Female.....	17	22	19	28	23	13	22	25	16	24	15	17	241	1	2
Total.....	48	47	48	45	41	31	44	46	38	40	45	37	510	8	5	2
Lincoln:																	
Male.....	36	28	27	35	32	16	30	24	30	34	32	40	364	2	3
Female.....	42	29	23	27	27	17	18	22	29	24	26	24	308	3	3
Total.....	78	57	50	62	59	33	48	46	59	58	58	64	672	10	5	6
Middlesex:																	
Male.....	105	82	108	78	73	64	92	91	95	100	94	92	1074	11	16
Female.....	84	88	89	62	56	72	67	74	80	89	84	94	939	19	10
Total.....	189	170	197	140	129	136	159	165	175	189	178	186	2013	16	30	26
Muskoka and Parry Sound:																	
Male.....	30	45	36	25	46	36	36	31	34	30	32	35	416	2
Female.....	48	36	29	29	42	33	32	24	37	34	30	28	402	3	7
Total.....	78	81	65	54	88	69	68	55	71	64	62	63	818	7	3	9

Norfolk :	40	21	49	30	34	22	33	36	32	32	32	34	21	384	7	2
Male.....	35	28	32	24	24	21	26	29	22	29	29	36	25	331	4	2
Female.....																		
Total.....	75	49	81	54	58	43	59	65	54	61	61	70	46	715	16	11	11	4
Northumberland and Durham :																		
Male.....	64	51	56	44	43	45	49	57	61	59	59	62	58	649	6	2
Female.....	41	54	55	50	29	44	64	56	53	46	46	59	52	603	2	2
Total.....	105	105	111	94	72	89	113	113	114	105	105	121	110	1252	10	8	8	4
Ontario :																		
Male.....	66	51	59	44	42	49	43	52	55	44	44	30	46	581	4
Female.....	45	50	52	39	55	43	46	50	46	47	47	33	53	559	7
Total.....	111	101	111	83	97	92	89	102	101	91	91	63	99	1140	3	11	11
Oxford :																		
Male.....	59	59	58	41	46	41	49	40	62	53	53	46	55	609	4	3
Female.....	52	48	40	42	54	37	49	56	52	53	53	39	60	582	9	6
Total.....	111	107	98	83	100	78	98	96	114	106	106	85	115	1191	4	13	13	9
Peel :																		
Male.....	38	37	22	19	18	24	23	26	34	29	29	17	17	304	3
Female.....	22	15	18	16	24	17	20	22	19	18	18	16	27	234	1
Total.....	60	52	40	35	42	41	43	48	53	47	47	33	44	538	7	4	4
Perth :																		
Male.....	60	39	52	58	58	46	53	66	48	58	58	45	43	626	5	2
Female.....	46	45	43	44	42	41	60	46	52	56	56	60	44	579	3	4
Total.....	106	84	95	102	100	87	113	112	100	114	114	105	87	1205	7	8	8	6
Peterborough :																		
Male.....	44	41	43	29	39	37	41	40	33	27	27	38	33	445	3	2
Female.....	38	37	34	36	42	40	36	25	33	33	27	29	34	431	3	2
Total.....	82	78	97	65	81	77	77	65	66	54	54	67	67	876	10	6	6	4
Prescott and Russell :																		
Male.....	61	71	68	46	49	53	41	54	41	39	39	24	30	577	2
Female.....	52	47	75	38	52	51	29	58	33	22	22	35	43	535	2
Total.....	113	118	143	84	101	104	70	112	74	61	61	59	73	1112	7	4	4

Waterloo:	50	64	57	53	48	40	48	49	49	44	43	53	598	4	6
Male	66	44	50	41	40	41	44	51	67	61	41	50	596	7	7
Female														11	1	11	13
Total	116	108	107	94	88	81	92	100	116	105	84	103	1194
Welland:																	
Male	40	27	39	28	28	32	37	23	26	22	28	30	360	2	1
Female	46	25	35	36	23	27	33	27	31	31	26	25	365	1
Total	86	52	74	64	51	59	70	50	57	53	54	55	725	2	2
Wellington:																	
Male	96	89	73	79	76	58	78	63	88	73	79	78	930	8	5
Female	75	94	68	63	61	56	69	69	85	77	64	70	851	7	4
Total	171	183	141	142	137	114	147	132	173	150	143	148	1781	15	9
Wentworth:																	
Male	88	75	76	50	72	64	75	68	74	66	77	66	851	15	12
Female	74	52	52	56	71	45	74	72	81	77	59	60	773	27	11
Total	162	127	128	106	143	109	149	140	155	143	136	126	1624	42	23
York:																	
Male	190	188	198	163	148	169	195	189	170	206	177	201	2194	102	25
Female	187	180	178	178	156	151	157	148	159	184	164	177	2019	69	25
Total	377	368	376	341	304	320	352	337	329	390	341	378	4213	171	50
Total Males	2051	1872	2027	1628	1641	1510	1763	1858	1855	1717	1666	1755	21343	255	145
Total Females	1866	1753	1764	1560	1529	1406	1614	1638	1717	1632	1552	1661	19692	269	141
Grand Total	3917	3625	3791	3188	3170	2916	3377	3496	3572	3549	3218	3416	41035	378	1	524	286

MARRIAGES.

TABLE B.—MARRIAGES BY DENOMINATIONS, 1879.

The following Table shows the number of Marriages returned as having been solemnized during the year 1879, the religious denomination of the parties married, and whether by license or banns.

COUNTIES.	Religious Denomination of Bride and Bridegroom.										Total.	No Denomination given.	How Married.			
	Episcopalian.	Presbyterian.	Methodist.	Roman Catholic.	Baptist.	Congregationalist.	Lutheran.	Quaker.	Mennonite.	Bible Christian.	Other Denominations.		License.	Banns.	Not stated.	Total Marriages.
Algoma:	15	20	18	11	3	1	1	69	2
	Male	17	23	12	1	1	2	71
	Female
Total	30	37	41	23	4	2	3	140	2	62	7	71
Brant:	32	50	79	13	38	6	1	1	5	225
	Male	43	71	18	45	12	1	2	224	1
	Female
Total	64	93	150	31	83	18	2	1	7	449	1	212	12	225
Bruce:	49	154	106	32	13	3	7	2	15	381
	Male	30	139	134	28	3	5	4	10	380	1
	Female
Total	79	313	230	60	30	6	12	6	25	761	1	347	30	381
Carleton:	78	73	64	137	7	1	2	2	364	4
	Male	59	71	145	9	1	2	4	363	5
	Female
Total	150	132	135	283	16	2	4	6	727	9	268	97	368
Elgin:	35	30	128	16	40	1	1	5	13	269	7
	Male	25	136	18	43	1	4	6	269	7
	Female
Total	71	55	264	34	83	1	2	9	19	538	14	260	16	276

TABLE B.—MARRIAGES BY DENOMINATIONS, 1879—Continued.

COUNTIES.	Religious Denomination of Bride and Bridegroom.										No Denomination given.	Grand Total.	How Married.			
	Episcopalian.	Presbyterian.	Methodist.	Roman Catholic.	Baptist.	Congregationalist.	Lutheran.	Quaker.	Mennonite.	Bible Christian.	Other Denominations.		Licenses.	Banns.	Not Stated.	Total Marriages.
Lambton :																
Male	49	86	110	13	27	2	1	1	3	1	1	295
Female	40	83	115	13	30	10	1	2	295
Total	89	169	225	26	57	12	1	1	4	1	3	590	274	20	1	295
Lanark :																
Male	46	75	50	22	11	4	2	211
Female	44	67	54	27	11	6	1	211
Total	90	142	104	49	22	10	3	422	195	16	211
Leeds and Grenville :																
Male	77	61	165	39	5	351
Female	75	61	164	44	6	351
Total	152	122	329	83	11	702	320	31	351
Lennox and Addington :																
Male	24	22	124	16	1	1	191
Female	24	12	134	20	191
Total	48	34	258	36	1	1	382	178	13	191
Lincoln :																
Male	54	25	75	2	13	1	2	1	3	5	187
Female	49	24	84	4	11	3	2	10	187
Total	103	49	159	6	24	1	5	1	5	15	368	186	1	187

Middlesex :	Male	150	107	278	51	59	6	1	1	9	6	668	2	670
	Female	161	99	273	58	53	9	10	5	668	2	670
Total		311	206	551	109	112	15	1	1	19	11	1336	4	1340	630	40	670
Muskoka and Parry Sound :																		
Male	Male	26	28	60	13	6	2	135	7	142
	Female	17	30	73	13	3	1	2	139	3	142
Total		43	58	133	26	9	1	4	274	10	284	132	10	142
Norfolk :																		
Male	Male	30	21	100	2	95	2	5	1	4	260	5	265
	Female	26	17	107	2	93	2	5	8	260	5	265
Total		56	38	207	4	188	4	10	1	12	520	10	530	259	6	265
Northumberland and Durham :																		
Male	Male	90	102	261	18	14	1	2	42	7	537	10	547
	Female	93	81	268	17	19	3	60	2	543	4	547
Total		183	183	529	35	33	4	2	102	9	1080	14	1094	537	6	547
Ontario :																		
Male	Male	49	72	155	21	21	5	1	35	8	367	9	376
	Female	37	80	162	27	19	2	31	11	369	7	376
Total		86	152	317	48	40	7	1	66	19	736	16	752	352	24	376
Oxford :																		
Male	Male	59	55	146	14	43	1	2	2	8	10	340	9	340
	Female	52	48	148	11	57	3	5	7	11	342	7	349
Total		111	103	294	25	100	1	5	7	15	21	682	16	698	336	12	349
Peel :																		
Male	Male	28	34	76	8	1	147	147
	Female	24	33	77	10	1	2	147	147
Total		52	67	153	18	1	3	294	294	141	6	147
Perth :																		
Male	Male	50	92	99	25	10	1	32	5	16	9	339	1	340
	Female	34	95	110	25	8	2	38	5	11	11	339	1	340
Total		84	187	209	50	18	3	70	10	27	20	678	2	680	310	29	340

TABLE B.—MARRIAGES BY DENOMINATIONS, 1879.—Continued.

COUNTIES.	Religious Denomination of Bride and Bridegroom.											Total.	No Denomination given.	Grand Total.	How Married.			
	Episcopalian.	Presbyterian.	Methodist.	Roman Catholic.	Baptist.	Congregationalist.	Lutheran.	Quaker.	Mennonite.	Bible Christian.	Other Denominations.				License.	Banns.	Not Stated.	Total Marriages.
Peterborough :																		
Male	37	44	61	24	6	1	19	192	1		
Female	28	50	62	24	9	19	192	1		
Total	65	94	123	48	15	1	38	384	2	25	193		
Prescott and Russell :																		
Male	22	15	12	131	3	183	1		
Female	14	16	13	135	5	183	1		
Total	36	31	25	266	8	366	2	61	184		
Prince Edward :																		
Male	13	7	120	3	1	1	3	1	6	155	2		
Female	16	6	125	4	1	1	1	2	156	1		
Total	29	13	245	7	2	1	4	2	8	311	3	155	157		
Renfrew :																		
Male	28	42	29	52	2	9	162	6		
Female	27	45	31	55	1	7	166	2		
Total	55	87	60	107	3	16	328	8	56	168		

Simcoe :	96	123	156	49	19	4	1	1	1	2	1	3	467	8	475
Male	87	121	175	48	28	4	1	1	...	4	469	6	475
Female	183	244	341	97	47	8	2	1	3	1	9	936	14	950	441	33	1	475
Total																		
Stormont, Dundas and Glengarry :																		
Male	47	103	109	76	8	1	13	1	358	1	359
Female	52	101	93	85	14	...	14	1	359	...	359
Total	100	204	202	159	22	1	27	2	717	1	718	285	72	2	359
Thunder Bay :																		
Male	5	2	1	1	1	10	...	10
Female	4	3	1	1	1	10	...	10
Total	9	5	2	2	2	20	...	20	9	1	...	10
Victoria :																		
Male	40	48	91	22	4	1	19	1	226	2	228
Female	40	45	89	18	6	...	1	28	1	227	1	228
Total	80	93	180	40	10	1	1	47	1	453	3	456	213	15	228
Waterloo :																		
Male	23	51	27	42	8	1	68	15	277	25	302
Female	15	62	26	47	16	...	70	37	1	287	15	302
Total	38	113	47	89	18	1	138	79	1	564	40	604	193	109	302
Welland :																		
Male	35	43	70	21	8	...	15	15	212	4	216
Female	37	35	76	21	14	...	12	4	14	213	3	216
Total	72	80	146	42	22	...	27	7	29	425	7	432	184	32	216
Wellington :																		
Male	72	101	185	50	13	7	2	1	2	531	3	534
Female	57	177	198	56	15	13	2	3	10	531	3	534
Total	129	318	383	106	28	20	4	1	5	1062	6	1068	486	48	534

TABLE B.—MARRIAGES BY DENOMINATIONS, 1879.—*Concluded.*

COUNTIES.	Religious Denomination of Bride and Bridegroom.										Total.	No Denomination given.	Grand Total.	How Married.			
	Episcopalian.	Presbyterian.	Methodist.	Roman Catholic.	Baptist.	Congregationalist.	Lutheran.	Quaker.	Memorite.	Bible Christian.	Other Denominations.			License.	Banns.	Not stated.	Total Marriages.
Wentworth:																	
Male	103	96	205	61	27	9	7	4	3	517
Female	93	95	223	61	31	7	2	4	1	517
Total	202	191	428	122	58	12	9	8	4	1034	502	15	517
York:																	
Male	329	247	364	136	54	17	16	4	3	17	28	19	1234
Female	335	210	376	162	65	21	8	4	26	19	8	1234
Total	664	457	740	298	119	38	24	4	7	43	47	27	2468	1148	84	2	1234
Total Males	2170	2656	4828	1475	658	81	246	11	74	222	202	186	12509
Total Females	2031	2495	4713	1564	737	111	234	2	69	244	205	104	12509	11153	1324	32	12509
Grand Total	4201	5151	9241	3039	1395	192	480	13	143	466	407	290	25018	11153	1324	32	12509

TABLE C.

MARRIAGES BY MONTHS.

TABLE C.—MARRIAGES BY MONTHS, 1879.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	No date given.	Total number of couples married.
Algoma	3	6	5	9	7	3	4	2	8	13	8	3	71
Brant	28	15	23	12	10	23	15	8	17	24	22	28	225
Bruce	50	33	34	35	14	25	31	13	30	47	31	36	2	381
Carleton	24	24	23	28	37	35	38	30	42	36	32	18	1	368
Elgin	30	20	27	26	18	16	16	17	22	22	24	35	3	276
Essex	30	42	17	27	20	16	22	17	26	36	47	20	1	321
Frontenac	22	20	14	30	18	13	13	13	21	23	33	28	5	253
Grey	51	39	43	31	21	35	26	19	29	45	30	41	2	412
Haldimand	18	21	14	4	11	9	13	8	9	17	15	23	3	165
Halton	17	13	12	7	7	8	11	7	14	9	11	27	3	146
Hastings	28	35	27	27	22	31	28	23	36	28	35	54	2	376
Huron	49	37	34	36	28	27	24	11	44	48	47	65	1	451
Kent	45	27	22	37	22	22	29	18	36	53	45	56	4	416
Lambton	30	21	18	22	23	26	18	14	24	38	25	36	293
Lanark	19	23	16	25	16	20	16	13	12	15	14	21	1	211
Leeds and Grenville	45	25	26	21	21	21	18	13	31	38	43	49	351

Lennox and Addington.....	18	20	15	6	9	14	13	7	14	27	13	34	1	191
Lincoln	12	15	13	16	11	13	13	8	15	16	16	38	1	187
Middlesex	75	44	35	42	54	55	40	28	43	68	85	90	2	670
Muskoka and Parry Sound	17	12	11	14	2	11	9	12	15	14	11	12	2	142
Norfolk	25	23	26	12	18	16	21	18	25	27	22	32	265
Northumberland and Durham	50	53	57	38	32	39	33	16	43	47	54	85	547
Ontario	32	32	31	32	20	20	33	9	35	51	19	60	2	376
Oxford	29	37	23	26	29	23	20	12	30	32	29	58	1	349
Peel.....	20	9	12	17	4	14	8	3	9	14	13	24	147
Perth	29	33	35	26	22	19	25	16	37	30	29	39	340
Peterborough	14	20	17	21	16	15	14	5	18	20	18	12	3	193
Prescott and Russell	23	23	9	10	4	17	15	15	20	31	13	4	184
Prince Edward	17	14	15	5	11	10	6	13	16	18	15	17	157
Renfrew	10	20	17	17	9	15	17	10	8	18	20	7	168
Simcoe.....	60	39	31	40	30	30	33	20	37	56	46	49	4	475
Stormont, Dundas and Glengarry	28	39	23	14	28	19	32	17	49	40	30	36	4	359
Thunder Bay	2	2	1	3	2	10
Victoria.....	26	19	22	29	13	14	9	10	13	20	18	35	228
Waterloo.....	18	32	41	19	21	21	8	19	29	34	35	25	302
Welland	17	28	15	13	19	12	13	10	20	31	9	27	2	216
Wellington.....	67	56	48	33	29	37	28	17	43	59	38	77	2	534
Wentworth	45	35	41	46	36	31	36	32	35	69	40	69	2	517
York.....	102	90	84	90	97	103	90	68	111	140	122	134	3	1234
Total.....	1223	1096	976	943	811	877	838	591	1067	1357	1159	1513	57	12509

TABLE D.—MARRIAGES BY AGES, 1879.

xxii.

COUNTIES.	Under 20.											20 and under 25.	25 and under 30.	30 and under 35.	35 and under 40.	40 and under 45.	45 and under 50.	50 and under 55.	55 and under 60.	60 and under 65.	65 and under 70.	70 and under 75.	75 and under 80.	Over 80.	Age not given.	Total.		
Algoma:																												
Male												37	16	3	4	3	2	1									3	71
Female												25	6	1													3	71
Total												62	22	4	4	3	2	2									6	142
Brant:																												
Male												84	79	21	18	6	1	6	6	1	1							225
Female												120	32	18	9	3		1	2	2							225	
Total												204	111	39	27	9	1	7	8	3	1							450
Bruce:																												
Male												126	146	45	25	12	11	11	2			1						381
Female												192	67	15	6	6	3	1										381
Total												318	213	60	31	18	14	12	2			1						762
Carleton:																												
Male												139	132	45	27	12	6	1	1	1	1							368
Female												194	58	18	10	4	5									1	368	
Total												333	190	63	37	16	11	1	1	1	1						1	736
Elgin:																												
Male												111	84	41	14	10	5	3	2				1				2	276
Female												129	35	13	13	9	2	1								1	276	
Total												240	119	54	27	19	7	4	2				1				3	552
Essex:																												
Male												136	108	41	10	8	8	1			3	1						321
Female												135	41	15	3	6	3	2	1									321
Total												271	149	56	13	14	11	3	1	3	1							642

TABLE D.—MARRIAGES BY AGES, 1879.—Continued.

xxiv.

COUNTIES.	Under 20.	20 and under 25.										25 and under 30.	30 and under 35.	35 and under 40.	40 and under 45.	45 and under 50.	50 and under 55.	55 and under 60.	60 and under 65.	65 and under 70.	70 and under 75.	75 and under 80.	Over 80.	Ages not given.	Total.
Lanark:																									
Male	23	64	82	35	9	8	5	4	1															1	211
Female		109	48	18	7	2	1	2																1	211
Total	23	173	130	53	16	10	6	6	1														2		422
Leeds and Grenville:																									
Male	6	132	116	49	23	6	9		3	3	1													1	351
Female	84	139	67	26	7	3	3	1																1	351
Total	90	291	183	75	30	9	12	1	3	3	1												2		702
Lennox and Addington:																									
Male	3	78	62	22	10	4	5	1	2	1	2														191
Female	52	82	35	4	6	4	5	1			1													1	191
Total	55	160	97	26	16	8	10	2	2	2	2													1	382
Lincoln:																									
Male	3	67	59	28	6	7	1	9	1	2	3													1	187
Female	39	85	36	9	11	3	2		1	1															187
Total	42	152	95	37	17	10	3	9	2	3	3													1	374
Middlesex:																									
Male	3	266	221	86	46	15	13	9	8	2														1	670
Female	140	353	106	39	10	12	6	4																	670
Total	143	619	327	125	56	27	19	13	8	2														1	1340
Muskoka and Parry Sound:																									
Male	2	59	49	17	5	2		3	3	2															142
Female	57	56	21	1	2	2	1	1	1																142
Total	59	115	70	18	7	4	1	4	4	2															284

Norfolk:	4	119	82	19	11	6	7	7	2	5	3	265
Male	77	126	33	10	5	5	4	2	1	1	265
Female
Total	81	245	115	29	16	11	11	9	2	6	4	530
Northumberland and Durham:
Male	7	217	178	73	33	10	8	4	6	4	2	3	547
Female	104	283	100	25	19	7	2	3	1	2	547
Total	111	500	278	98	52	17	10	7	7	6	2	3	1094
Ontario:
Male	3	130	137	48	27	18	5	2	3	2	1	376
Female	71	192	70	18	15	6	3	1	376
Total	74	322	207	66	42	24	8	2	3	3	1	752
Oxford:
Male	2	143	115	45	15	14	4	5	3	1	1	1	349
Female	76	180	62	12	8	3	5	2	349
Total	78	323	177	57	23	17	9	7	3	1	1	1	698
Peel:
Male	1	44	58	23	7	4	6	1	1	1	1	147
Female	28	68	33	4	6	4	2	1	147
Total	29	112	91	27	13	8	8	1	1	2	1	294
Perth:
Male	2	127	131	52	8	5	6	6	1	2	340
Female	79	184	52	12	4	3	1	1	2	1	340
Total	81	311	183	64	12	8	7	7	3	3	680
Peterborough:
Male	80	68	25	7	5	5	1	1	193
Female	52	92	21	13	9	3	3	193
Total	52	172	89	38	16	8	8	1	1	1	386
Prescott and Russell:
Male	4	83	41	26	10	4	2	4	2	2	184
Female	59	74	23	11	1	6	1	1	1	184
Total	63	157	64	37	11	10	2	4	3	1	3	368

TABLE D.—MARRIAGES BY AGES, 1879.—*Concluded.*

xxvi.

COUNTIES.	Under 20.													Total.
	20 and under 25.	25 and under 30.	30 and under 35.	35 and under 40.	40 and under 45.	45 and under 50.	50 and under 55.	55 and under 60.	60 and under 65.	65 and under 70.	70 and under 75.	75 and under 80.	Over 80.	
Prince Edward :														
Male	64	43	16	11	3	3	4	2	2	1	2			157
Female	68	20	8	8	1	1	3		1					157
Total	132	63	24	19	4	4	7	2	3	1	2			314
Renfrew :														
Male	62	63	24	5	7	3	3							168
Female	76	33	10	3	3	3	1							168
Total	138	96	34	8	10	6	4							336
Simcoe :														
Male	173	182	52	30	12	12	4	3	2		1			475
Female	219	87	28	14	5	3	2		2	2				475
Total	392	269	80	44	17	15	6	3	4	2	1			950
Stormont, Dundas and Glengarry :														
Male	143	108	43	14	21	10	8	2	1					359
Female	166	74	30	14	4	2	1	1	1					359
Total	309	182	73	28	25	12	9	3	2					718
Thunder Bay :														
Male	5	4	1											10
Female	4	1		1										10
Total	9	5	1	1										20
Victoria :														
Male	76	84	30	14	4	5	3	2		2		1		228
Female	110	38	5	8	2	2			2	1				228
Total	186	122	35	22	6	7	3	2	2	3		1		456

Waterloo:	6	132	89	35	11	11	6	5	3	1	2	1	302
Male	64	163	46	13	7	4	2	1	1	1	1	302
Female												604
Total	70	295	135	48	18	15	8	6	4	1	2	
Welland:													
Male	1	81	72	26	13	7	7	5	2	216
Female	46	112	30	10	8	5	2	1	1	216
Total	47	193	102	36	21	12	9	6	3	2	432
Wellington:													
Male	2	211	192	57	32	14	9	4	2	5	2	534
Female	102	276	104	27	10	4	2	2	3	534
Total	104	487	296	74	42	18	11	6	5	5	2	1068
Wentworth:													
Male	3	221	165	63	31	9	9	7	3	2	2	517
Female	112	259	90	21	13	10	5	3	2	1	517
Total	115	470	255	84	44	19	14	10	5	3	2	1034
York:													
Male	21	454	436	157	73	41	19	14	11	1	4	1234
Female	203	638	252	66	36	16	14	4	2	2	1234
Total	224	1092	688	223	109	57	33	18	13	1	6	2468
Total Males	130	4820	4270	1572	699	348	233	168	99	59	39	22	12509
Total Females	2842	6141	2126	620	398	172	111	49	21	23	10	1	12509
Grand Total	2972	10961	6396	2192	1037	520	344	217	120	82	49	23	25018

DEATHS.

TABLE E.—CAUSES OF DEATH.—ALPHABETICAL ARRANGEMENT.

Distinguishing by Months, by Ages, and by Sex, the Registered Number of Deaths from various Specified Causes (Alphabetically Arranged) during the year 1879.

DEATHS.			MONTHS.												AGES.													
SEX.	Total.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.
.....	17958	1589	1608	1830	1736	1434	1332	1370	1528	1339	1296	1390	1506	3869	2159	777	433	624	1622	1205	1112	1166	1486	1675	1071	269	490
9458	804	836	975	894	746	720	737	840	713	676	729	788	2204	1128	400	200	271	702	537	549	643	854	961	602	145	262
.....	8500	785	772	855	842	688	612	633	688	626	620	661	718	1665	1031	377	233	353	920	668	563	523	632	714	469	124	228

NATIONALITIES OF DECEDENTS OVER SIXTY YEARS OF AGE.

	English.	Irish.	Scotch.	Canadian.	American.	German.	French.	Swiss.	Other Countries.	Not known.	Total.
Of the Deaths between 60 and 70.....	325	439	223	293	84	65	3	4	5	45	1486
“ “ 70 and 80.....	324	478	321	320	121	66	6	5	34	1675
“ “ 80 and 90.....	176	344	212	172	111	22	1	1	4	28	1071
“ “ 90 and upwards...	44	95	60	29	32	2	2	5	269
Total Deaths over 60.....	869	1356	816	814	348	155	10	5	16	112	4501

TABLE E.—DEATHS BY AGES,

SEX.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Females											1		1
Males	4	2	3	2	2	5	2	4	2	2	7	3	38
Females	4	7	4	4	3	1	6	2	3	3	3	4	44
Total	8	9	7	6	5	6	8	6	5	5	10	7	82
Males	13	11	5	19	24	29	19	18	19	20	17	21	215
Females	3	1	5	3	5	2	3	4	1	3	6	6	42
Total ...	16	12	10	22	29	31	22	22	20	23	23	27	257
Males					1								1
Males	7	9	18	13	12	6	8	11	7	8	7	4	110
Females	11	9	10	13	11	7	6	8	11	7	10	15	118
Total	18	18	28	26	23	13	14	19	18	15	17	19	228
Males					2			1			1	1	5
Females	1	1	1					1					4
Total	1	1	1		2			2			1	1	9
Males	7	7	6	6	4		4	4	3	3	5	2	51
Females	3	3	5	2			1	4	1	2	1	2	24
Total	10	10	11	8	4		5	8	4	5	6	4	75
Males	2	1	2	3	1	3		1	2	1	3	2	21
Females	2	1	2	5	1	4	4	1	2	1	1	2	26
Total	4	2	4	8	2	7	4	2	4	2	4	4	47
Males	8	9	8	8	13	5	10	10	14	9	6	13	113
Females	7	7	4	5	3	8	8	3	4	6	3	4	62
Total	15	16	12	13	16	13	18	13	18	15	9	17	175
Males	5	4	14	5	6	5	4	9	5	6	7	5	75
Females	7	5	7	5	6	2	5	7	1	7	5	5	62
Total	12	9	21	10	12	7	9	16	6	13	12	10	137
Males		4	4	4	5	9	3	7	3	2	3	4	48
Females	4		6		2	4	2	1	3	6	3		31
Total	4	4	10	4	7	13	5	8	6	8	6	4	79

MONTHS AND DISEASES.—*Continued.*

CAUSES OF DEATH.	AGES.													Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	
Abortion						1								1
Abscess	3	1		2	2	3	5	3	3	7	3	3		38
“	4	4	3	2	2	5	7	7	3	4	1	2		44
Total	7	5	3	4	4	8	12	10	6	11	4	5		82
Accident	4	6	13	19	9	43	33	29	17	15	9	6		215
“		6	3	1	1	1	2	4	2	5	11	6		42
Total	4	12	16	20	10	44	35	33	19	20	20	12		257
Ague								1						1
Apoplexy	2					5	3	11	25	29	26	8		110
“	2		1	2	2	3	5	10	24	31	21	9	1	118
Total	4		1	2	2	8	8	21	49	60	47	17	1	228
Ascites		1				1	1			1				5
“									1	1	2			4
Total		1				1	1		1	2	2			9
Asthma							3	6	6	12	17	6		51
“		3		1		2			2	8	3	3		24
Total		3		1		2	3	6	8	20	20	9		75
Atrophy	1				1	4	1	2	4	4	1	1		21
“	1			1		1	3	4	9	6	1			26
Total	2			1	1	5	4	6	13	10	2	1		47
Brain, Disease of	18	13	4	1	1	7	4	14	13	10	17	5		113
“	14	6	6	3	1	4	2	3	6	7	6			62
Total	32	19	10	4	2	11	6	17	19	17	23	5		175
Brain, Congestion of	23	20	2	1	4	7	5	2	5	3	1			75
“	19	15	2	1	3	3	3	4	4	1	6			62
Total	42	35	4	2	7	10	8	6	9	4	7			137
Brain, Inflammation of	11	15	6	1	2	3	1	2	2	2	2	1		48
“	10	13	4		1	2	1							31
Total	21	28	10	1	3	5	2	2	2	2	2	1		79

TABLE E.—DEATHS BY AGES,

SEX.	MONTHS.												Total
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Male	16	16	25	22	18	8	8	8	7	4	10	8	150
Female	14	18	29	24	20	10	5	10	11	9	14	17	181
Total	30	34	54	46	38	18	13	18	18	13	24	25	331
Male	3	3	5	2	5	2	1	2	3	2	3	3	31
Female	3	2	4	3	3	2	1	2	2	2	4	2	31
Total	6	5	9	5	8	4	2	5	2	5	6	5	62
Male	17	13	13	13	17	8	14	13	13	8	11	5	145
Female	11	15	10	17	8	13	17	12	13	7	12	11	146
Total	28	28	23	30	25	21	31	25	26	15	23	16	291
Male	38	41	51	50	37	36	45	65	51	40	42	55	551
Female	48	38	61	50	46	29	36	40	34	53	37	38	510
Total	86	79	112	100	83	65	81	105	85	93	79	93	1061
Male	2	2	5	2	1	5	6	3	1	1	4	1	31
Female	2	2	5	2	1	5	6	3	1	1	4	1	31
Total	2	2	5	2	1	5	6	3	1	1	4	1	33
Male	2	2	1	2	1	1	1	1	1	1	2	1	11
Female	1	2	4	2	3	1	1	4	3	2	2	2	27
Total	3	4	5	4	3	1	2	4	3	2	4	3	38
Male	1	1	3	1	1	1	3	2	1	2	1	3	16
Female	1	1	1	3	1	2	1	1	1	1	2	1	11
Total	2	2	3	3	2	3	4	2	2	2	2	4	27
Female	19	12	11	17	10	7	6	7	5	10	10	5	119
Male	1	1	1	1	1	3	6	12	4	1	1	1	29
Female	1	1	1	1	1	1	2	2	5	2	1	1	15
Total	1	1	1	1	1	4	8	14	9	3	1	1	44
Male	1	4	2	3	3	7	36	44	23	9	5	3	140
Female	1	1	2	2	2	8	34	26	16	4	7	2	104
Total	1	5	4	5	5	15	70	70	39	13	12	5	244

MONTHS AND DISEASES.—*Continued.*

[illegible]

TABLE E.—DEATHS BY AGES,

SEX.	MONTHS.												Total.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Male													1
Female		1											1
Total		1											1
Male	20	21	25	30	20	17	24	19	16	20	20	18	250
Female	16	13	19	21	19	13	25	21	12	10	16	10	195
Total	36	34	44	51	39	30	49	40	28	30	36	28	445
Male	22	20	15	14	4	6	6	7	17	18	42	44	215
Female	24	14	22	15	5	3	4	5	11	20	26	28	177
Total	46	34	37	29	9	9	10	12	28	38	68	72	392
Male		2		1	2						1		6
Female				3	2	1	1			1	2		10
Total		2		4	4	1	1			1	3		16
Male	4	1	3	7	4	2	2	7	7	4	6	4	51
Female					1				1				2
Total	4	1	3	7	5	2	2	7	8	4	6	4	53
Male		1	2	1			4		1	2			11
Female													
Total		1	2	1			4		1	2			11
Male	3	6	3	3	1	1	4		3	5	2	5	36
Female	1	3	4	4		1		1	3	2	2	5	26
Total	4	9	7	7	1	2	4	1	6	7	4	10	62
Male	1	5	5	2	4	14	37	65	27	8	6	6	180
Female	2	2	3	2	2	8	38	55	30	9	6	3	160
Total	3	7	8	4	6	22	75	120	57	17	12	9	340
Male	37	29	19	21	16	17	11	15	19	25	37	37	283
Female	36	26	21	18	29	22	9	9	22	25	35	39	291
Total	73	55	40	39	45	39	20	24	41	50	72	76	574
Male	14	20	17	14	14	14	11	24	18	10	15	13	184
Female	21	16	20	19	17	18	14	11	17	16	19	28	216
Total	35	36	37	33	31	32	25	35	35	26	34	41	400

MONTHS AND DISEASES, 1879.—*Continued.*

CAUSES OF DEATH.	AGES.														Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	
Chorea								1							1
"															
Total															1
Convulsions	180	53	7	3	4	1	1							1	250
"	139	41	3	2	1	2	3	1		1				2	195
Total	319	94	10	5	5	3	4	1		1				3	445
Croup	43	120	40	5	1			1						5	215
"	38	89	34	9		1								5	177
Total	81	209	74	14	1	1		1						10	392
Cyanosis	6														6
"	8	1												1	10
Total	14	1												1	16
Cystitis	3	1				1	1	4	1	14	11	11	1	3	51
"	1								1						2
Total	4	1				1	1	4	2	14	11	11	1	3	53
Delirium Tremens							1	5	2	3					11
"															
Total							1	5	2	3					11
Diabetes		1	3	2	2	7	1	4	5	2	7	1		1	36
"			2	3	2	2	4	2	6	3	2				26
Total		1	5	5	4	9	5	6	11	5	9	1		1	62
Diarrhoea	120	25	2	1		1	1		3	6	11	7	1	2	180
"	93	27		1	3	2	4	3	2	7	9	5	1	3	160
Total	213	52	2	2	3	3	5	3	5	13	20	12	2	5	340
Diphtheria	22	127	91	22	5	1	1		1	2	2			9	283
"	13	121	93	33	12	7	3				1			8	291
Total	35	248	184	55	17	8	4		1	2	3			17	574
Dropsy	3	9	2	3	5	12	4	9	22	30	59	19	1	6	184
"	5	10	5	5	5	18	20	23	31	36	43	9	2	4	216
Total	8	19	7	8	10	30	24	32	53	66	102	28	3	10	400

TABLE E.—DEATHS BY AGES,

SEX.	MONTHS.												Total.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Male	3	1	2	5	18	18	22	19	11	11	4	5	119
Female	1	1	1	4	5	2	4	4	3	5	30
Total	4	2	3	5	22	23	24	23	15	11	7	10	149
Male	1	2	4	12	23	10	5	2	1	60
Female	2	2	1	1	2	4	15	6	4	3	40
Total	3	4	1	4	1	2	16	38	16	9	5	1	100
Female	1	1	1	1	1	1	1	7
Male	2	2	3	2	1	1	2	5	5	2	2	1	28
Female	3	2	2	3	1	3	2	4	1	1	22
Total	5	4	3	4	4	2	5	7	9	3	2	2	50
Male	24	18	19	16	18	13	29	13	18	28	9	17	222
Female	13	12	15	7	13	20	13	19	22	13	12	12	171
Total	37	30	34	23	31	33	42	32	40	41	21	29	393
Male	4	5	5	2	4	2	3	2	2	5	3	4	41
Female	2	2	3	3	2	4	1	1	2	2	3	25
Total	4	7	7	5	7	4	7	3	3	7	5	7	66
Male	2	9	4	7	9	3	2	1	5	3	2	2	49
Female	4	4	4	5	3	1	1	4	4	30
Total	6	13	8	12	12	3	3	2	5	3	6	6	79
Male	1	2	3	1	1	1	3	3	15
Female	2	2	1	1	2	1	2	3	14
Total	3	4	4	1	1	3	2	5	6	29
Male	1	1
Male	1	4	8	5	2	6	7	4	10	4	4	2	57
Female	7	5	5	9	4	8	2	5	7	6	5	4	67
Total	8	9	13	14	6	14	9	9	17	10	9	6	124

MONTHS AND DISEASES.—*Continued.*

CAUSES OF DEATH.	AGES.													Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	
Drowned		19	16	18	8	25	10	3	7	8	2	1	2	119
“		7	8	5	1	3	1	2	...	3	30
Total		26	24	23	9	28	11	5	7	11	2	1	2	149
Dysentery	32	14	2	1	...	1	3	5	...	1	60
“	16	6	2	1	1	2	4	2	3	3	...	40
Total	48	20	2	3	2	2	5	5	8	3	1	100
Dropsy, Ovarian						1	2	1	2	1	7
Dyspepsia	2	1	1	3	11	8	2	...	28
“	4	3	7	3	5	22
Total	6	1	1	3	7	6	16	8	2	...	50
Enteritis	58	19	9	13	13	19	14	11	15	23	15	2	...	222
“	36	21	10	9	8	20	15	10	14	14	10	1	...	171
Total	94	40	19	22	21	39	29	21	29	37	25	3	...	393
Epilepsy	4	1	2	...	1	9	3	5	4	6	1	1	1	41
“	3	3	2	3	5	2	2	1	1	25
Total	7	4	2	...	3	12	8	7	6	7	2	1	1	66
Erysipelas	16	3	4	4	1	2	5	6	7	1	...	49
“	10	2	1	1	2	...	2	2	4	2	...	30
Total	26	5	1	...	4	5	3	2	7	8	11	3	...	79
Exhaustion	4	1	3	1	...	2	3	1	...	15
“	2	1	1	1	1	1	3	1	1	14
Total	6	1	1	2	4	2	3	3	4	1	...	29
Executed						1	1
Fever	8	9	3	2	7	8	4	2	2	5	4	1	...	57
“	7	14	6	7	5	6	5	3	3	4	3	67
Total	15	23	9	9	12	14	9	5	5	9	7	1	...	124

TABLE E.—DEATHS BY AGES,

SEX.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Male.....	2	1	4	1	3	4	3	1	2	2	23
Female.....				3	1	4	1	3	1	2	1	1	17
Total.....	2	1	7	2	7	5	6	2	4	3	1	40
Male.....	15	10	12	26	14	13	5	4	3	6	7	15	130
Female.....	17	10	14	17	15	10	4	7	5	11	10	9	129
Total.....	32	20	26	43	29	23	9	11	8	17	17	24	259
Male.....	7	11	6	7	7	7	7	20	23	27	25	21	168
Female.....	12	6	7	7	8	8	5	11	21	28	17	10	140
Total.....	19	17	13	14	15	15	12	31	44	55	42	31	308
Male.....			1			1							2
Female.....										1			1
Total.....			1			1				1			3
Male.....		2		1	2	2	2	3	1	4			17
Female.....					1		1	1					3
Total.....		2		1	3	2	3	4	1	4			20
Male.....	3	1	1		1							2	8
Female.....	1				1								2
Total.....	4	1	1		2							2	10
Male.....	6	5	2	6	5	6	9	9	2	3	5	4	62
Female.....	2	1	4	2	3	4	2	5	3	3	2	4	35
Total.....	8	6	6	8	8	10	11	14	5	6	7	8	97
Male.....	47	40	50	32	32	39	20	33	24	27	33	30	416
Female.....	34	34	43	45	36	30	20	28	21	23	25	29	368
Total.....	81	74	102	77	68	69	40	61	45	50	58	59	784
Male.....	3	6	2	5	3	3	2	5	5	5	2	7	48
Female.....	2	3	6	6	7	5	7	3	2	2	3	7	53
Total.....	5	9	8	11	10	8	9	8	7	7	5	14	101
Male.....				1		1		2					4
Female.....	3	1		1	2	1		1		1	1		11
Total.....	3	1		2	2	2		3		1	1		15

MONTHS AND DISEASES.—Continued.

CAUSES OF DEATH.	AGES.														Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	
Fever, Remittent.....	1	7	3	2	1	4	4	1	23
“	2	5	1	1	1	2	2	2	1	17
Total	3	12	4	1	3	3	2	4	2	5	1	40
Fever, Scarlet	13	77	27	5	3	2	1	2	130
“	11	69	23	5	3	5	4	2	2	129
Total	24	146	55	10	6	7	5	2	4	259
Fever, Typhoid.....	6	7	6	10	20	47	27	13	9	11	2	1	9	168
“	4	8	12	12	21	43	11	11	7	4	3	1	3	140
Total	10	15	18	22	41	90	38	24	16	15	5	1	1	12	308
Fistula	1	1	2
“	1	1
Total	1	1	1	3
Fractures and Contusions	2	1	1	2	1	1	2	1	1	2	1	1	1	17
“	1	1	1	3
Total	2	1	1	2	2	2	2	1	1	2	2	1	1	20
Frozen	2	1	1	1	1	2	1	8
“	1	1	2
Total	2	1	1	1	1	2	1	1	10
Gastritis	6	3	1	1	3	2	5	8	10	13	5	4	1	62
“	4	3	2	3	6	1	1	5	6	2	1	1	35
Total	10	6	3	1	6	8	6	9	15	19	7	5	2	97
Heart Disease	9	5	6	6	16	27	23	38	54	85	95	27	2	23	416
“	7	4	3	12	9	32	42	49	57	63	64	10	1	15	308
Total	16	9	9	18	25	59	65	87	111	148	159	37	3	38	784
Hemorrhage	6	1	1	8	7	10	6	4	4	1	48
“	8	1	2	9	9	9	4	4	2	3	2	53
Total	14	2	3	17	16	19	10	8	6	3	3	101
Hepatitis	1	3	4
“	1	1	3	3	1	1	1	11
Total	1	1	3	4	4	1	1	15

TABLE E.—DEATHS BY AGES,

SEX.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Male	3	2	5	1	2	1	4	4	3	2	6	1	34
Female		2	2			2	1	2		1		2	12
Total	3	4	7	1	2	3	5	6	3	3	6	3	46
Male				1					1		1	2	5
Female					1	1							2
Total				1	1	1			1		1	2	7
Male	7	7	10	8	4	8	7	12	12	6	2	10	93
Female	9	4	6	6	1	4	6	11	6	3	6	4	66
Total	16	11	16	14	5	12	13	23	18	9	8	14	159
Male	50	51	65	54	37	34	42	63	34	28	30	42	530
Female	31	32	29	47	28	34	39	42	46	38	24	35	425
Total	81	83	94	101	65	68	81	105	80	66	54	77	955
Male	26	28	15	14	16	21	21	11	18	14	20	24	228
Female	13	9	18	18	19	10	13	9	14	10	16	14	163
Total	39	37	33	32	35	31	34	20	32	24	36	38	391
Male													
Female				1	1								2
Total				1	1								2
Male	15	7	14	12	8	6	8	8	6	7	12	10	113
Female	9	12	6	17	10	3	2	8	5	8	3	10	93
Total	24	19	20	29	18	9	10	16	11	15	15	20	206
Male	7	13	5	3	2		2					4	36
Female	4	6	11	6	2	1	1		1	2	5	6	45
Total	11	19	16	9	4	1	3		1	2	5	10	81
Male	3	2	1		1	1	1	1	2	1	2	1	16
Female			5	1						2	1		9
Total	3	2	6	1	1	1	1	1	2	3	3	1	25
Male	1	3	5	3	1	3			4	2	3	3	28
Female	3			1	1	2	1			1		1	10
Total	4	3	5	4	2	5	1		4	3	3	4	38

MONTHS AND DISEASES.—*Continued.*

CAUSES OF DEATH.	AGES.														Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	
Hernia	7	1	3	2	1	2	2	6	7	2	...	2	34
“	1	1	3	2	1	2	1	1	12
Total	8	1	3	3	4	4	3	8	8	2	...	3	46
Homicide or Murder	1	2	1	1	5
“	1	1	2
Total	1	2	...	1	1	2	7
Hydrocephalus	46	36	4	2	1	2	1	1	93
“	36	24	3	1	2	66
Total	82	60	7	2	1	2	1	1	3	159
Infantine Debility	479	45	4	1	530
“	373	50	2	425
Total	852	95	6	1	955
Infantile Premature	228	228
“	163	163
Total	391	391
Infanticide
“	2	2
Total	2	2
Inflammation	41	20	7	1	3	10	4	4	5	9	5	1	...	3	113
“	26	12	2	5	4	12	11	8	6	5	...	1	...	1	93
Total	67	32	9	6	7	22	15	12	11	14	5	2	...	4	206
Influenza	21	2	1	...	1	...	1	2	5	3	36
“	16	8	2	1	1	2	...	3	8	3	1	...	45
Total	37	10	3	...	1	1	2	4	...	3	13	6	1	...	81
Insanity	1	2	3	4	5	1	16
“	3	...	2	1	2	1	9
Total	4	2	5	5	7	1	1	25
Intemperance	1	4	5	11	4	2	1	28
“	1	2	2	2	1	2	10
Total	2	6	7	13	5	2	3	38

TABLE E.—DEATHS BY AGES,

SEX.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Male	1	...	1	...	2	1	4	...	1	...	10
Female	1	1	1	1	1	5
Total	2	...	1	...	3	1	...	1	4	...	2	1	15
Male	5	1	2	2	1	4	1	2	1	1	8	6	34
Female	1	3	2	1	2	...	4	...	4	4	1	2	24
Total	6	4	4	3	3	4	5	2	5	5	9	8	58
Male	1	...	1	1	1	...	4
Female	1	1	1	3
Total	2	...	1	...	1	...	1	1	1	...	7
Male	6	7	3	10	1	9	8	9	5	6	5	7	76
Female	2	5	2	5	2	3	2	...	2	...	2	4	29
Total	8	12	5	15	3	12	10	9	7	6	7	11	105
Male	1	1	4	2	3	1	9	5	1	1	28
Female	1	1	1	3
Total	2	1	4	2	3	1	9	5	2	2	31
Male	1	2	3
Female
Total	1	2	3
Male	2	4	1	4	1	1	3	1	4	1	22
Female	4	3	2	...	2	4	2	1	2	1	5	3	29
Total	6	7	3	4	3	5	5	1	2	2	9	4	51
Male	10	6	3	14	12	6	5	8	4	14	4	12	98
Female	5	9	11	12	8	7	5	3	4	5	5	8	82
Total	15	15	14	26	20	13	10	11	8	19	9	20	180
Male	22	20	25	21	12	11	4	6	8	6	5	12	152
Female	19	16	15	15	18	10	2	6	1	6	10	12	130
Total	41	36	40	36	30	21	6	12	9	12	15	24	282
Male	4	3	10	6	3	1	2	1	2	2	3	4	41
Female	4	4	7	6	4	3	2	2	3	2	2	4	43
Total	8	7	17	12	7	4	4	3	5	4	5	8	84

MONTHS AND DISEASES.—Continued.

CAUSES OF DEATH.	AGES.													Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	
Intussusception	4		1	1			1	1		1		1		10
“				2		1				1	1			5
Total	4		1	3		1	1	1		2	1	1		15
Jaundice	5	1	2	1		2	3	2	4	9	4			34
“	6				1	2		1	2	4	2	4		24
Total	11	1	2	1	1	4	3	3	6	13	6	4		58
Joint Disease			2			1				1				4
“			2	1										3
Total			4	1		1				1				7
Kidney Disease	2	3	2		1	2	6	5	11	14	16	9	2	76
“	1	2			1	6	4	5	2	5	1		1	29
Total	3	5	2		2	8	10	10	13	19	17	9	3	105
Killed by Cars	1	3	1		1	6	5	3	3	2	1	1		28
“			1				1			1				3
Total	1	3	2		1	6	6	3	3	3	1	1		31
Killed by Lightning						2		1						3
“														
Total						2		1						3
Laryngitis	5	3	2	3	1	3	1	1						22
“	9	7	1	3		1	3	2		1		1		29
Total	14	10	3	6	1	4	4	3		1		1		51
Liver Disease	6	3				7	11	16	17	25	12			98
“	3	3	2	1	1	4	4	9	17	21	13		1	82
Total	9	6	2	1	1	11	15	25	34	46	25		1	180
Lungs, Congestion of	40	16	7	4	2	7	8	16	13	14	16	3	3	152
“	29	20	4	3	7	9	8	11	9	8	11	3	3	130
Total	69	36	11	7	9	16	16	27	22	22	27	6	6	282
Lungs, Disease of	9	6				7	5	4	1	5	2	1	1	41
“	4	1	1	1	4	6	6	4	3	5	6			43
Total	13	7	1	1	4	13	11	8	4	10	8	1	1	84

TABLE E.—DEATHS BY AGES,

SEX.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Male	5	1	1							2	3		12
Female		2			1	2	1	1		1		1	9
Total	5	3	1		1	2	1	1		3	3	1	21
Male	1	1	6	5	4	3	2	1			5	5	33
Female	2	2	1	6	5	1	3	3			4	7	34
Total	3	3	7	11	9	4	5	4			9	12	67
Female	9	9	13	11	6	7	7	8	2	4	6	11	93
Male	6	6	6	4	7	3	7	9	3	4	3	3	61
Female	5	5	8	6	4	4	9	4	7	2	1	3	58
Total	11	11	14	10	11	7	16	13	10	6	4	6	119
Male		2	3	1	3		2	3	2	2	3	2	23
Female				2		2		2		2	1	1	10
Total		2	3	3	3	2	2	5	2	4	4	3	33
Male	5	2	5	5	4	1	4	1	1	1	1	1	31
Female	2	4	1	4	1	2	1	1		1	3	2	22
Total	7	6	6	9	5	3	5	2	1	2	4	3	53
Male	2		1										3
Female				1									1
Total	2		1	1									4
Male	1						1						2
Female		1		2	1	1	1				1		7
Total	1	1		2	1	1	2				1		9
Male													
Female					1				1				2
Total					1				1				2
Male	81	115	121	94	68	78	64	49	61	64	69	80	944
Female	85	105	96	80	73	48	53	53	54	38	59	61	805
Total	166	220	217	174	141	126	117	102	115	102	128	141	1749

MONTHS AND DISEASES.—*Continued.*

CAUSES OF DEATH.	AGES.														
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	Total.
Malformation	11	1	12
“	8	1	9
Total	19	2	21
Measles	6	20	4	1	2	33
“	5	13	7	4	2	1	1	1	34
Total	11	33	11	4	2	2	1	3	67
Metria (Puerpal Fever)	6	41	31	8	7	93
Meningitis.	23	19	7	1	1	3	3	1	1	2	61
“	17	17	10	2	1	3	1	2	2	3	58
Total	40	36	17	3	2	6	4	2	2	1	1	5	119
Mortification	1	2	1	1	2	1	23
“	2	2	2	2	7	2	1	10
Total	1	2	3	2	1	2	3	7	8	2	2	33
Nephria	1	1	1	2	3	8	7	3	5	31
“	1	3	3	7	1	5	1	1	22
Total	1	2	4	5	10	9	12	4	1	5	53
Nephritis	1	2	3
“	1	1
Total	1	1	2	4
Neuralgia	2	2
“	1	3	1	1	1	7
Total	1	3	3	1	1	9
Noma (Canker)
“	2	2
Total	2	2
Old Age	88	320	409	118	9	944
“	59	287	341	107	11	805
Total	147	607	750	225	20	1749

TABLE E.—DEATHS BY AGES,

SEX.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Male.....	6	7	6	8	2	5	4	7	5	8	11	6	75
Female.....	8	5	7	3	5	7	6	6	9	9	6	13	84
Total.....	14	12	13	11	7	12	10	13	14	17	17	19	159
Male.....	14	10	16	12	11	14	10	12	10	14	15	13	151
Female.....	8	12	13	11	15	5	6	12	11	13	15	19	140
Total.....	22	22	29	23	26	19	16	24	21	27	30	32	291
Female.....		1		1		1					1		4
Male.....	1		1			2			1		1	1	7
Female.....				2			2						4
Total.....	1		1	2		2	2		1		1	1	11
Male.....	7	3	4	6	4	5	9	2	8	4	4	3	59
Female.....	8	3	8	11	5	9	7	6	8	3	5	3	76
Total.....	15	6	12	17	9	14	16	8	16	7	9	6	135
Male.....								1					1
Female.....			1	1			1						3
Total.....			1	1			1	1					4
Male.....	62	71	123	95	98	78	52	56	61	55	59	72	882
Female.....	116	127	114	110	91	90	87	88	88	88	87	97	1183
Total.....	178	198	237	205	189	168	139	144	149	143	146	169	2065
Male.....	1	4	3	1		2	3	2	1	2		1	20
Female.....	1	2	1	4						1	1	1	11
Total.....	2	6	4	5		2	3	2	1	3	1	2	31
Male.....	59	70	92	78	53	33	17	13	21	32	33	37	538
Female.....	56	64	65	47	35	27	15	8	12	21	25	30	405
Total.....	115	134	157	125	88	60	32	21	33	53	58	67	943
Male.....			3	2	4	2	3			1			15
Female.....	1	3	2	1	2	2	2			1	1	1	16
Total.....	1	3	5	3	6	4	5			2	1	1	31

MONTHS AND DISEASES.—*Continued*

CAUSES OF DEATH.	AGES.														Total
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	
Other Diseases.....	14	2	3	1	3	7	9	6	13	12	6	2	75
“.....	9	5	1	1	3	18	10	11	10	10	3	1	2	84
Total	23	7	4	2	6	25	19	17	23	22	9	1	4	159
Paralysis.....	1	1	1	3	10	14	23	32	44	15	2	5	151
“.....	1	3	1	1	3	4	13	17	35	36	21	1	4	140
Total	1	4	2	2	3	3	14	27	40	67	80	36	3	9	291
Paramenia	1	1	1	1	4
Pericarditis	1	2	2	2	7
“.....	1	1	1	1	4
Total	1	1	1	2	2	3	1	11
Peritonitis	4	4	2	4	6	9	4	6	3	8	1	8	59
“.....	4	4	4	5	8	15	13	5	5	3	4	1	5	76
Total	8	8	6	9	14	24	17	11	8	11	5	1	13	135
Phlegmon	1	1
“.....	2	1	3
Total	3	1	4
Phthisis.....	32	28	6	10	61	243	167	119	95	64	30	4	2	21	882
“.....	23	30	12	32	133	384	224	152	72	56	22	3	35	1183
Total	55	58	18	42	199	627	391	271	167	120	52	7	2	56	2065
Pleurisy.....	1	1	4	1	4	1	1	5	1	1	20
“.....	2	1	1	1	2	2	1	1	11
Total	3	1	1	2	6	1	6	2	1	5	1	1	1	31
Pneumonia	126	74	7	11	20	32	39	43	59	52	46	8	1	20	538
“.....	95	66	15	7	12	31	24	30	27	47	29	7	1	14	405
Total	221	140	22	18	32	63	63	73	86	99	75	15	2	34	943
Poison	3	4	3	2	2	1	15
“.....	1	5	1	1	2	1	1	2	1	1	16
Total	4	9	1	1	5	3	2	1	2	1	1	1	31

TABLE E.—DEATHS BY AGES,

SEX.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total
Male									1			1	2
Female								1				1	2
Total								1	1			2	4
Male	5	1	1	2		5	1	2	2	2	1		22
Female	1	1	2	3	2	4	3	4				2	22
Total	6	2	3	5	2	9	4	6	2	2	1	2	44
Male			1				1				2	1	5
Female				1				1				1	3
Total			1	1			1	1			2	2	8
Male	9	5	5	9	6	5		2	4	4	2	5	56
Female	4	3	4	6	4	9	4	1	2	3	2	6	48
Total	13	8	9	15	10	14	4	3	6	7	4	11	144
Male	2			2		1	2	1		1		1	10
Female	1			4	1	1		1	1	2			11
Total	3			6	1	2	2	2	1	3		1	21
Male				1	3	1	1						6
Female	1	1		2						1	1	2	8
Total	1	1		3	3	1	1			1	1	2	14
Male	7	9	9	10	6	16	10	7	5	8	11	5	103
Female	10	5	12	8	12	10	6	6	6	10	4	3	92
Total	17	14	21	18	18	26	16	13	11	18	15	8	195
Male	5	6	4	3	5	3	1	3	2	5	1	5	43
Female	4	5	7	2	3	2		2	2	1	4	6	38
Total	9	11	11	5	8	5	1	5	4	6	5	11	81
Male							1			1		1	3
Female		1					1	1	1			1	5
Total		1					2	1	1	1		2	8
Male						1					2	1	4
Female													
Total						1					2	1	4

MONTHS AND DISEASES.—*Continued.*

CAUSES OF DEATH.	AGES.													Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	
Purpura (Scurvy).....	1									1				2
“.....						1		1						2
Total	1					1		1		1				4
Pyæmia	2	2		2		2	3	4	3	3	1			22
“.....	2		4	1	1	8	3	1	1			1		22
Total	4	2	4	3	1	10	6	5	4	3	1	1		44
Quinsy.....	1	2					2							5
“.....	1				2									3
Total	2	2			2		2							8
Rheumatism		1	4	3	3	6	7	5	1	12	10	2	2	56
“.....	1		4	1	4	9	6	2	5	3	9	3	1	48
Total	1	1	8	4	7	15	13	7	6	15	19	5	3	104
Scrofula.....	1	2	1	1		1	1			3				10
“.....	1	1	1		4	3	1							11
Total	2	3	2	1	4	4	2			3				21
Skin Disease	3					1			1		1			6
“.....	5	1		1					1					8
Total	8	1		1		1			2		1			14
Small Pox.....	13	34	19	8	7	10	4	3	1	1			3	103
“.....	8	38	14	8	7	5	6	1	1				4	92
Total	21	72	33	16	14	15	10	4	2	1			7	195
Spinal Disease	8	9	3	2	6		3	1	4	2	4		1	43
“.....	2	7	2	3		4	1	2	3	4	3		2	38
Total	10	16	5	5	6	4	4	3	7	6	7		3	81
Spina Bifida	3													3
“.....	3	1											1	5
Total	6	1											1	8
Spleen						1	1	1	1					4
“.....														
Total						1	1	1	1					4

TABLE E.—DEATHS BY AGES,

SEX.	MONTHS.											
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Male							1		1		1	1
Female				1				1		1		
Total.....				1			1	1	1	1	1	1
Male												1
Female												
Total.....												
Male	2	3	3	2	1	1	1	1	1		1	
Female	1		2	4	1	1	2		1	2	2	2
Total.....	3	3	5	6	2	2	3	1	2	2	3	2
Male	2	2	1	6		3	1		2	4	3	1
Female	2	1	1	3	1	1	2	1		2	1	1
Total..	4	3	2	9	1	4	3	1	2	6	4	2
Male	3		1	3	1	3	2	2	2	1	3	3
Female	1			1					1	3	1	1
Total.....	4		1	4	1	3	2	2	3	4	4	4
Male					2	1	5	2				
Female							2	1				
Total... ..					2	1	7	3				
Male		1			1	2	1					2
Female		1			1		2		1			
Total.		2			2	2	3		1			2
Male	1	3		1			1	2	1	1	1	
Female						3	1	1			2	
Total.....	1	3		1		3	2	3	1	1	3	
Male	1	2	4	3	5	1	11	10	4	4	1	1
Female	2	3	3	7	2	5	7	10	2	2	1	
Total	3	5	7	10	7	6	18	20	6	6	2	1
Male				2	1	1		4				
Female							1					
Total.....				2	1	1	1	4				

MONTHS AND DISEASES.—Continued.

CAUSE OF DEATH.	AGES.														Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	
Stricture of Intestines	1	1	1	1	4
“	1	1	1	3
Total	2	1	2	1	...	1	7
Stricture of Urethra	1	1	1
Sudden, Cause not known	3	1	...	2	1	2	2	2	2	1	...	16
“	6	1	...	1	...	1	2	1	1	1	2	1	1	...	18
Total	9	1	...	1	1	1	4	2	3	3	4	3	2	...	34
Suffocation	12	2	2	1	...	1	...	2	3	2	25
“	11	1	1	1	...	2	16
Total	23	3	3	1	...	1	...	3	3	2	2	41
Suicide	3	3	4	10	4	24
“	1	5	1	...	1	8
Total	1	8	3	4	11	4	1	32
Sunstroke	1	...	1	1	...	1	2	...	1	1	2	10
“	2	1	3
Total	1	...	1	1	...	3	2	...	2	1	2	13
Syphilis	3	1	1	1	...	1	7
“	3	1	1	5
Total	6	1	1	...	1	2	...	1	12
Tabes Mesenterica	7	3	1	11
“	4	2	1	7
Total	11	5	2	18
Teething	22	22	1	2	...
“	21	22	...	1	44
Total	43	44	1	1	2	91
Tetanus	2	...	1	1	1	3	8
“	1	1
Total	2	...	1	1	1	...	1	3	9

DEATHS BY AGES,

SEX.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Male					1	1	3			3	3	1	12
Female			1				1	1		1	2		6
Total			1		1	1	4	1		4	5	1	18
Male	1	4	2	4	1	4	2	1	4	1	3	2	29
Female		3	5	3	5	5	5	5		5	6	1	43
Total	1	7	7	7	6	9	7	6	4	6	9	3	72
Male		1		1	1			2	1	1	1	1	9
Female		3	2				2	3		1	2	1	14
Total		4	2	1	1		2	5	1	2	3	2	23
Male						1	2	3	1		1	2	10
Female	1		2	1	1	1	3	3	1	3	1		17
Total	1		2	1	1	2	5	6	2	3	2	2	27
Female	6	7	2	4	1	4	1	2	1		2	4	34
Male	5	1	4	3	2	1	4	17	13	6	9	12	77
Female	1	4	5	4	4	4	3	20	15	9	13	10	92
Total	6	5	9	7	6	5	7	37	28	15	22	22	169
Male		1	1	2	1					1		1	7
Female	1	2	1	1		2	4	3	2				16
Total	1	3	2	3	1	2	4	3	2	1		1	23
Male				1		2					1	1	5
Female				1			1						2
Total				2		2	1				1	1	7

MONTHS AND DISEASES.—*Concluded.*

CAUSES OF DEATH.	AGES.														Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	
Thrush	12														12
“	5	1													6
Total	17	1													18
Tumour	1	1	3			2	2	3	7	8	1	1			29
“	2	1	2	1	3	4	5	4	11	5	2	1		2	43
Total	3	2	5	1	3	6	7	7	18	13	3	2		2	72
Ulcer	1		1					1	2	2		2			9
“	3	1		1	3	1	1		2	2					14
Total	4	1	1	1	3	1	1	1	4	4		2			23
Ulceration of Intestines	1						1	3	1	2	2				10
“	2		1	1			2	3	2	5				1	17
Total	3		1	1			3	6	3	7	2			1	27
Uterus, Disease of					1	9	6	8	2	3	3			2	34
Whooping Cough	49	23	2	1										2	77
“	50	36	4				1	1							92
Total	99	59	6	1		1	1							2	169
Worms		7													7
“	1	10	4	1											16
Total	1	17	4	1											23
Wounds						2	2							1	5
“		1										1			2
Total		1				2	2					1		1	7

TABLE F.—CAUSES OF DEATH

COUNTIES.	MIASMATIC.										
	Small Pox.	Measles.	Cancer.	Diphtheria.	Quinsy.	Croup.	Whooping Cough.	Infantile Fever.	Erysipelas.	Metria.	Influenza.
Algoma :											
Male			1								
Female						1					
Total			1			1					
Brant :											
Male	7		5	5		6	1				
Female	1		5	5		2				3	
Total	8		4	10		8	1			3	
Bruce :											
Male		1	5	19		5	2	1	2		1
Female		2	5	9	1	7			1	2	
Total		3	10	28	1	12	2		3	2	1
Carleton :											
Male	63	1	12	10		1			2		3
Female	64		7	11		5	3		1	3	4
Total	127	1	19	21		6	3		3	3	7
Elgin :											
Male			2	3		7	3		3		
Female			3	3		5			2	3	3
Total			5	6		12	3		5	3	3
Essex :											
Male		1	2	7		12	3		2		2
Female	2	2	2	11		8	8			4	1
Total	2	3	3	18		20	11		2	4	3
Frontenac :											
Male			4	3	1	5			5		1
Female			1	6		6			4	2	3
Total			5	9	1	11			9	2	4
Grey :											
Male		4	4	7	1	5					2
Female		4	2	11	1	1				3	3
Total		8	6	18	2	6				3	5
Haldimand :											
Male			3	2		2	1		1		1
Female			2	3		2	2				
Total			5	5		4	3		1		

BY COUNTIES.

MIASMATIC.										TUBERCULAR.				NERVOUS SYSTEM			
Dysentery.	Diarrhoea.	Cholera Infantum.	Cholera.	Ague.	Remittent Fever.	Typhoid Fever.	Rheumatism.	Fever.	Scarlet Fever.	Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Cephalitis.	Cerebro-Spinal Meningitis.	Apoplexy.	Paralysis.
.....	6
.....	3	1
.....	9	1
.....
2	3	4	1	2	3	5	3	18	2	2	1
.....	3	12	3	22	1	5	2
2	6	4	1	2	3	7	6	40	3	7	3
.....
1	2	2	1	1	1	4	2	1	25	3	1	3	1
.....	1	1	4	2	2	1	33	4	1	3	4
1	3	3	1	1	5	6	4	2	58	7	2	6	5
.....
3	3	3	1	1	1	1	2	1	1	38	6	4	8
.....	5	4	2	3	2	1	41	5	2	4
3	8	7	1	2	1	4	4	2	1	79	11	6	12
.....
1	4	1	1	4	2	2	20	1	3
2	1	5	4	13	3	2	3
3	4	2	1	9	2	6	33	3	3	6
.....
2	5	5	1	2	12	2	2	31	7	2	1
.....	6	5	1	5	2	30	2	2	4
2	11	10	1	3	17	4	2	61	9	4	5
.....
1	3	1	2	2	3	1	6	28	3	1	1	10
3	4	1	3	1	8	40	1	4	6
4	7	1	2	2	4	4	1	14	68	3	2	5	16
.....
2	4	3	1	2	2	9	2	1	5
2	1	2	3	4	4	4	1	25	3	1	7	4
4	5	3	3	3	4	6	6	1	34	5	1	8	9
.....
2	1	2	6	12	1	2	1
.....	1	1	1	1	20	1	1	1	2
2	2	2	1	1	7	32	2	1	3	3

TABLE F.—CAUSES OF DEATH

COUNTIES.	NERVOUS SYSTEM.							
	Insanity.	Epilepsy.	Tetanus.	Convulsions.	Brain Disease.	Spinal Disease.	Meningitis.	Inflammation of Brain.
Algoma :								
Male.....								
Female.....								
Total								
Brant :								
Male.....		1		7	4		2	1
Female.....				6	1	2	2	2
Total		1		13	5	2	4	3
Bruce :								
Male.....				4	5		1	2
Female.....				4	3	1		1
Total				8	8	1	1	3
Carleton :								
Male.....				3	5	1		3
Female.....	1			5	1			4
Total	1			8	6	1		7
Elgin :								
Male.....		1		5		1		1
Female.....					3	1		1
Total		1		5	3	2		2
Essex :								
Male.....				4	3	2	1	
Female.....				5			3	1
Total				9	3	2	4	1
Frontenac :								
Male.....	2		1	4	5		2	3
Female.....	1			3	1	3	1	5
Total	3		1	7	6	3	3	8
Grey :								
Male.....				1	1	1		1
Female.....	2	1		2	2	1	2	
Total	2	1		3	3	2	2	1
Haldimand :								
Male.....				4			2	2
Female.....	1			3		1		
Total	1			7		1	2	2

BY COUNTIES.—Continued.

RESPIRATORY ORGANS.							DEVELOPMENTAL DISEASES OF CHILDREN.						DEVELOPMENTAL DISEASES OF WOMEN.	DEVELOPMENTAL DISEASES OF OLD PEOPLE.			
Laryngitis.	Bronchitis.	Pleurisy.	Pneumonia.	Asthma.	Lung Disease.	Congestion of Lungs.	Infantile Premature.	Cyanosis.	Spina Bifida.	Other Malformations.	Teething.	Infantile Debility.	Child-Birth.	Old Age.	Total.	Other Diseases, and cause not given.	Grand Total.
...	2 1	...	1	...	1	1	2	...	3 2	13 14	17 8	30 22
...	3	...	1	...	3	1	2	...	5	27	25	52
...	2 1	...	14 12	3 2	5 2	4 4	...	22 14	128 106	58 49	186 155
...	2	3	26	5	7	8	...	36	234	107	341
...	1	2 3	10 10	1 2	2 1	...	2 6	3 1	5 3	...	16 18	138 142	111 77	249 219
...	1	5	1	20	3	3	3	8	4	8	1	34	280	188	468
...	2 1	2 4	3 1	13 13	...	1 1	4 2	11 5	23 23	...	33 23	284 260	78 77	362 337
...	3	6	4	26	...	1	5	6	16	46	4	56	544	155	699
...	1	1 3	1 5	13	1 3	2 1	3 5	...	23 14	110 93	60 58	170 141
...	1	4	1	18	...	3	2	3	...	1	...	8	2	37	203	118	321
...	1 2	1	14 12	...	1 1	2 1	5 2	2 1	3 12	...	19 11	162 151	114 100	276 251
...	3	1	...	26	1	2	3	7	3	3	16	30	313	214	527
...	...	6 5	1 ...	12 2	...	1 4	5 2	5 4	3 2	...	29 24	164 157	86 53	250 210
...	...	11	1	14	1	5	7	9	1	3	4	53	321	139	460
...	1 1	7 6	1 1	10 6	4 ...	2 2	2 3	2 4	6 1	...	27 16	121 143	118 60	239 203
...	2	13	2	16	4	4	5	6	1	10	43	264	178	442
...	1	1	...	8 9	1 2	2 1	4 2	...	11 12	73 70	29 23	102 93
...	1	1	...	17	3	3	6	1	23	143	52	195

TABLE F.—CAUSES OF DEATH

COUNTIES.	MIASMATIC.										
	Small Pox.	Measles.	Cancer.	Diphtheria.	Quinsy.	Croup.	Whooping Cough.	Infantile Fever.	Erysipelas.	Metria.	Influenza.
Halton :											
Male			6	5	...	2
Female				2	1	3
Total			6	7	...	2	1	3
Hastings :											
Male	6	1	3	13	...	2	1	...	1
Female	5	...	4	9	1	7	1	6	1
Total	11	1	7	22	1	9	2	6	2
Huron :											
Male		3	9	15	1	18	3
Female		3	6	17	...	7	1	...	1	4	2
Total		6	15	32	1	25	4	...	1	4	2
Kent :											
Male	5	7	...	9	3	2
Female	6	...	1	5	...	4	2	3	...
Total	11	...	1	12	...	13	5	3	2
Lambton :											
Male				10	...	7	2	...	1	...	1
Female		1	5	10	...	2	2	...	1
Total		1	5	20	...	9	4	...	2	...	1
Lanark :											
Male			7	6	...	2	1	...	1	...	2
Female	1	...	2	2	...	2	1	3	2
Total	1	...	9	8	...	4	1	...	2	3	4
Leeds and Grenville :											
Male			4	8	1	3	1
Female	1	...	8	12	...	5	1	1	...
Total	1	...	12	20	1	8	2	1	...
Lennox and Addington :											
Male	1	...	1	1
Female	1	1	3
Total	1	...	2	1	1	3
Lincoln :											
Male			2	12	...	3	5	...	1
Female			4	4	...	1	3	1	2
Total			6	16	...	4	8	...	1	1	...

BY COUNTIES.—Continued.

MIASMATIC.										TUBERCULAR.			NERVOUS SYSTEM.				
Dysente.	Diarrhoea.	Cholera Infantum.	Cholera.	Ague.	Remittent Fever.	Typhoid Fever.	Rheumatism.	Fever.	Scarlet Fever.	Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Cephalitis.	Cerebro-Spinal Meningitis.	Apoplexy.	Paralysis.
1	2	4	1			3	1		1			16		1		2	3
...	1	6	1			3		2	1		1	14			1	2	...
1	3	10	2			6	1	2	2		1	30		1	1	4	3
...	4	1	1			7		9	32	1		37	3	2		5	6
1	2	6				1		2	29	1		52	1	1		2	5
1	6	7	1			8		11	61	2		89	4	3		7	11
1	9	4	3		1	9	1	3	4			23	1	2	1	3	2
1	4	3	1			7	5	2	5		1	38	4		3	4	3
2	13	7	4		1	16	6	5	9		1	61	5	2	4	7	5
8	2	3			1	6	1	4	1		1	8	3			1	4
3	6	4				1		3	5			26	3	2	1	3	7
11	8	7			1	7	1	7	6		1	34	6	2	1	4	11
2	6	9	1		2	9	1		3			18	4			2	2
1	5	3			1	11			1			23	2	1		7	3
3	11	12	1		3	20	1		4			41	6	1		9	5
1	2	2	1			3	2		2			12	1			2	
1	2											19			1	1	
2	4	2	1			3	2		2			31	1		1	3	
4	3	1				3	1					32	2	1		3	3
...	2	1				2	3	2		2		48	2	3		2	3
4	5	2				5	4	2		2		80	4	4		5	6
...	1					4			3			19	4			5	6
...	2					3	1	1	4			25		2		2	2
...	3					7	1	1	7			44	4	2		7	8
3	1	6				4	1	1	4	2		20				5	7
...	3	7			3	6		3	7	1		30	3	1		3	3
3	4	13			3	10	1	4	11	3		50	3	1		8	10

TABLE F.—CAUSES OF DEATH

COUNTIES.	NERVOUS SYSTEM.							
	Insanity.	Epilepsy.	Tetanus.	Convulsions.	Brain Disease.	Spinal Disease.	Meningitis.	Inflammation of Brain.
Halton:								
Male.....	1			4	3			1
Female.....				2				1
Total.....	1			6	3			2
Hastings:								
Male.....		1		6	2	1		2
Female.....					2		1	2
Total.....		1		6	4	1	1	4
Huron:								
Male.....	2	1		9	5	1	6	2
Female.....		1		6	2	1		4
Total.....	2	2		15	7	2	6	6
Kent:								
Male.....				2	3		2	1
Female.....		2		1		1		1
Total.....		2		3	3	1	2	2
Lambton:								
Male.....		2		7	4	1	2	1
Female.....		1		7			3	
Total.....		3		14	4	1	5	1
Lanark:								
Male.....						2		1
Female.....				1		1	1	1
Total.....				1		3	1	2
Leeds and Grenville:								
Male.....		3		3	3	2	1	2
Female.....	1			1	2	3	1	1
Total.....	1	3		4	5	5	2	2
Lennox and Addington:								
Male.....	1			4		2		2
Female.....				1		1	1	
Total.....	1			5		3	1	2
Lincoln:								
Male.....		3	1	4	2			1
Female.....				4	1	1	2	
Total.....		3	1	8	3	1	2	1

BY COUNTIES.—Continued.

RESPIRATORY ORGANS.						DEVELOPMENTAL DISEASES OF CHILDREN.						DEVELOP- MENTAL DISEASES OF WOMEN.	DEVELOP- MENTAL DISEASES OF OLD PEOPLE.				
Laryngitis.	Bronchitis.	Pleurisy.	Pneumonia.	Asthma.	Lung Disease.	Congestion of Lungs.	Infantile Premature.	Cyanosis.	Spina Bifida.	Other Malformations.	Teething.	Infantile Debility.	Childbirth.	Old Age.	Total.	Other Diseases and cause not given.	Grand Total.
.....	1	11	1	4	1	4	10	89	42	131
.....	2	10	3	1	12	70	29	99
1	2	1	21	1	7	1	1	4	22	159	71	230
.....	4	11	2	10	9	1	1	7	27	218	104	322
2	1	5	1	6	2	1	7	3	26	198	64	262
2	2	16	3	16	11	1	2	14	3	53	416	168	584
2	5	15	3	6	11	1	3	11	27	227	107	334
1	6	1	10	2	4	10	1	3	8	6	29	218	99	317
3	11	1	25	3	2	10	21	1	1	6	19	6	56	445	206	651
.....	2	10	3	1	9	3	1	4	18	129	88	217
.....	1	11	1	6	1	6	3	19	138	89	227
.....	3	21	3	2	15	4	1	10	3	37	267	177	444
.....	10	24	2	1	5	9	14	162	65	227
.....	9	16	1	8	6	15	145	79	215
.....	19	49	2	1	6	17	6	29	367	135	442
.....	15	1	2	1	2	22	93	37	130
.....	5	12	1	3	3	1	5	14	85	33	118
.....	5	27	2	3	5	2	7	36	178	70	248
.....	1	21	1	5	4	1	8	45	171	77	218
.....	2	5	1	2	4	3	3	1	35	163	54	217
.....	3	26	1	3	9	7	1	11	1	80	334	151	485
3	1	2	2	1	5	2	1	7	18	96	53	149
1	1	1	2	4	2	13	74	26	100
4	2	2	3	1	7	2	1	11	2	31	170	79	249
1	5	15	2	9	16	18	154	62	216
.....	5	1	11	1	5	7	1	4	1	17	146	53	199
1	10	1	26	1	7	16	1	20	1	35	360	115	415

TABLE F.—CAUSES OF DEATH

COUNTIES.	MIASMATIC.										
	Small-pox.	Measles.	Cancer.	Diphtheria.	Quinsy.	Croup.	Whooping-cough.	Infantile Fever.	Erysipelas.	Metria.	Influenza.
Middlesex :											
Male	1		5	13		16	1		2		
Female	2		7	16		11			2	8	2
Total	3		12	29		27	1		4	8	2
Muskoka and Parry Sound :											
Male		1		1		3					2
Female			2	1		2				1	
Total		1	2	2		5				1	2
Norfolk :											
Male			2	9	1	4	1		3		1
Female			2	5		1				1	
Total			4	14	1	5	1		3	1	1
Northumberland and Durham :											
Male		5	7	2		3	3		3		
Female			8	2		2	1		3		1
Total		5	15	4		5	4		6		1
Ontario :											
Male			1	2		2	7		1		1
Female		1	6			4	12		2	8	1
Total		1	7	2		6	19		3	8	2
Oxford :											
Male	3		7	8		3	2		2		2
Female	3		8	7		4	1		1	2	
Total	6		15	15		7	3		3	2	2
Peel :											
Male			2	4							
Female		3	2	7		2					1
Total		3	4	11		2					1
Perth :											
Male	4	3	3	9		5	3				2
Female		2	3	5		2	7		1	3	1
Total	4	5	6	14		7	10		1	3	3
Peterborough :											
Male			1	4		3	2				2
Female		1	2	1		2	3				1
Total		1	3	5		5	5				

BY COUNTIES.—*Continued.*

MIASMATIC.										TUBERCULAR.				NERVOUS SYSTEM.			
Dysentery.	Diarrhoea.	Cholera Infantum.	Cholera.	Ague.	Remittent Fever.	Typhoid Fever.	Rheumatism.	Fever.	Scarlet Fever.	Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Cephalitis.	Cerebro-spinal Meningitis.	Apoplexy.	Paralysis.
4 2	7 11	9 3	3 1	...	2 2	8 5	3 4	2 1	7 5	1 1	2 1	53 66	4 1	9 3	9 4
6	18	12	4	..	4	13	7	3	12	2	3	119	5	1	12	13
....	1	1	4	...	1	6	1
....	...	1	1	5
....	1	2	5	...	1	11	1
1	1	1	1	3	...	6	1	17	1	1	4	7
....	4	1	1	3	1	5	28	1	1	3
1	5	2	2	6	1	11	1	45	1	1	1	5	10
....	3	6	2	5	1	2	1	...	1	35	3	...	1	2	2
....	3	2	1	4	1	1	...	1	...	56	4	2	...	5	6
....	6	8	1	...	2	9	2	3	1	1	1	91	7	2	1	7	8
1	2	5	3	2	1	1	23	10	...	1	1	4
1	6	6	1	5	1	4	34	4	1	...	4	4
2	8	11	1	8	3	5	1	57	14	1	1	5	8
1	3	3	1	1	3	3	3	1	...	14	2	1	4	...	5
3	3	3	1	1	1	31	1	6	6
4	6	3	1	4	4	4	4	1	...	45	3	1	4	6	11
1	1	4	1	..	1	3	1	...	1	1	...	10	1	2
....	1	1	1	2	...	1	1	10	1	1	...	4	2
1	2	5	1	..	2	5	1	1	2	1	...	20	2	1	...	4	4
1	5	3	1	2	3	...	2	23	3	...	1	2	...
2	5	...	2	2	1	1	1	20	3	...	1	...	6
3	10	3	3	4	4	1	3	43	6	...	2	2	6
5	1	1	2	1	...	1	13	...	1	...	1	2
4	3	1	3	1	2	19	2
9	4	1	1	5	2	3	32	...	1	...	1	4

TABLE F.—CAUSES OF DEATH

COUNTIES.	NERVOUS SYSTEM.							
	Insanity.	Epilepsy.	Tetanus.	Convulsions.	Brain Disease.	Spinal Disease.	Meningitis.	Congestion of Brain.
Middlesex :								
Male	1	7	2	18	12	4	1	7
Female	2	3		10	4	2	4	5
Total	3	10	2	28	16	6	5	12
Muskoka and Parry Sound :								
Male		1		1	1			
Female				2	1		1	
Total		1		3	2		1	
Norfolk :								
Male		1		15				1
Female		1		6		1	1	1
Total		2		21		1	1	2
Northumberland and Durham :								
Male	1	1		5	8		2	3
Female				2	2		2	5
Total	1	1		7	10		4	8
Ontario :								
Male				5	3	2	2	3
Female				8	2	1	4	
Total				13	5	3	6	3
Oxford :								
Male		1		7	3	2	2	2
Female		1		6	4		1	1
Total		2		13	7	2	3	3
Peel :								
Male				4	1	2		
Female				1	1	1		1
Total				5	2	3		1
Perth :								
Male		2	1	8	3	1	1	
Female	1			6	4		2	4
Total	1	2	1	14	7	1	3	4
Peterborough :								
Male		2		8	2			2
Female				6	1	1	1	
Total		2		14	3	1	1	2

BY COUNTIES—Continued.

RESPIRATORY ORGANS.							DEVELOPMENTAL DISEASES OF CHILDREN.						DEVELOP- MENTAL DISEASES OF WOMEN.	DEVELOP- MENTAL DISEASES OF OLD PEOPLE.			
Laryngitis.	Bronchitis.	Pleurisy.	Pneumonia.	Asthma.	Lung Disease.	Congestion of Lungs.	Infantile Premature.	Cyanosis.	Spina Bifida.	Other Malformations.	Teething.	Infantile Debility.	Childbirth.	Old Age.	Total.	Other Diseases and cause not given.	Grand Total.
2	9	1	37	2	6	12	23	1	34	...	55	403	172	575
...	13	1	28	3	3	8	17	22	4	44	333	103	436
2	22	2	65	5	9	20	45	1	56	4	99	736	275	1011
1	3	...	1	1	...	1	1	19	...	6	57	50	107
...	3	3	1	...	13	1	11	49	31	80
1	3	...	4	1	...	1	3	1	1	32	1	17	106	81	187
...	2	1	8	1	...	11	1	15	...	17	138	35	173
...	11	4	4	1	...	8	5	13	113	39	152
...	2	1	19	1	...	15	4	...	1	1	...	23	5	30	251	74	325
2	6	1	14	1	2	9	6	1	10	...	44	204	100	304
1	8	1	15	...	2	8	5	1	6	6	38	205	86	291
3	14	2	29	1	4	17	11	1	1	16	6	82	409	186	595
1	6	...	17	3	1	4	7	1	11	...	31	167	79	246
...	7	...	16	2	2	1	11	3	31	193	60	253
1	13	...	33	3	1	6	9	1	1	22	3	62	360	139	499
...	1	...	19	2	1	2	5	2	15	...	33	169	61	230
2	5	...	10	...	2	4	3	1	13	1	21	156	61	218
2	6	...	29	2	3	6	8	2	1	28	1	54	326	122	448
...	5	...	5	7	1	1	...	1	...	8	...	17	85	31	116
2	6	...	3	1	...	4	1	11	2	20	94	32	126
2	11	...	8	1	...	11	1	1	...	1	1	19	2	37	179	63	242
...	6	1	14	2	2	3	8	2	25	...	24	178	63	241
3	8	1	...	3	5	5	20	7	21	160	60	220
...	9	1	22	3	2	6	13	7	45	7	45	338	123	461
...	8	2	...	3	2	2	16	...	23	110	43	153
1	1	...	7	...	1	3	1	2	10	3	19	102	40	142
1	1	...	15	2	1	6	3	4	26	3	42	212	83	295

TABLE F.—CAUSES OF DEATH

COUNTIES.	MIASMATIC.										
	Small Pox.	Measles.	Cancer.	Diphtheria.	Quinsy.	Croup.	Whooping Cough.	Infantile Fever.	Erysipelas.	Metria.	Influenza.
Prescott and Russell :											
Male	10		1	23		1	4				1
Female	4			19		3	9				1
Total	14		1	42		4	13				2
Prince Edward :											
Male			3	4							
Female		1	2	1		1				2	1
Total		1	5	5		1				2	1
Renfrew :											
Male		1	2				4		2		2
Female		1		3		1	2				2
Total		2	2	3		1	6		2		4
Simcoe :											
Male			4	5		4	2		2		2
Female		1	4	13		5	4			2	
Total		1	8	18		9	6		2	2	2
Stormont, Dundas and Glengarry :											
Male	1	4	3	9		2	8				1
Female		3	3	13		8	13		1	1	1
Total	1	7	6	22		10	21		1	1	2
Thunder Bay :											
Male											
Female											
Total											
Victoria :											
Male			2						1		
Female			2	3					1	2	
Total			4	3					2	2	
Waterloo :											
Male		2	4	11		15					1
Female		2	3	7		9			1	3	
Total		4	7	18		24			1	3	1
Welland :											
Male			1	3		4			2		
Female			2	3		2	1			1	2
Total			3	6		6	1		2	1	2

BY COUNTIES.—Continued.

MIASMATIC.									TUBERCULAR.				NERVOUS SYSTEM.				
Dysentery.	Diarrhea.	Cholera Infantum.	Cholera.	Ague.	Remittent Fever.	Typhoid Fever.	Rheumatism.	Fever.	Scarlet Fever.	Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Cephalitis.	Cerebro-spinal Meningitis.	Apoplexy.	Paralysis.
1	3	1	1			3	1		1			11					2
1	1	1				3	1		1			19	4				1
1	4	1	1			6	2		2			30	4				3
1	4				1		1	1		1		11				2	3
1	3							1				36		1		2	3
1	7				1		1	2		1		47		1		4	6
1	2	1					1	2				10	2		1	2	
	1	2					1	3		1		21		1		1	1
1	3	2	1				2	5		1		31	2	1	1	3	1
2	10	3			2	3	3	1	1			15	5		1	1	6
	3	4			1	2			3			26	1			4	5
2	13	7			3	5	3	1	4			41	6		1	5	11
	1	2				5			2	1		30			1		1
	2	1				4	1			1	1	40		1		1	1
	3	3				9	1		2	2	1	70		1	1	1	2
		2							2			1					
		1															
		3							2			1					
1	2		2			6			1			15	1	1		2	2
	2	2				1		1	1			12	2			2	2
1	4	2	2			7		1	2			27	3	1		4	4
	1	3			1	9	2	2				33	2			5	8
	3	4	2			3	1	2	1			24	2	1		2	3
	4	7	2		1	12	3	4	1			57	4	1		7	11
1	7	4			1	1	1	1	1			11	1			2	5
	1	3				8	1	3	1			17	1	1		3	3
1	8	7			1	9	2	4	2			28	2	1		5	8

CAUSES OF DEATH

COUNTIES.	NERVOUS SYSTEM.								
	Insanity.	Epilepsy.	Tetanus.	Convulsions.	Brain Disease.	Spinal Disease.	Meningitis.	Congestion of Brain.	Inflammation of Brain.
Prescott and Russell :									
Male				1	1	1		1	1
Female				1	3				
Total				2	4	1		1	1
Prince Edward :									
Male				3		1	1		
Female		1		1					1
Total		1		4		1	1		1
Renfrew :									
Male		3		3					
Female				4	2			2	
Total		3		7	2			2	
Simcoe :									
Male	1	1	1	15	1	3	1	1	
Female		2	1	9	3	4	2	1	2
Total	1	3	2	24	4	7	3	2	2
Stormont, Dundas and Glengarry :									
Male	1	1		4	2	1	1		2
Female		2		5	4	1	1		2
Total	1	3		9	6	2	2		4
Thunder Bay :									
Male		1		1					1
Female				1				1	
Total		1		2				1	1
Victoria :									
Male				3	1		2	1	
Female				4			1		1
Total				7	1		3	1	1
Waterloo :									
Male	1	1		11	3	1	3	2	2
Female		2		13	1	3		3	3
Total	1	3		24	4	4	3	5	5
Welland :									
Male				5	4		1		
Female				1			2	1	
Total				6	4		3	1	

BY COUNTIES.—Continued.

RESPIRATORY ORGANS.						DEVELOPMENTAL DISEASES OF CHILDREN.						DEVELOPMENTAL DISEASES OF WOMEN.	DEVELOPMENTAL DISEASES OF OLD PEOPLE.				
Laryngitis.	Bronchitis.	Pleurisy.	Pneumonia.	Asthma.	Lung Disease.	Congestion of Lungs.	Infantile Premature.	Cyanosis.	Spina Bifida.	Other Malformation.	Teething.	Infantile Debility.	Child-Birth.	Old Age.	Total.	Other Diseases, and cause not given.	Grand Total.
1 2	1 1		7 4	1 1	2 1	2 1	1 1				2 1	35 26		22 19	141 130	47 26	188 156
3	2		11	2	2	2	2			1	2	61	3	41	271	73	344
	2 3		2 2		1 1	2 2	1 2					10 1		20 13	71 82	34 29	105 111
	3		4		1	2	3					11		33	153	63	216
	1 1		4 2	1 1	1 1		1 1				3	12 6		19 11	78 80	34 44	112 124
	2		6	1	2	1	1				3	18	6	30	158	78	236
2 2	4 9		20 9		3 1	2 3	7 5				2 1	26 27		34 29	194 199	109 84	303 283
4	13		29	1	3	5	12				3	53	7	63	393	193	586
1 1	2 1		7 7		3 2	2 7	2 2	1 1			1 2	18 23		42 35	162 198	103 89	265 287
2	3	1	14		5	9	4	1			3	41	6	77	360	192	552
			4 1									1 1		1 1	14 6	2 4	16 10
			5									2	1	1	20	6	26
	1 4		10 6	3		2	4 2				1 2	18 8		23 14	104 76	50 32	154 108
	5		16	3		2	6				3	26		37	180	82	262
	2 4		20 9		1 3	2 1	7 3			1	3	16 10		23 26	198 160	78 58	276 218
	6	1	29	3	2	3	10			1	3	26	4	49	358	136	494
	3 2	1	14 10			3 1	6 3	1 1			1	7 8		13 13	105 96	74 40	179 136
1	5	1	24			4	9	1			1	15	1	26	201	114	315

TABLE F.—CAUSES OF DEATH

COUNTIES.	MIASMATIC.										
	Small Pox.	Measles.	Cancer.	Diphtheria.	Quinsy.	Croup.	Whooping Cough.	Infantile Fever.	Erysipelas.	Metria.	Influenza.
Wellington :											
Male			4	13	...	3	1	...	2
Female			6	10	..	3	2	...	1	2	2
Total			10	23	6	3	...	3	2	2
Wentworth :											
Male		1	7	12	...	28	2	...	4
Female		2	9	24	...	28	5	...	1	8	1
Total		3	16	36	...	56	7	...	5	8	1
York :											
Male	2	5	18	19	...	29	8	...	6	...	3
Female	3	5	20	31	...	22	14	...	4	9	1
Total	5	10	38	50	...	51	22	...	10	9	4
Total Males	103	33	145	283	5	215	73	...	49	...	36
Total Females	92	34	146	291	3	177	96	...	30	93	45
Grand Total	195	67	291	574	8	392	169	...	79	93	81

BY COUNTIES.—*Continued*

MIASMATIC.										TUBERCULAR.				NERVOUS SYSTEM.			
Dysentery.	Diarrhoea.	Cholera Infantum.	Cholera.	Ague.	Remittent Fever.	Typhoid Fever.	Rheumatism.	Fever.	Scarlet Fever.	Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Cephalitis.	Cerebro-spinal Meningitis.	Apoplexy.	Paralysis.
2 1	9 8	5 3	1 3	3 6	4 2	2 2	3 2	1	24 20	1 1	1	3 2	7 5
3	17	8	4	9	6	4	6	1	44	2	1	5	12
3 2	14 14	11 7	1 3	1 1	13 8	2 2	34 39	1 1	1 2	44 65	2 1	1	11 11	9 8
5	28	18	4	1	1	21	2	2	73	2	3	109	3	1	22	17
8 3	48 38	26 21	5	2 1	22 22	5 9	1 7	5	3 1	111 132	13 6	1 5	1 1	18 15	14 19
11	86	47	5	...	3	44	14	8	5	4	243	19	6	2	33	33
60 40	180 160	140 104	29 15	1	24 19	168 140	56 48	57 67	130 129	10 11	11 7	88 1183	93 66	11 27	16 11	110 118	151 140
100	340	244	44	1	43	308	104	124	259	21	18	2065	159	38	27	228	291

TABLE F.—CAUSES OF DEATH

COUNTIES.	NERVOUS SYSTEM.							
	Insanity.	Epilepsy.	Tetanus.	Convulsions.	Brain Disease.	Spinal Disease.	Meningitis.	Congestion of Brain. Inflammation of Brain.
Wellington :								
Male		2	2	5	3	9	3	3
Female				7	3		3	3
Total		2	2	12	6	9	3	6
Wentworth :								
Male	3	2		22	7		8	7
Female		2		17	3	2	7	2
Total	3	4		39	10	2	15	9
York :								
Male	2	3		35	13	2	17	21
Female		6		34	6	5	9	14
Total	2	9		69	19	7	26	35
Total Males	16	41	8	250	113	43	61	75
Total Females	9	25	1	195	62	38	58	62
Grand Total	25	66	9	445	175	81	119	137

BY COUNTIES.—*Concluded.*

RESPIRATORY ORGANS.								DEVELOPMENTAL DISEASES OF CHILDREN.								DEVELOP- MENTAL DISEASES OF WOMEN.	DEVELOP- MENTAL DISEASES OF OLD PEOPLE.			
Laryngitis.	Bronchitis.	Pleurisy.	Pneumonia.	Asthma.	Lung Disease.	Congestion of Lungs.	Infantile Premature.	Cyanosis.	Spina Bifida.	Other Malformations.	Teething.	Infantile Debility.	Child-Birth.	Old Age.	Total.	Other Diseases, and cause not given.	Grand Total.			
.....	9	1	16	4	1	7	3	34	31	219	110	329			
.....	11	1	16	1	1	5	3	1	1	24	4	32	198	82	280			
.....	20	2	32	5	2	12	6	1	1	58	4	63	417	192	609			
.....	15	30	4	1	6	21	1	19	22	375	170	515			
2	12	28	3	5	19	1	1	24	5	33	409	96	505			
2	27	..	58	4	4	11	40	1	..	1	1	43	5	55	784	236	1020			
.....	25	4	61	7	7	14	45	1	2	4	3	62	58	764	269	1033			
3	36	2	59	4	6	21	38	5	2	4	12	51	8	61	778	191	969			
3	61	6	120	11	13	35	83	6	4	8	15	113	8	119	1542	460	2002			
22	150	20	538	51	41	154	228	6	3	12	47	530	940	6468	2990	9458			
29	181	11	405	23	43	130	167	9	5	9	44	425	119	818	6191	2369	8500			
51	331	31	943	74	84	284	395	15	8	21	91	955	119	1758	12659	5299	17958			

TABLE G.—DEATHS.

COUNTIES.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Total Males	2204	480	286	190	172	115	92	76	60	57	45
Total Females	1665	439	264	180	148	117	81	78	58	43	46
Grand Total	3869	919	550	370	320	232	173	154	118	100	91
Algoma:											
Male	7	1	1			1					
Female	10	1	2	1	1						1
Total	17	2	3	1	1	1					1
Brant:											
Male	44	8	2	7	4	3		3		1	1
Female	21	9	3	2	2	4	1	4	2		
Total	65	17	5	9	6	7	1	7	2	1	1
Bruce:											
Male	49	28	6	6	3	3	3	3	3	4	
Female	41	16	8	10	3	1	5	4	2		
Total	90	44	14	16	6	4	8	7	5	4	
Carleton:											
Male	83	31	16	12	15	8	2	4	7	3	4
Female	58	31	15	10	14	9	7	8	4		5
Total	141	62	31	22	29	17	9	12	11	3	9
Elgin:											
Male	37	11	2	1	1	4	2	2	1		1
Female	22	3	3	4	2	1		1	1		
Total	59	14	5	5	3	5	2	3	2		1
Essex:											
Male	75	20	12	7	4	6	4	1	3	1	
Female	59	23	11	7	6	2	5	3	3	1	3
Total	134	43	23	14	10	8	9	4	6	2	3
Frontenac:											
Male	56	7	6	5	3	4	1	2	4		
Female	17	7	4	6	3	3	2	2		1	
Total	73	14	10	11	6	7	3	4	4	1	
Grey:											
Male	39	13	8	5	4		1	4	3	1	1
Female	30	9	6	7	2	3		4	3	1	1
Total	69	22	14	12	6	3	1	8	6	2	2
Haldimand:											
Male	26	7	3	2	2	2				2	1
Female	16	4	4	1	2	1	1	1	1	1	
Total	42	11	7	3	4	3	1	1	1	3	1
Halton:											
Male	23	4	1	2	2		3	2	1		
Female	17	5	2	2	4	1	1				
Total	40	9	3	4	6	1	4	2	1		

BY AGES.—1879.

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
46 50	41 39	30 49	38 49	47 46	50 90	45 66	60 64	69 87	70 103	87 106	80 106	83 79	77 101	70 90
96	80	79	87	93	140	111	124	156	173	193	186	162	178	160
	1				2	1						1	2	
	1				2	1						1	2	
2 1		1	3	2 1	1 2		1 3	1 1	4	3 2	3 1	1	1	4 3
3		1	3	3	3		4	2	4	5	4	1	1	7
1		1	2 1	1	1 3	1	3	4 1	4 4	1 2	3	2 3	1 2	1 1
1		2	3	1	4	1	3	5	8	3	3	5	3	2
1 1	6 1	5	1 1	2 5	5 3	2 3	1 1	1 1	5 1	1 2	2 5	2 3	2 1	7 2
2	7	5	2	7	8	5	2	2	6	3	7	5	3	9
1		1	1	1	2	1 2	2 1	4	1 1	3 1	2 3	1 4	1 1	3
1		1	1	1	2	3	3	4	2	4	5	5	2	3
2 1	1 1	2 1	2	1 1	1 3	3 3	2 2	2 1	5	2 7	4 5	3 1	4	1 2
3	2	3	2	2	4	6	4	3	5	9	9	4	4	3
2	2	1 1	3	3 4	1	1 1	1 4	1 1	1 4	3 2	1 3	4 5	4 2	1 3
2	2	2	3	7	1	2	5	2	5	5	4	9	6	4
4 4	2	1	2	1	2 2	1	1 2	1 3	6 1	4 3	1 2	3 4	1 1	2 2
8	2	1	3	2	4	1	3	4	7	7	3	7	2	4
1	1	1			1	2	1	3	2	2 2	2	1	1	1
1	1	1			1	2	1	3	2	4	2	1	1	1
1	1	2	3		2	1	1	1	1	1	1	2	2	2
1	1			1			1	3	1	1	1	1	2	1
1	1	2	3	1	2	1	2	4	2	2	2	3	4	3

TABLE G.—DEATHS

COUNTIES.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Total Males.....	69	53	54	59	76	45	61	56	43	70	50
Total Females.....	100	82	79	74	92	66	77	66	76	76	57
Grand Total ..	169	135	133	133	168	111	138	122	119	146	107
Algoma :											
Male.....	2										
Female.....											
Total.....	2										
Brant :											
Male.....	1		2	1	1	3		1		1	1
Female.....		1	2	2	2		1	1		2	2
Total.....	1	1	4	3	3	3	1	2		3	3
Bruce :											
Male.....	5	1	1	1	2	1	3	2	2	3	2
Female.....		5	2	3	3		2	3	4		1
Total.....	5	6	3	4	5	1	5	5	6	3	3
Carleton :											
Male.....	1	1		3	5	2	3	1	2	2	3
Female.....	1	3	6		11			3	3	4	2
Total.....	2	4	6	3	16	2	3	4	5	6	5
Elgin :											
Male.....	3	1		1		1		1	2	2	2
Female.....	1	1	1	1	2	1	1	2	2	1	
Total.....	4	2	1	2	2	2	1	3	4	3	2
Essex :											
Male.....	3	3	2	1	1	1	3	1	1	2	
Female.....	2		2		3	2	4	2		3	
Total.....	5	3	4	1	4	3	7	3	1	5	
Frontenac :											
Male.....		1	2	1	1	1	2	2	3	1	1
Female.....	3	1	2	2	3		4	1	1	1	1
Total.....	3	2	4	3	4	1	6	3	4	2	2
Grey :											
Male.....	1	1	1	3	2	1				1	2
Female.....	2	3	2	2		1	1		1	3	1
Total.....	3	4	3	5	2	2	1		1	4	3
Haldimand :											
Male.....	2		1	2	1	2		2			
Female.....		1	1		2			1		1	
Total.....	2	1	2	2	3	2		3		1	
Halton :											
Male.....		2			3	1		1	2	1	1
Female.....	1			1	1	1	2	1	1	1	1
Total.....	1	2		1	4	2	2	2	3	2	2

BY AGES.—Continued.

37 years.	38 years.	39 years.	40 years.	41 years.	42 years.	43 years.	44 years.	45 years.	46 years.	47 years.	48 years.	49 years.	50 years.	51 years.
41 51	43 53	52 54	60 84	43 39	64 75	50 54	37 56	75 70	38 41	60 45	68 49	54 50	74 66	52 28
92	96	106	144	82	139	104	93	145	79	105	117	104	140	80
											1			
											1			
											1		1	
		3				3	1				2			2
	3		4	1	2	2	1		1	1	1			2
	3	3	4	1	2	5	2		1	1	3			4
				3	1	1	1	3	1	1	4	3	2	2
	1	3	3		2	1	1	2		1	3	3	4	1
	1	3	3	3	3	2	2	5	1	2	7	6	6	3
1 1	3 3	3 2		2 1	3 4	1 1		2 5	2 2	2 5	4 3	1 1	1 1	
2	6	5	4	3	7	2	1	7	4	7	7	2	2	1
1 1	3	3	2	1	3	1	1	3	1	2	3		1	1
2	3	3	3	2	4	2	2	4	3	4	3	1	1	2
1 1		1	1			3				2	1	2	2	2
2	1	1	2		4	4	1	1	2	2	1	2	4	3
3 1	1 1	2 2	1 1	1	2 1	3 2	1 1		1 1	2	2 2	1 3	3 4	1 1
4	2	4	2	1	3	5	2		2	2	4	4	7	2
	1 2	1 1	1 1			1 6	1 3	3 2	1 1	2 3	1 1	1 1	1 3	1
	3	2	2		6	2	4	5	2	5	2	2	4	1
2 1				2							2			2 1
3	1		2	2			2	1		1	2	2	2	3
		1	3	1			1	5	2		1	1	1	
	1		2		1	1	1	1						
	1	1	5	1	1	1	2	6	2		1	1	1	

TABLE G.—DEATHS

COUNTIES.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Total Males	76	57	74	68	70	51	59	62	111	44	95
Total Females	56	50	52	58	53	42	69	49	99	40	54
Grand Total	132	107	126	126	123	93	128	111	210	84	149
Algoma :											
Male	1		1	1	1				2		
Female											
Total	1		1	1	1				2		
Brant :											
Male	1	2	2	2	1	1	3	2		1	4
Female			2	1	1			1	3	1	2
Total	1	2	4	3	2	1	3	3	3	2	6
Bruce :											
Male	1	2	4	5	1		3	2	4	1	1
Female	1	2			2	2	7			1	3
Total	2	4	4	5	3	2	10	2	4	2	4
Carleton :											
Male	2	2	4		1	1	1	1	5	1	3
Female	1	2	1	4			5	2	6	1	2
Total	3	4	5	4	1	1	6	3	11	2	5
Elgin :											
Male			2	1			1	1	2	1	3
Female	1	1	1		1		1		1	3	2
Total	1	1	3	1	1		2	1	3	4	5
Essex :											
Male	2		4		2	1	3		1	1	2
Female	2	1	1	2	2		1	2	3	1	
Total	4	1	5	2	4	1	4	2	4	2	2
Frontenac :											
Male	4	1		3	4	1	3	1	5	1	1
Female	1	1	2		4	2	1	1	6	2	
Total	5	2	2	3	8	3	4	2	11	3	1
Grey :											
Male	1	3	1	1		1	1	1		3	2
Female		2	2	6		2	2	1	2		3
Total	1	5	3	7		3	3	2	10	3	5
Haldimand :											
Male					2	1	1	1	2		5
Female		2		1		1		1			
Total		2		1	2	2	1	2	2		5
Halton :											
Male	1	1	1	1		1	2		1		
Female					1	1				1	2
Total	1	1	1	1	1	2	2		1	1	2

BY AGES.—Continued.

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
82 47	58 68	110 76	101 47	86 56	83 73	84 72	116 101	79 59	96 72	89 68	83 80	97 79	106 72	72 54
129	126	186	148	142	156	156	217	138	168	157	163	176	178	126
..			1	..	1	1	..	1	1
..			1	1
..			1	..	1	1	1	..	1
1 2	1 4	4 1	1 1	3 1	4 2	3	2 3	3 1	1	5	3 2	1 2	6	2 1
3	5	5	2	4	6	3	5	4	1	5	5	3	6	3
1 ..	1 1	4 2	3 3	1 1	1 1	2	1	1 2	5 1	3 2	2	3 1	4	2
1	2	6	6	2	2	2	1	3	6	5	2	4	1	2
5 1	3 1	4 1	2 3	.. 1	..	4 3	2 3	1 ..	2 1	3 1	2	4 2	3	4
6	4	5	5	1	..	7	5	1	3	4	2	6	3	4
1 ..	1	2 2	2	..	3 2	1 3	4 5	1 1	1 1	2 2	.. 3	1 1	2 1	1 1
1	1	4	2	..	5	4	9	2	2	4	3	2	3	2
1 ..	2 2	6 ..	1 2	1	.. 1	2 2	2 4	4 3	2 1	3 2	1	3 4	5 1	1
1	4	6	3	1	1	4	6	7	3	5	1	7	6	1
3 1	2 1	3 3	3 1	5 2	1 2	3 3	4 1	4	4 4	2 1	2 4	2 4	1 1	5 3
4	3	6	4	7	3	6	5	4	8	3	6	6	2	8
4 1	1 3	4 1	2 1	4 1	4 1	.. 2	7 2	1 1	3 1	3	2	5 2	2 1	2 2
5	4	5	3	5	5	2	9	2	4	3	2	7	3	4
1 2 1	1	1 1	1 1	..	2	.. 1	1 2	.. 1	..	2 1	..	1
3	..	1	1	2	2	..	2	1	3	1	..	3	..	1
1 2	..	1 2	1	2 4	1	1	.. 3	1 1	2 3	.. 1	2	3	5 2	1 1
3	..	3	1	6	1	1	3	2	5	1	2	3	7	2

TABLE G.—DEATHS

COUNTIES.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Total Males	118	105	123	60	70	63	72	64	47	26	48
Total Females	83	46	80	41	67	39	63	45	34	42	25
Grand Total	201	151	203	101	137	102	135	109	81	68	73
Algoma :											
Male		1									
Female										1	
Total		1								1	
Brant :											
Male	2	4	4		3	1	1	1			2
Female	1	3	1	1		3	2	1	2		
Total	3	7	5	1	3	4	3	2	2		2
Bruce :											
Male	1	2	3	2	1	2	1				
Female	3	3	1		2			1			1
Total	4	5	4	2	3	2	1	1			1
Carleton :											
Male	5	1	2	2	5	1	1	1	3	1	1
Female	3	1		1		3		1	1	2	3
Total	8	2	2	3	5	4	1	2	4	3	4
Elgin :											
Male	2		3	1	1	2	1			2	
Female		2	2	1	1	1		2			
Total	2	2	5	2	2	3	1	2		2	
Essex :											
Male	3		1	1	2		1	2	1	1	1
Female	4				1				1		
Total	7		1	1	3		1	2	2	1	1
Frontenac :											
Male	1	5	4		4		1	1	1		1
Female	3		4	1	1	1	1			1	1
Total	4	5	8	1	5	1	2	1	1	1	2
Grey :											
Male	2	4	2	6	1		2		2		2
Female			5	1	2	1		2	2		2
Total	2	4	7	7	3	1	2	2	4		4
Haldimand :											
Male	1	5				1			1		
Female			3		1	1	1	1	1		
Total	1	5	3		1	2	1	1	2		
Halton :											
Male	3	2	2	1	2	1			1	1	
Female	3	1			1		3				
Total	6	3	2	1	3	1	3		1	1	

TABLE G.—DEATHS

COUNTIES.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Total Males											
Total Females											
Grand Total											
Hastings :											
Male	57	15	11	16	6	6	1	3	3	5	2
Female	37	9	11	9	2	2	4	4	1	3	2
Total	94	24	22	25	8	8	5	7	4	8	4
Huron :											
Male	85	23	8	6	5	4	5	6	1	1	3
Female	63	20	13	5	6	5	3	1	2	3
Total	148	43	21	11	11	9	8	6	2	3	6
Kent :											
Male	48	13	10	3	10	3	3	2	2	3
Female	52	13	6	5	9	4	2	2	2	2	2
Total	100	26	16	8	19	7	5	4	4	5	2
Lambton :											
Male	54	11	10	5	2	4	2	4	5
Female	45	16	6	5	6	2	1	3	2	1
Total	99	27	16	10	8	6	3	7	5	2	1
Lanark :											
Male	20	5	3	1	2	3	2	1	1
Female	14	4	1	2	1	1	1	1	1
Total	34	9	4	3	2	4	3	2	1	1	1
Leeds and Grenville :											
Male	30	9	5	5	7	2	5	3	2
Female	17	5	3	5	3	2	3	2	4	2
Total	47	14	8	10	10	4	8	5	4	2	2
Lennox and Addington :											
Male	24	5	2	2	5	2	1	4
Female	9	3	4	1	3	2	3	1	1
Total	33	8	6	3	8	4	4	1	4	1
Lincoln :											
Male	55	14	7	3	6	2	2	3	1	2
Female	47	7	4	2	3	3	2	3	2	1	1
Total	102	21	11	5	9	5	4	6	3	1	3
Middlesex :											
Male	140	26	10	9	11	3	9	5	4	4
Female	76	25	6	8	5	6	3	3	6	1	2
Total	216	51	16	17	16	9	12	8	10	5	2
Muskoka and Parry Sound :											
Male	35	1	3	2	1	1	3	1	1
Female	19	5	2	2	1	2
Total	54	6	2	5	2	1	2	3	3	1

BY AGES.—*Continued.*

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
2	1	1	1	4	2	1	2	1	1	6	3	2	1	5
3	3	1	2	2	1	2	6	5	6	5	2	6	3
5	1	4	2	6	4	2	4	7	6	6	8	4	7	8
1	1	1	4	3	1	3	4	2	4	3	6	3	2
	2	2	2	4	6	1	4	4	4	4	5	5
1	3	3	4	5	5	9	1	4	6	6	7	10	8	7
1	2		1	1	1	5	2	1	1	1	2
2	2	3	3	4	1	2	2	1	1	6	1	6	4
3	4	3	3	1	5	2	7	4	2	1	7	1	7	6
2	1	1	1	3	1	1	2	4	4	2	2	2	6	3
	1	1	4	3	5	1	1	5	3	4	2	4	2	2
2	2	2	5	6	6	2	2	9	7	6	4	6	8	5
1	1	1	1	2	2	2	2	1
1	3	1	1	1	2	1	1	1	2	2	2	1
2	1	4	2	1	3	2	3	1	3	4	2	2	2
1		1	1	1	1	4	1	2	2	1
2	1	1	2	4	2	2	1	2	6	5	1	4	4
3	1	1	3	4	3	3	1	3	10	6	3	6	5
.....	2	1	1	2	1	3	2	1	2	1
	1	4	1	1	2
.....	2	1	1	1	2	5	4	2	2	2	3
1	2	1	1	3	2	1	1	1	1
.....	2	1	1	3	1	1	1	1	2	5	1
1	2	3	1	1	4	3	...	3	2	1	1	3	6	2
1	2	1	1	3	5	3	1	6	4	10	9	6	8	4
.....	3	4	3	4	5	4	4	7	12	4	2	3	4
1	5	1	5	6	9	8	5	10	11	22	13	8	11	8
3	1	1	1	1	2	2	3	4
.....	2	1	1	1	1	1	1
3	2	1	1	1	2	2	2	3	4	5

TABLE G.—DEATHS

COUNTIES.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Total Males.....											
Total Females.....											
Grand Total											
Hastings :											
Male	2		4	3	8	1	5	5		3	1
Female.....	1	5	1	2	1	4	2	3	4	3	2
Total.....	3	5	5	5	9	5	7	8	4	6	3
Huron :											
Male	2	4	5		2		1	3	4	2	1
Female.....	4	8	4	1	3	4	2	3		2	
Total.....	6	12	9	1	5	4	3	6	4	4	1
Kent :											
Male	2	3	2	3			1	1		1	
Female.....	3		1	2	3	1	1	3	1	2	2
Total.....	5	3	3	5	3	1	2	4	1	3	2
Lambton :											
Male	2	2	1		1			2	2	2	1
Female.....	3	2	2	1	3	2	2	1	1	4	2
Total.....	5	4	3	1	4	2	2	3	3	6	3
Lanark :											
Male	1	1					1				2
Female.....	3	2	1		3		1			3	1
Total.....	4	3	1		3		2			3	3
Leeds and Grenville :											
Male	3	2	3	1	3	2	2	1	1	2	1
Female.....	1	1	1	2	1	2	4	2	3		1
Total	4	3	4	3	4	4	6	3	4	2	2
Lennox and Addington :											
Male		1	1				2			1	1
Female.....	3			2	1	1	2	2			
Total	3	1	1	2	1	1	4	2		1	1
Lincoln :											
Male	2					1	1	4			3
Female.....	1	2	4	2		2	1	1		1	
Total	3	2	4	2		3	2	5		1	3
Middlesex :											
Male	3	3	4	3	2	3	3	1	2	8	6
Female.....	6	4	3	5	4	4	4	2	4	3	3
Total	9	7	7	8	6	7	7	3	6	11	9
Muskoka and Parry Sound :											
Male	2	1		1	1				1	1	
Female.....	1	3					1				
Total	3	4		1	1		1		1	1	

BY AGES.—Continued.

37 years.	38 years.	39 years.	40 years.	41 years.	42 years.	43 years.	44 years.	45 years.	46 years.	47 years.	48 years.	49 years.	50 years.	51 years.
3	2	2	1	1	1		1	2	1		3	3	1	2
....	2	3	3	2	1	1	5	2	1	1	3		2	1
3	4	5	4	3	2	1	6	4	2	1	6	3	3	3
1	2	1	2			2	1	3	1	3	1	3	6	1
4	3	2	4	6	4	2	4	1	1	1	1			1
5	5	3	6	6	4	4	5	4	2	4	2	3	6	2
2	1	2	2		2	1	1		1	1		2	2	1
	1		1		1		1	1			2		2	1
2	2	2	3		3	1	2	1	1	1	2	2	4	2
1	1		2		2	4	1	1		1		1		
1			3	1	3	5	1	4		3	2	1	1	
2	1		5	1	5	9	2	5		4	2	2	1	
2	1	1		2	1			1	1	1			2	
			3		1	1	1				1		2	
2	1	1	3	2	2	1	1	1	1	1	1		4	
3	2	1	1	4	1	3	2	3		2	2	1	2	2
			4	1	1	1	3	3		2		2		2
3	2	1	5	5	2	4	5	6		4	2	3	2	4
1	1	2	1		2		1	1		1			1	
1		2	1			2		1	1	1	1	1	1	1
2	1	4	2		2	2	1	2	1	1	1	1	2	1
2		1			1		2	2		1	1	2	3	
2	1	1	3	1	2	1		2			1		4	2
4	1	2	3	1	3	1	2	4		1	2	2	7	2
7	2	2	6	3	4	3	1	5	4	5	3	3	4	5
4	6	2	6	2	3	1	5	3	3	3	4	2	3	1
11	8	4	12	5	7	4	6	8	7	8	7	5	7	6
1	1					1	1			4		2	1	
1	1				1	1	2	2						
2	2	1			1	2	3	2		4		2	1	

TABLE G.—DEATHS

[illegible]

BY AGES.—Continued.

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
3	2	5	4	3	3	3	4	6	4	3	1	5	3	3
.....	1	5	2	5	2	6	2	2	4	7	1
3	3	10	4	5	3	3	9	8	10	5	3	9	10	4
3														
4	5	2	5	2	3	3	4	2	6	2	6	4	3	2
.....	1	1	1	2	1	2	5	1	1	3
7	5	3	6	3	3	3	6	3	8	7	7	5	6	2
.....	4	7	5	3	3	1	2	5	2	1	5	2
.....	2	2	1	1	1	1	3	2	2	4	2	1
.....	6	9	6	1	4	4	4	4	7	6	3	5	3
2	1	2	1	4	4	4	1	1	1			2
.....	1	1	1	2	4	1	2	2	2	2
2	1	1	2	2	5	6	8	2	1	3	2	4	2
1	1	1	3	1	5	4	1	2	1	1	2	6
2	4	3	2	3	2	1	1	1	3
3	1	5	3	3	3	8	6	2	2	2	1	3	9
1	1	6	4	4	2	3	2	3	2	2	5	4	6	4
.....	2	3	5	4	1	4	3	1	3	2	5	2	3	1
1	3	9	9	8	3	7	5	4	5	4	10	6	9	5
4	2	1	2	3	2	2	4	3	1	4	1	2
.....	1	2	2	2	1	2	1	1	2	1	1
4	2	2	4	5	2	2	3	6	3	2	1	6	2	3
2	1	2	3	1	3	1	1	2	1	3	3
2	2	3	2	1	3	4	3	2	4	5	2	2	1
4	2	4	4	4	4	3	5	4	4	5	8	2	5	1
4	7	6	7	3	6	3	8	4	1	5	3	8	5	6
3	2	8	3	7	5	4	2	6	2	9	4	2	2
7	9	14	10	3	13	8	12	6	7	7	12	12	7	8
.....	1	1	3	1	1	1	1
.....	1	1	2	1	1	1
.....	2	1	3	1	2	2	2	1	1	1

TABLE G.—DEATHS

COUNTIES.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Total Males											
Total Females											
Grand Total											
Hastings:											
Males	5	6	3	1	2	2	4	2	1	1	
Females	3	1	3	1	3	1	5				
Total	8	7	6	2	5	3	9	2	1	1	
Huron:											
Male	1	3	5	3		4		4	1	1	2
Female	4	3		2	1	3	3	1	1	1	1
Total	5	6	5	5	1	7	3	5	2	2	3
Kent:											
Male	3	1	3		4	1	2	2			2
Female		2	3		3		1	1		1	
Total	3	3	6		7	1	3	3		1	2
Lambton:											
Male	3		5			2	1	3	3		
Female	2	1	2	1		1		2			
Total	5	1	7	1		3	1	5	3		
Lanark:											
Male		6	2	2	1		2	3	1	1	2
Female	2		1	1	4		3	3	1	1	1
Total	2	6	3	3	5		5	6	2	2	3
Leeds and Grenville:											
Male	4	1	5	7	4	2	8	8	4		1
Female	1	1	2	2	3	2	2	4	2	1	1
Total	5	2	7	9	7	4	10	12	6	1	2
Lennox and Addington:											
Male	3	4	2				1				1
Female	2	2		1		1	2		1	1	
Total	5	6	2	1		1	3		1	1	1
Lincoln:											
Male	5	2	6	3	1	1	2	1	1	1	4
Female	3		2	2		1	3			1	
Total	8	2	8	5	1	2	5	1	1	2	4
Middlesex:											
Male	12	3	7	8	4	2	5	6		4	4
Female	5	3	3	1	6	1	5		1	2	1
Total	17	6	10	9	10	3	10	6	1	6	5
Muskoka and Parry Sound:											
Male	1	1	1								
Female			1								
Total	1	1	2								

TABLE G.—DEATHS

COUNTIES.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Total Males											
Total Females											
Grand Total											
Norfolk :											
Male	39	12	10	6	2	1	1	2	4	1	
Female	18	5	2	2	1	3	2	2		1	
Total	57	17	12	8	3	4	3	4	4	2	
Northumberland and Durham :											
Male	48	19	6	1	4	3		3	1	1	3
Female	35	4	6	1	3	3	2	2		2	1
Total	83	23	12	2	7	6	2	5	1	3	4
Ontario :											
Male	76	10	8	2	3	1			1		
Female	66	11	8	3	6	2			1		1
Total	142	21	16	5	9	3			2		1
Oxford :											
Male	63	7	6	4	5	2	2		1	1	
Female	38	2	6	6	5	5	1	1	1		
Total	101	9	12	10	10	7	3	1	2	1	
Peel :											
Male	17	7	3	3						1	1
Female	21	6	2	4	3	1		4		2	
Total	38	13	5	7	3	1		4		3	1
Perth :											
Male	66	13	8	8	6	2	3	2	1	1	2
Female	56	10	8	4	2	2	1	2		3	
Total	122	23	16	12	8	4	4	4	1	4	2
Peterborough :											
Male	34	11	2	2		3	1	1		1	1
Female	26	6	4	4	2	1	2		1		
Total	60	17	6	6	2	4	3	1	1	1	1
Prescott and Russell :											
Male	46	13	11	7	4	7	3	3	2	1	1
Female	33	7	11	11	7	5	2	3	1		1
Total	79	20	22	18	11	12	5	6	3	1	2
Prince Edward :											
Male	21	1	1		1	1	3			3	2
Female	10	5	2	1					1		1
Total	31	6	3	1	1	1	3		1	3	3
Renfrew :											
Male	28	7	1	2	1	1	1			2	1
Female	21	3	6		3	5		3		1	1
Total	49	10	7	2	4	6	1	3		3	2

BY AGES.—Continued.

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
1	1	1	1	1	6	1	2	2		1	2	2	1	1
1	2	2	1	2	6	1	2	4		3	2	5	1	3
1	1	1	2	3		1		3	3	1	7	2	2	
2	1	1	1	2	3	4	2	3	4	3	6	2	3	4
3	2	2	3	5	3	5	2	6	7	4	13	4	5	4
1	2	2	1		1	3	2	1	1			4	6	
2			1	3	3		3	1	1	4	4	2	10	3
3	2	2	2	3	4	3	5	2	2	4	4	6	16	3
1	1		1		1	1	2	1		6				2
					3	1	2	4	3	3	5	4		2
1	1		1		4	2	4	5	3	9	5	4		4
1				1	1	2	1	1			1			1
1		2	1		1	1	1	2	3		1		1	
2		2	1	1	2	3	2	3	3		2		1	1
2	1				1		1	1	2	3	2		2	3
	1	4	2	3		3	1	1	2	2	2	3	2	3
2	2	4	2	3	1	3	2	2	4	5	4	3	4	6
			2	1		1	2	2	1			3		2
1		2	1	3	1	1			1	2	2	2		1
1		2	3	4	1	2	2	2	2	2	2	5		3
1	1	2	1		2		1			1	3	2	3	
3			3				1	1	3	1	2	1	4	3
4	1	2	4		2		2	1	3	2	5	3	7	3
1		1	2		4	1	1	3	4		2	1	1	3
1		1	2		4	1	3	3	5	3	4	1	1	3
		1	1	1		1	3			1			1	
			1		1	1	3			1	3	2	1	2
		1	2	1	1	2	6			2	3	2	2	2

TABLE G.—DEATHS

COUNTIES.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Total Males.....											
Total Females.....											
Grand Total.....											
Norfolk :											
Male.....			1	1	3		1			1	1
Female.....	1	1	1	2	4	2	1		7		
Total.....	1	1	2	3	7	2	2		7	1	1
Northumberland and Durham :											
Male.....	3	1		6	3	2	3	2		1	
Female.....	5	1	4	3	6	2	5	3	7	2	1
Total.....	8	2	4	9	9	4	8	5	7	3	1
Ontario :											
Male.....	2	1	3		1	1	2	1			1
Female.....	1	4	3	7	2	3	3		1	6	2
Total.....	3	5	6	7	3	4	5	1	1	6	3
Oxford :											
Male.....	1		2	1	2	1	2	1	1		1
Female.....	2	1	2	3		1	3	4	2		3
Total.....	3	1	4	4	2	2	5	5	3		4
Peel :											
Male.....	1	1		2	1		1			3	
Female.....	4	1		3	3				2	2	1
Total.....	5	2		5	4		1		2	5	1
Perth :											
Male.....	4	2			2	2	2		1		3
Female.....	3	2	2	3	1	1	3	3		1	1
Total.....	7	4	2	3	3	3	5	3	1	1	4
Peterborough :											
Male.....		2		1	1	3	1	2	1		
Female.....	2	3	3	1		2		3	3	1	3
Total.....	2	5	3	2	1	5	1	5	4	1	3
Prescott and Russell :											
Male.....		1		2	1	1				2	
Female.....		1	2	1	1	2				1	1
Total.....		2	2	3	2	3				3	1
Prince Edward :											
Male.....	2		2	1	1			1		1	
Female.....	2	1	1	1	2			2		4	
Total.....	4	1	3	2	3			3		5	
Renfrew :											
Male.....	2	1		2				3	1	1	2
Female.....	2	4	3		2	1	3		1	2	1
Total.....	4	5	3	2	2	1	3	3	2	3	3

BY AGES.—*Continued.*

37 years.	38 years.	39 years.	40 years.	41 years.	42 years.	43 years.	44 years.	45 years.	46 years.	47 years.	48 years.	49 years.	50 years.	51 years.
1	2	3	2		2	1	1	3	2	1	1	2	2	1
1	2	3	2		3	4	2	3	2	1	1	2	4	2
	2	3	2	2	3	2		3	4	3	1	1	4	3
1		3	3	1	2	1	1	1	3	1	5	2	6	
1	2	6	5	3	5	3	1	4	7	4	6	3	10	3
2	1	2	2		5		1			2	1		2	
1		1	3	1	3	3	1		1		1		2	1
3	1	3	5	1	8	3	2		1	2	2		4	1
3			1	1	2		1	1	1	2	1	2	1	
2			1		1	2	2	1	1	1	1	3		1
5			2	1	3	2	3	2	2	3	2	5	1	1
	1			1	1	1	1							1
3		1		1		1			1		1	3	1	1
3	1	1		2	1	2	1		1		1	3	1	2
	1	1	1	3		2	3		3	3	2	4		1
	2		1	2	3	3	1	3	4	2		3	1	
	3	1	2	5	3	5	4	3	7	5	2	7	1	1
3			2	1	1	1		2	1		3		1	1
		1	1	2	1		1		1				1	1
3		1	3	3	2	1	1	2	2		3		2	2
1								1			2			1
1			1	1				1			4		2	1
		1	1	1		2	1	1			1	1		
1	1	1	1	1	3			1			1		1	1
1	1	2	1	1	3	2	1	2			2	1	1	1
	1	2		1	1	1	1	1	2	1	1		2	
	2	2		1	1	1	1	1		1	1		2	
	3	2		2	1	1	1	1	2	1	1		4	

TABLE G.—DEATHS

COUNTIES.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Total Males											
Total Females											
Grand Total											
Norfolk:											
Male	1		3		2	1		3		1	2
Female	3		3	1	2	2	1		2		2
Total	4		6	1	4	3	1	3	2	1	4
Northumberland and Durham:											
Male	3	2	1	5	1	1	1	3	7	1	4
Female		3	8	5	1	2	1	5	6	1	2
Total	3	5	9	10	2	3	2	8	13	2	6
Ontario:											
Male	1	2	1	2	2		1	1	3	1	1
Female	2		1					3	5	1	2
Total	3	2	2	2	2		1	4	8	2	3
Oxford:											
Male	2	1	1	1	1	2	1	2	2		7
Female	2	1	2	3	1		6	1	1	4	3
Total	4	2	3	4	2	2	7	3	3	4	10
Peel:											
Male					2		1	1	2	1	
Female	1		1				2	1	2		
Total	1		1		2		3	2	4	1	
Perth:											
Male	1			1	4	1			4		3
Female	1	2					1	1	1	1	1
Total	2	2		1	4	1	1	1	5	1	4
Peterborough:											
Male	2	1	3		2	1		2	3		1
Female		2			1	2	3	3	2		1
Total	2	3	3		3	3	3	5	5		2
Prescott and Russell:											
Male		2	4	1	2	1					2
Female	4		2				1		2		2
Total	4	2	6	1	2	1	1		2		4
Prince Edward:											
Male	3		1	1				1	1		1
Female	2		1					1	1	1	
Total	5		2	1				2	2	1	1
Renfrew:											
Male	1	2	1		3	1	1	3			
Female		1	1	1	1	1	1				
Total	1	3	2	1	4	2	2	3			

BY AGES.—Continued.

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
1		1	3	2		1	1			1	1	1	2	2
2	6			1		2	2	4	2		3	1	1	1
3	6	1	3	3		3	3	4	2	1	4	2	3	3
7	4	4	5	3	3	6	6	1	6	6	3	1	2	2
2		2		1	2	5	8	4	2	2	5	2	3	3
9	4	6	5	4	5	11	14	5	8	8	8	3	5	5
	1	3	5	1	1	4	3	1	2	3	3	2	1	3
1	2	1		2	3	2	1	1	2			2	3	2
1	3	4	5	3	4	6	4	2	4	3	3	4	4	5
1	1	1	4	1	1		4	6	4	2	1	4	4	3
	1		1	2	5	4	2	2		2	4	2	2	2
1	2	1	5	3	6	4	6	8	4	4	5	6	6	5
2	1	1	4	1	3		1	3	2	1				
1	1	2			2		2		3	1	1	2	1	2
3	2	3	4	1	5		3	3	5	2	1	2	1	2
2	3		3	2	2	1	3	1	3	2	4	4	2	1
6	3	1	1	3	2	1		3	2	1		2	1	1
8	6	1	4	5	4	2	3	4	5	3	4	6	3	2
2		1	1		1	2	4	1	1		2	6		3
1	3			2	1	1	6	1	4	2			3	
3	3	1	1	2	2	3	10	2	5	2	2	6	3	3
		2	1	1	1	1	5		3	2	4		2	1
		1			4		3		1		1	3	2	1
		3	1	1	5	1	8		4	2	5	3	4	2
1				2		1	2		1	7	3	2	1	
1	3	1	1	2	4		2		2	1		1		1
2	3	1	1	4	4	3	4		3	8	3	3	1	1
1			1	1	2		1		1	1	1		1	1
1		2			1	3	2	1			3	1	1	1
2		3	1	1	3	3	3	1	2	1	4	1	2	2

TABLE G.—DEATHS

COUNTIES.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Total Males.
Total Females.
Grand Total.
Norfolk :											
Male.	5	3	1	2	3	2	4	1	1	2
Female.	1	1	1	1
Total.	6	3	2	3	3	2	4	1	1	3
Northumberland and Durham :											
Male.	8	4	13	1	3	1	1	3	1	3
Female.	4	6	4	3	2	4	3	5	1
Total.	12	10	17	4	2	3	5	4	3	6	4
Ontario :											
Male.	3	3	6	3	2	4	1	2	3
Female.	6	1	3	2	1	1	2	3	3	2	1
Total.	9	4	9	5	3	5	3	5	6	2	1
Oxford :											
Male.	3	4	4	1	4	1	4	3	2	3	2
Female.	2	1	1	1	5	1	1	1	1	1
Total.	5	5	5	2	9	2	4	4	3	4	3
Peel :											
Male.	1	6	3	1	2	3	3
Female.	1	2	1	1	2	2	1
Total.	1	6	4	3	3	1	3	5	2	1
Perth :											
Male.	3	5	2	2	3
Female.	3	1	3	1	3	1	1
Total.	6	6	3	1	5	2	4	1
Peterborough :											
Male.	3	2	1	1	2	1
Female.	1	1	1	1	1
Total.	1	3	2	1	2	2	2	1	1
Prescott and Russell :											
Male.	4	1	2	2	2	2	3	1
Female.	1	1	2	3
Total.	4	1	3	3	2	2	5	4
Prince Edward :											
Male.	3	2	4	1	1	2	1	2	1
Female.	2	2	3	1	1	1	4
Total.	5	4	7	1	2	1	3	1	2	4	1
Renfrew :											
Male.	2	4	1	4	1
Female.	2	3	1	1	1
Total.	2	2	7	1	1	1	4	1	1

TABLE G.—DEATHS

COUNTIES.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Total Males.....											
Total Females.....											
Grand Total.....											
Simcoe:											
Male.....	9	7	4	3	7	5	4	1	3	1	2
Female.....	5	11	9	7	4	5	3	1	4	2	1
Total.....	14	18	13	10	11	5	7	2	7	3	3
Stormont, Dundas & Glengarry:											
Male.....	54	8	10	7	5	3	1	2	2	4
Female.....	51	15	11	5	3	2	2	5	6	4
Total.....	95	23	21	12	8	5	3	7	6	2	8
Thunder Bay:											
Male.....	3	3	1
Female.....	3	1
Total.....	6	4	1
Victoria:											
Male.....	40	4	1	4	1	2	2	1	1
Female.....	27	7	1	1	1	1	2
Total.....	67	11	2	5	2	3	4	1	1
Waterloo:											
Male.....	63	2	5	5	4	6	7	1	2	3	1
Female.....	50	8	8	2	3	1	4	2	1	1	3
Total.....	113	10	13	7	7	7	11	3	3	4	4
Welland:											
Male.....	46	7	3	1	1	1	2	1
Female.....	26	7	2	2	1	4	2	2	1	1
Total.....	72	14	5	3	2	5	4	3	1	1
Wellington:											
Male.....	78	11	10	7	5	3	4	1	4	1	4
Female.....	52	12	5	5	4	3	1	1	1	2
Total.....	130	23	15	12	9	6	5	2	5	1	6
Wentworth:											
Male.....	123	28	32	13	14	10	5	1	4	3
Female.....	116	36	29	15	14	12	9	2	3	4	3
Total.....	239	64	61	28	28	22	14	3	3	8	6
York:											
Male.....	279	58	41	15	14	9	6	5	4	2
Female.....	289	68	30	13	11	10	4	3	8	5
Total.....	568	126	71	28	27	19	10	5	3	12	7

TABLE G.—DEATHS

COUNTIES.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Total Males.....											
Total Females.....											
Grand Total											
Simcoe :											
Male	1		1		3	2	2	1	1	2	1
Female	7	3	3	2	2	2	3	4	6	3	2
Total	8	3	4	2	5	4	5	5	7	5	3
Stormont, Dundas & Glengarry :											
Male	1	1	2	2	2	1	3	4	1	3	2
Female	4	2	2	1	2	3	4	4	3	2	3
Total	5	3	4	3	4	4	7	8	4	5	5
Thunder Bay :											
Male			1							3	
Female									1		1
Total			1						1	3	1
Victoria :											
Male	3	1	3	2	1					2	1
Female	3			2	1	1		2			1
Total	6	1	3	4	2	1		2		2	2
Waterloo :											
Male	1			2	2	2	3	1		2	2
Female		1	2	3	1	1	4	4	1	2	3
Total	1	1	2	5	3	3	7	5	1	4	5
Welland :											
Male	3	2	2		2	2	2		1		
Female	2	2	1	1	1			3			1
Total	5	4	3	1	3	2	2	3	1		1
Wellington :											
Male	2	2	1	1	2	2		3	3	4	1
Female	8	5	3		3	6			2	4	5
Total	10	7	4	1	5	8		3	5	8	6
Wentworth :											
Male	3	3	3	3	1	3	7	2	1	2	4
Female	7	5	4	3	5	6	6		7	5	2
Total	10	8	7	6	6	9	13	2	8	7	6
York :											
Male	3	8	4	9	15	3	5	7	10	10	3
Female	11	3	8	10	10	8	7	3	8	7	7
Total	14	11	12	19	25	11	12	10	18	17	10

BY AGES.—*Continued.*

37 years.	38 years.	39 years.	40 years.	41 years.	42 years.	43 years.	44 years.	45 years.	46 years.	47 years.	48 years.	49 years.	50 years.	51 years.
.....
.....
.....
.....
1	1 2	2 2	4	2	1	1 1	6 2	3	2 1	2 2	1 1	2 1	2
1	3	4	4	2	1	2	8	3	3	4	2	3	2
1 6	1 1 3	1 4	1 3	3 3	1 2	3 2	2 2	1 1	2	1 4 1 2
7	2	3	5	4	6	1	2	5	4	2	2	5	1	2
.....	1	2
1	1	1	2
.....	3	2	1	1	2	2	1	1	2	3
1	2	1	1	3	2	1	1
1	3	4	2	1	4	4	3	2	1	2	3
.....	1 2 2	3	2 1	4 3	1	1 1	3 1	2	1	1 2	1
.....	3	2	3	3	7	1	2	4	2	1	3	1
2	2	1	1	2	1	3	1	1	2
.....	2	2	2	1	2	1	1	1	1	1
2	2	4	3	2	2	2	1	2	1	4	1	2	2
1 1	2 2	4 3	4 2	5 1 2	1 1	4 3	1 1	2 2	3 2	4 1	1 2 1
2	4	7	6	6	2	2	7	2	4	5	5	3	1
.....	2	3	8	2	3	3	2	2	4	3	5	4	5	1
2	1	3	3	2	1	4	5	4	2	6	3
2	5	3	9	5	6	5	3	6	9	7	7	10	8	1
4 5	8 4	7 8	11 9	8 3	12 8	7 7	8 8	14 13	4 1	4 5	10 4	8 8	14 7	13 2
9	12	15	20	11	20	14	16	27	5	9	14	16	21	15

TABLE G.—DEATHS

COUNTIES.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Total Males											
Total Females											
Grand Total											
Simcoe:											
Male	1	5	3	2	3		1	3	6		2
Female	1	1	1	2					4	1	1
Total	2	6	4	4	3		1	3	10	1	3
Stormont, Dundas & Glengarry:											
Male	2		2	1	1		1	1	2		4
Female	3		1	1	1	1	3	2	1	1	1
Total	5		3	2	2	1	4	3	3	1	5
Thunder Bay:											
Male											
Female											
Total											
Victoria:											
Male	2	1	1	2					3		3
Female	2	2		2	1		1		1		
Total	4	3	1	4	1		1		4		3
Waterloo:											
Male	5	3	1		3	2	4	4	3	5	4
Female		2	1	1	1	2	4	1	4	1	
Total	5	5	2	1	4	4	8	5	7	6	4
Welland:											
Male		2	2		1	2	2	1	1	1	
Female	1			2	3	2	1		1		3
Total	1	2	2	2	4	4	3	1	2	1	3
Wellington:											
Male		1	3	1	3	6	2	2	3	3	3
Female	2	2	1	1	2	5	2	3	2	2	3
Total	2	3	4	2	5	11	4	5	5	5	6
Wentworth:											
Male	5	3	4	11	4	1	6	2	4	4	6
Female	2		3	7	2	3	3	1	5	3	6
Total	7	3	7	18	6	4	9	3	9	7	12
York:											
Male	13	9	7	5	9	6	9	6	10	8	13
Female	4	7	3	4	6	3	5	7	13	5	2
Total	17	16	10	9	15	9	14	13	23	13	15

TABLE G.—DEATHS

COUNTIES.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Total Males.....											
Total Females.....											
Grand Total.....											
Simcoe :											
Male.....	2	4	2	1	1	2	2	2	2	1	3
Female.....	3		4		1	2	1	3	3	3	1
Total.....	5	4	6	1	2	4	3	5	5	4	4
Stormont, Dundas & Glengarry:											
Male.....	5	2			2	2	3	7	3	1	2
Female.....	3	3	1		4	4	4		2	3	1
Total.....	8	5	1		6	6	7	7	5	4	3
Thunder Bay :											
Male.....											
Female.....											
Total.....											
Victoria :											
Male.....		1	2		1	2	2	1	2	2	5
Female.....			1	1	1		1		1		
Total.....		1	3	1	2	2	3	1	3	2	5
Waterloo :											
Male.....	5		1	1		3	3	1	2		
Female.....	6		1	1	4	1		3	2	2	
Total.....	11		2	2	4	4	3	4	4	2	
Welland :											
Male.....	2	2	2	3	2	3	2	1			
Female.....	1	1	1		2	1	1	1		1	1
Total.....	3	3	3	3	4	4	3	2		1	1
Wellington :											
Male.....	3	2	6	2	1	1	3	1	1	1	2
Female.....	3		3	4	3	1	1	2		2	1
Total.....	6	2	9	6	4	2	4	3	1	3	3
Wentworth :											
Male.....	9	3	4		6	3		1		1	3
Female.....	4	2	8		3	3	5	3	1		
Total.....	13	5	12		9	6	5	4	1	1	3
York :											
Male.....	5	7	7	6	8	7	1	2	2	1	2
Female.....	3	6	8	8	4	2	10	4	3	4	4
Total.....	8	13	15	14	12	9	11	6	5	5	6

TABLE G.—DEATHS

CITIES.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Toronto :											
Male	231	46	29	12	15	9	3	5	3	3	2
Female	200	57	24	21	9	9	6	2	3	8	5
Total	431	103	53	33	24	18	9	7	6	11	7
Hamilton :											
Male	97	27	17	10	8	7	4	4	2	2	2
Female	83	27	19	10	12	7	4	3	1	2	1
Total	180	54	36	20	20	14	8	7	3	4	3
Ottawa :											
Male	60	23	12	7	9	6	2	2	5	3	1
Female	52	22	10	7	10	8	6	6	2	3
Total	112	45	22	14	19	14	8	8	7	3	4
London :											
Male	75	10	4	2	4	2	3	2	1
Female	41	9	1	4	2	1	1	1	2
Total	116	19	5	6	6	3	4	3	2	1
St. Catharines :											
Male	28	6	3	2	1	1	1	1
Female	18	3	3	1	1	1
Total	46	9	6	3	1	2	1	1	1
Kingston :											
Male	19	4	2	2	2	2	1
Female	9	6	1	1	1	3
Total	28	6	5	3	3	5	2	1
Belleville :											
Male	28	5	7	6	3	4	1	2	1
Female	18	4	8	7	2	1	2	1
Total	46	9	15	13	5	5	3	2	1	1
Brantford :											
Male	23	3	1	1	1	1	1	1	1
Female	11	2	2	1	1	1	1	3
Total	34	5	3	2	2	2	1	4	1	1
Guelph :											
Male	13	5	2	1	3	2
Female	10	5	2	1
Total	23	10	2	1	3	2	2	1

BY AGES.—Continued.

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
1 2	3 1	2 1	1 3	3 1	2 6	3 13	3 6	3 10	7 9	6 14	5 7	7 6	3 14	1 6
3	4	3	4	4	8	16	9	13	16	20	12	13	17	7
4 1	2	2	4	2 2	1 2	1 2	2 2	2 4	1 1	4 3	1 1
5	2	2	4	4	5	3	3	3	4	6	2	7	2
2 1	4 2	1 1	2 1	3 1	1 2	1 1	2 1	2 3	2 2	1 1	1 1	4 1
3	6	2	2	3	4	3	2	1	3	5	4	2	2	5
1	1	1	1	2 3	2 3	2 3	2 1	2 4
1	1	1	1	2	5	3	10	5	3	3	6
1	1	1	1	2 1	1	1 1	1 1
1	1	1	1	3	1	1	1	2	2
.....	1	1	2 4	1	1 2	1 1	1 2	1 3
.....	1	1	6	1	1	2	3	2	2	3	4
.....	1	1	3 1	1 1	1	2 3	3 2
1	2	1	4	2	1	1	2	1	5	3	5
2 1	1	1	1 1	1 1	2	1	1	1	1	3 3
3	1	1	2	2	2	1	2	1	1	6
1	1	1	1	1	1 1	2 1	1	1
1	4	1	1	1	1	2	3	1	1

TABLE G.—DEATHS

CITIES.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Toronto :											
Male	5	5	3	9	14	3	4	6	8	12	3
Female	6	4	6	5	9	4	5	1	6	6	4
Total	11	9	9	14	23	7	9	7	14	18	7
Hamilton :											
Male	2	1	3	2	1	2	6	1	1	1	3
Female	4	3	3	...	2	2	4	...	6	4	1
Total	6	4	6	2	3	4	10	1	7	5	4
Ottawa :											
Male	1	1	3	2	2	1	2	2	...
Female	1	2	2	...	2	3	2	1	...
Total	2	2	2	1	5	2	2	4	4	3	...
London :											
Male	2	1	1	2	1	2	1	1	...	1	1
Female	2	2	1	1	...	1	1	1	1	...	1
Total	4	3	2	3	1	3	2	2	1	1	2
St. Catharines :											
Male	1	1	1
Female	1	2	2	1	...	1
Total	2	2	2	1	...	1	...	1	1
Kingston :											
Male	1	1	1	1	2	1
Female	2	...	2	1	2	...	2	...	1	1	...
Total	2	1	3	1	2	1	3	2	2	1	...
Belleville :											
Male	1	4	4	1	3	2	1
Female	3	1	...	1	1	2	...
Total	1	3	...	4	4	2	3	3	2	2	...
Brantford :											
Male	1	...	1	1
Female	1	1	1	2	...	2	2	...
Total	1	1	2	1	2	...	2	1	...	2	...
Guelph :											
Male	1	1	1	1	...
Female	1	...	3	2	2
Total	2	1	3	1	3	2

TABLE G.—DEATHS

CITIES.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Toronto :											
Male	9	8	7	5	6	5	6	3	7	4	11
Female	1	6	1	2	5	2	4	3	8	5	1
Total	9	14	8	7	11	7	10	6	15	9	12
Hamilton :											
Male	4	3	3	7	3	1	4	1	4	3	4
Female	1	1	1	4	1	1	4	1	1	1	3
Total	5	3	4	11	4	2	8	2	5	3	7
Ottawa :											
Male	1	1	3	1	1	1	1	1	2	1	1
Female	1	1	1	3	1	1	1	1	3	1	1
Total	1	1	4	3	1	1	1	2	5	1	1
London :											
Male	1	2	1	1	1	4	1	1	2	1	1
Female	1	1	1	3	2	1	1	1	1	2	1
Total	1	3	2	4	3	4	1	1	2	2	1
St. Catharines :											
Male	1	1	1	1	1	1	1	1	1	1	2
Female	2	1	1	1	1	1	1	1	1	1	1
Total	3	1	2	2	1	1	1	1	1	1	3
Kingston :											
Male	3	1	1	1	2	1	3	1	2	1	1
Female	1	1	2	1	1	1	1	1	2	2	1
Total	3	1	2	1	2	1	3	1	4	3	1
Belleville :											
Male	1	1	2	1	1	1	1	1	1	1	1
Female	1	1	1	1	1	1	1	1	1	1	1
Total	1	1	3	1	1	1	1	1	1	1	1
Brantford :											
Male	1	1	1	1	1	1	1	1	1	1	1
Female	1	1	1	1	1	1	1	1	2	1	1
Total	1	1	1	1	2	1	1	1	2	1	1
Guelph :											
Male	1	1	2	1	1	1	1	1	1	1	1
Female	1	1	1	1	1	1	1	1	1	1	1
Total	1	1	3	1	1	1	1	1	2	1	1

BY AGES.—*Continued.*

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
2	4	6	4	6	3	4	5	2	4	3		3	4	2
.....	5	4	2	7	6	4	2	2	2	4	7	2	1
2	9	10	6	13	9	4	9	4	6	5	4	10	6	3
2	1	5	2	1	4	2	1	1	2	1	1	2	1
3	3	5	3	2	2	1	1	1	2	2	2	1
5	4	10	5	3	6	3	2	2	4	1	1	4	3	1
.....	1	2	3	1	1	1	2	1
.....	1	1	1
.....	1	2	4	2	1	2	2	1
.....	2	3	4	1	1	1	2	4	1	1
1	1	1	2	4	1	1	2	1	1	1	2	1
1	3	4	6	5	2	2	2	1	2	1	5	3	2
1	1	1	1
2	1	1	1	2	1	1	1	2	1
3	1	2	1	1	2	1	1	1	2	2
1	1	3	2	1	1	2	2	3	2	1	2	3
1	2	2	1	2	3	1	4	2	1	1
2	1	5	4	2	3	2	2	6	3	5	4	1	4
.....	1	3	1	1	2	1	1	1	1	1	1
.....	3	1	1	1
.....	1	3	1	1	2	4	1	1	1	1	2
.....	2	1	1	2	2	1	1	1	1
1	1	1	1	3	1	1
1	1	3	2	1	2	2	1	3	2	1	2
3	1	1	1	2
1	1	1	1	1	1
4	2	1	1	1	1	2	3

TABLE G.—DEATHS

CITIES.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Toronto :											
Male	5	3	5	3	1	2	1	2	1	1
Female	2	4	4	1	2	1	4	3	2	2	1
Total	7	7	9	4	3	3	4	4	4	3	2
Hamilton :											
Male	6	3	1	1	1	1
Female	4	1	3	1	2	1	1
Total	10	1	6	2	1	3	1	1	1
Ottawa :											
Male	3	1	1	2	1	1
Female	1	1
Total	3	1	1	1	2	1	1	1
London :											
Male	2	1	2	1	1	1
Female	2	2	1	1	1
Total	4	2	2	2	1	1	1	2
St. Catharines :											
Male	1	1	3	3
Female	1
Total	2	1	3	3
Kingston :											
Male	3	3	2	1	1
Female	2	1	1	1
Total	2	3	4	2	1	2	1
Belleville :											
Male	1	1	1	1
Female	1	1	1
Total	2	1	2	1	1
Brantford :											
Male	2	1	1	1
Female	1	1	1
Total	1	2	2	2	1
Guelph:											
Male	2	1
Female	1	1
Total	1	2	2

TABLE I.—DEATHS

COUNTIES.	Agents.		Artists.		Brickmakers.		Blacksmiths.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma								
Brant					1	61	2	84
Bruce								
Carleton					1	25		
Elgin							1	30
Essex							3	185
Frontenac	1	52					2	62
Grey	1	62						
Haldimand							3	136
Halton	1	26					2	45
Hastings							3	91
Huron							3	86
Kent							1	43
Lambton	1	21					1	24
Lanark							1	46
Leeds and Grenville	1	45					1	50
Lennox and Addington	1	32					3	201
Lincoln							2	126
Middlesex	1	58	1	41			3	66
Muskoka and Parry Sound								
Norfolk							1	22
Northumberland and Durham	2	105					2	96
Ontario							3	131
Oxford	1	35					2	142
Peel							1	71
Perth	1	44					1	26
Peterborough								
Prescott and Russell	1	36						
Prince Edward								
Renfrew								
Simcoe							1	69
Stormont, Dundas and Glengarry					1	36	1	83
Thunder Bay								
Victoria								
Waterloo							4	202
Welland							1	66
Wellington	1	40			1	59	2	65
Wentworth	4	150					7	344
York	7	346			1	45	2	85
Total	24	1052	1	41	5	226	59	2677

BY OCCUPATIONS.

Brewers and Distillers.		Bricklayers.		Barbers.		Butchers.		Book-keepers and Clerks.		Bankers.		Bakers and Confectioners.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
								1	28				
								1	25			2	143
						1	34	2	52				
						1	40	1	26				
										1	24		
		1	68			1	37	6	248			1	44
						1	31		60				
						1	34						
		3	123					1	65			2	63
		1	47					3	115			1	39
		1	59					1	37				
				1	26	1	63	2	80				
1	57	1	60	1	41	3	112	1	22			3	159
						1	25					1	24
						1	77	2	64				
								1	24			1	53
						1	49	1	37			1	62
		1	27					2	49			1	39
								1	34				
						1	48	3	107				
						2	76	2	74				
								2	56			1	33
1	42					1	32	3	111				
				1	48			3	76			1	
						1	56	4	135	1	52	1	78
2	89			1	76	3	160	22	814	1	30	5	186
4	188	8	384	4	191	20	874	66	2339	3	106	20	923

TABLE I.—DEATHS BY

COUNTIES.	Carpenters.		Cabinet-makers.		Coopers.		Cooks.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma								
Brant	3	157	1	82				
Bruce	6	260						
Carleton	6	207						
Elgin	2	83			1	48		
Essex	3	171						
Frontenac	7	388	1	77	1	56		
Grey	1	67	1	60	1	73		
Haldimand					1	68		
Halton								
Hastings	3	115	1	65				
Huron	6	352	2	82	1	22		
Kent	1	35			1	25	1	60
Lambton	3	159	1	23				
Lanark	4	203			1	65		
Leeds and Grenville	1	84			2	146		
Lennox and Addington	2	131						
Lincoln	3	128			1	52		
Middlesex	2	63	2	48				
Muskoka and Parry Sound	2	104						
Norfolk	2	99						
Northumberland and Durham	5	284	2	92	3	208		
Ontario	1	67	2	144				
Oxford	2	126						
Peel	2	147						
Perth	1	26						
Peterborough							1	40
Prescott and Russell	2	114						
Prince Edward	2	119						
Renfrew								
Simcoe	5	310	1	22				
Stormont, Dundas and Glengarry ..	4	258						
Thunder Bay								
Victoria	4	198						
Waterloo	2	96	1	52				
Welland	4	224	3	193				
Wellington	3	179	2	118	2	45		
Wentworth	13	716			2	144		
York	18	815	3	109			1	43
Total	125	6485	23	1167	17	952	3	143

OCCUPATIONS.—*Continued.*

Chemists and Druggists.		Clergymen.		Contractors and Builders.		Carriage and Waggon Makers.		Dentists.		Engineers.		Editors.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
		2	155										
2	67			1	32					1	62		
		2	74	2	141								
		1	41	1	54								
		1	51							1	32		
		1	80									1	58
		1	53	1	86	1	88						
2	84					1	45						
1	70					1	69			2	119		
						1	70					1	27
										3	156		
		2	109			1	57						
1	33	1	66							2	64		
1	32												
		2	110	1	88	3	202						
1	57	3	179			3	119						
		2	111	1	83								
1	42	3	132			4	178			1	29		
		1	28							1	56		
		2	106										
		1	35										
		2	166										
						1	30						
						1	33						
		1	56			1	38						
		1	97	1	58								
		1	103										
		2	139										
2	130	1	64			1	72			1	34		
1	40	2	137									1	24
2	88	2	135	3	172	1	68						
3	109	8	540	5	269	8	366			4	219		
17	752	46	2867	16	973	28	1435			16	771	3	109

TABLE I.—DEATHS BY

COUNTIES.	Farmers.		Farmers' Wives.		Gardeners.		Gentlemen.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma	7	402	2	160				
Brant	43	2757	33	2217	1	65	3	226
Bruce	76	4284	48	2901			2	170
Carleton	63	4043	43	2585			6	325
Elgin	51	4002	43	2616			3	179
Essex	53	3253	34	1756	1	73	6	384
Frontenac	43	2539	26	1469			2	90
Grey	99	6094	53	2964	2	149	4	269
Haldimand	30	1939	36	2348			2	101
Halton	32	1927	28	1579	1	65	8	610
Hastings	97	6901	50	3111	2	158	6	401
Huron	101	6000	80	4525			7	350
Kent	54	3569	46	2900			7	481
Lambton	35	2138	34	1735			7	455
Lanark	57	3789	37	2491			2	165
Leeds and Grenville	100	6595	71	4512	1	60		
Lennox and Addington	53	3448	37	2400			2	152
Lincoln	27	1744	18	1049	3	218	6	498
Middlesex	144	9329	65	4130	1	84	13	879
Muskoka and Parry Sound	29	1340	13	593			2	106
Norfolk	59	3875	54	3118			1	70
Northumberland and Durham	96	5736	72	4366	2	126	12	792
Ontario	47	3007	55	3319			13	922
Oxford	67	4723	63	3879			4	337
Peel	36	2463	34	2228			1	73
Perth	77	4902	48	2730			3	157
Peterborough	49	2848	31	1812	2	128	3	171
Prescott and Russell	50	3254	29	1735	1	80		
Prince Edward	35	2213	28	1604			5	403
Renfrew	39	2479	29	1739				
Simcoe	78	4886	64	3950	1	53	6	443
Stormont, Dundas and Glengarry	79	5352	72	4213				
Thunder Bay	1	35						
Victoria	53	3234	25	1565			4	331
Waterloo	57	3545	42	2806			6	415
Welland	43	2623	25	1672	2	143	7	488
Wellington	92	5758	72	4397			5	310
Wentworth	54	3613	43	2702			8	540
York	84	5264	68	4075	7	310	18	1208
Total	2290	145903	1651	99951	37	1712	184	12501

OCCUPATIONS.—Continued.

Hackmen.		Hunters and Fishermen.		Housewives.		Labourers.		Lumbermen.		Lawyers.		Milliners and Dressmakers.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
				2	116					1	38		
				40	1994	16	898					3	149
		1	35	25	1136	5	269					1	23
2	118			43	1974	24	1286	3	173	1	34	1	38
				12	579	8	485			1	40		
		2	120	22	1569	18	863						
		1	79	49	3007	27	1565					4	99
				32	1706	2	96			2	79		
				6	317	11	636			1	51		
		1	90	12	711	13	686						
				65	2994	24	1384	1	42			2	64
		1	74	37	1937	18	896					1	56
				13	544	14	850			1	43		
		1	83	35	1914	17	821	1	30	2	76	2	119
				18	1013	5	329					2	111
				32	1815	17	1075					1	32
				16	680	10	509					1	66
				60	3398	15	831	1	81				
				117	6321	45	2125	1	38	1	46	1	35
				11	552	3	108	2	43				
				10	515	9	430	2	108	1	29		
				36	2105	21	1139			2	109	1	25
				37	1746	13	670					1	35
				25	1476	6	380						
				22	1134	10	523						
				26	1338	6	239			1	48	2	55
				33	1946	9	524	1	40				
				5	231	11	629	1	48				
				23	1035	12	779						
				11	689	9	445	1	58				
				26	1292	8	364			1	54		
				21	1087	16	867			2	53		
				3	101	4	143			1	38	1	21
1	39			8	384	13	637	1	84			1	43
				36	2168	33	1987						
1	56			17	787	18	879						
				20	1068	22	1188						
				103	5773	48	2677			2	103		
2	103			145	8162	121	5958			3	171	5	207
6	316	7	481	1264	67334	681	36170	15	745	23	1012	30	1178

TABLE I.—DEATHS BY

COUNTIES.	Masons.		Machinists.		Moulders.		Millers.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma								
Brant			3	134			1	65
Bruce	1	60					1	48
Carleton	1	84						
Elgin							1	55
Essex							1	69
Frontenac	1	59	1	28	1	24	1	40
Grey	2	176	1	57			3	188
Haldimand			1	22				
Halton	1	30						
Hastings			1	32				
Huron	1	50	1	23			3	123
Kent								
Lambton	1	56					1	43
Lanark	1	25						
Leeds and Grenville	2	105					1	58
Lennox and Addington								
Lincoln	2	142						
Middlesex	2	100	1	24			1	21
Muskoka and Parry Sound	1	73						
Norfolk							2	90
Northumberland and Durham	2	173					2	66
Ontario	1	42	1	28			2	105
Oxford	1	72			2	57	1	55
Peel								
Perth	1	46					1	75
Peterborough								
Prescott and Russell								
Prince Edward								
Renfrew							1	29
Simcoe			1	72				
Stormont, Dundas and Glengarry	1	69						
Thunder Bay								
Victoria								
Waterloo	1	36			2	111		
Welland	3	181			1	43	1	49
Wellington	1	76	3	109			1	64
Wentworth	3	151	6	242	3	142	1	53
York	2	120	3	110	3	120	2	111
Total	32	1936	23	881	12	497	28	1407

OCCUPATIONS.—*Continued.*

Millwrights.		Musicians.		Manufacturers.		Merchants.		Other Occupations.		Other Mechanics.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
				1	52	3	182	3	134		
				1	60	3	111	1	43		
1	47					7	311	2	134		
						1	65	1	35	1	62
						4	182			1	26
				1	30	6	324	1	69	3	175
		1	60			1	43				
				1	79						
				2	100	4	171			2	99
						4	180	2	120		
				2	127	3	182	1	66	1	80
				1	66	1	67			1	26
						1	57	1	57	1	76
				1	51	7	280	5	161	1	40
						5	269				
1	50			2	131	1	68	1	76	4	243
1	27	2	101			6	320	1	57	3	104
						1	49				
				1	63	1	59			1	76
1	62					4	194	1	65	1	79
1	74					1	65	4	201		
						1	47	2	99	1	37
						1	37				
1	49					2	90				
						1	87	1	48		
								1	96		
						3	194	1	60	2	77
						2	104				
						1	70	1	39		
1	73					3	157	4	172		
1	73							1	28		
				1	52	3	141	4	181	2	109
										1	27
				2	79	7	329	2	100		
				4	285	9	461	1	39	6	241
2	135			1	45	16	881	12	506	4	181
10	590	3	161	21	1220	113	5777	55	2631	36	1758

TABLE I.—DEATHS BY

COUNTIES.	Painters.		Printers.		Pumpmakers.		Pedlars.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma								
Brant								
Bruce								
Carleton			1	59				
Elgin	1	76						
Essex	1	61						
Frontenac	1	47	2	100				
Grey	1	38						
Haldimand	1	24						
Halton	1	40						
Hastings	2	88	2	60				
Huron								
Kent	1	29						
Lambton	1	78						
Lanark			1	22			1	60
Leeds and Grenville					1	34		
Lennox and Addington	1	38	1	24				
Lincoln	1	49						
Middlesex	3	118	2	102			1	63
Muskoka and Parry Sound								
Norfolk								
Northumberland and Durham	1	51	1	27				
Ontario								
Oxford								
Peel	1	44						
Perth	1	26	1	25				
Peterborough							1	48
Prescott and Russell								
Prince Edward								
Renfrew								
Simcoe	2	49						
Stormont, Dundas and Glengarry	1	24	1	65				
Thunder Bay								
Victoria	1	26						
Waterloo	1	66					2	135
Welland								
Wellington								
Wentworth	6	367	2	61				
York	2	97	6	240			2	145
Total	31	1436	20	785	1	34	7	45

OCCUPATIONS.—*Continued.*

Plasterers.		Paupers.		Physicians.		Public Officials.		Provincial Land Surveyors.		Railroad Employees.		Sawyers.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
						2	116			2	80		
				2	74	10	23						
		6	433			1	489						
						1	68			1	27		
		2	137	1	42	1	47						
						6	424						
								2	79				
								1	62				
1	52	1	75	1	32	1	67			1	27		
1	33					1	82			4	154		
				2	98	4	238						
						2	141					1	26
						3	199			2	94		
		1	74	3	199	1	67						
		1	69	1	63	2	176						
		1	80	1	36	2	135	1	72			1	67
2	109			2	116	3	189	2	115	7	335		
		1	60										
		1	87	2	77	2	128			2	60		
				2	97	4	241			2	60		
				1	39	1	27			1	23		
						3	159					1	45
		3	204							1	31		
												1	63
		2	120			2	104						
		3	214										
		1	73			2	175						
1	62			1	50	4	227			1	33		
		15	1023	1	36	1	42			1	43		
				2	144	4	279			1	57		
		2	107			4	256	1	60	2	92		
				2	85	8	419						
1	43	1	70	5	274	12	716	1	23	1	49		
										9	317	2	143
6	299	41	2826	29	1462	87	5234	8	411	38	1482	6	344

TABLE I.—DEATHS BY

COUNTIES.	Stonecutters.		Shoemakers.		Sailors.		Saddlers and Harness Makers.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma			1	77	1	52		
Brant			3	215	1	39		
Bruce			2	94				
Carleton	1	30	2	132	1	78	1	48
Elgin			1	68				
Essex			1	75	2	57		
Frontenac	1	80	3	171	1	60		
Grey	1	35	1	79				
Haldimand			1	79				
Halton								
Hastings							1	22
Huron			3	168				
Kent			2	134	1	29		
Lambton			2	126	2	70	1	58
Lanark			1	58			1	67
Leeds and Grenville			1	80				
Lennox and Addington			1	44				
Lincoln	1	49			1	33		
Middlesex			9	455	2	136		
Muskoka and Parry Sound			1	68				
Norfolk			1	49	2	84		
Northumberland and Durham			8	570	1	73		
Ontario			1	40			1	58
Oxford			1	21	1	29		
Peel								
Perth	1	49	1	64	1	56	1	21
Peterborough			1	45	1	52		
Prescott and Russell			1	70				
Prince Edward			2	152	5	227		
Renfrew			1	90				
Simcoe			2	105			1	36
Stormont, Dundas and Glengarry	1	37	4	262				
Thunder Bay								
Victoria	1	38	2	127				
Waterloo	1	48	4	211			1	31
Welland	1	69	4	277				
Wellington	1	46	3	146			1	29
Wentworth	1	47	7	425	2	80		
York	2	86	16	853	1	39		
Total	13	614	94	5605	26	1194	9	370

OCCUPATIONS.—*Continued.*

Seamstresses.		Servants.		Tinmiths.		Teamsters.		Tavern-keepers.		Tobacconists and Cigar Makers.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
.....	1	73	1	67	2	50
.....	1	80	1	49
2	79	2	65	1	26	1	48
1	22	2	86	1	28	1	47	2	89
.....	5	196	1	25	1	60
.....	1	21	1	29
.....	1	45	1	51
.....	1	26	1	46
.....	2	44	1	37	1	57
.....	1	26	1	83	2	119
1	40
2	58	2	44	1	28	2	92
1	70	1	45
1	54	1	27	2	142	2	91
.....	1	43	2	110
.....	7	383	2	59	3	164
.....	6	291	1	31
.....
1	22	1	22	2	82
.....	3	172
.....	1	83	1	23
.....	1	63	1	62
.....	1	36	1	78	1	42
.....	1	44
.....	1	33
1	32	1	22
2	73	3	150	1	30	1	73	1	69
.....	1	42	1	49
.....	3	110
.....	1	45
.....	2	79	1	25	2	129	1	45
.....	2	50	1	51	3	140
1	26	2	71	1	21
3	79	7	232	1	21	3	120	1	58
5	223	34	1199	6	190	4	178
.....	7	306
21	778	81	3056	12	482	21	969	59	2780	3	81

TABLE I.—DEATHS BY

COUNTIES.	Teachers.		Telegraph Operators.		Tailors.		Tanners.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma	2	63			3	208		
Brant	3	190			1	41		
Bruce	2	139			1	60		
Carleton	1	24			2	134		
Elgin	3	161						
Essex	1	36			1	98		
Frontenac	3	125						
Grey	1	22	1	28				
Haldimand	1	66			2	169		
Halton	4	183						
Hastings	4	243	1	24	1	70		
Huron	1	22	1	23			1	66
Kent	2	57			1	68		
Lambton	2	45			2	155		
Lanark	2	71					1	55
Leeds and Grenville	2	165					1	52
Lennox and Addington								
Lincoln	3	110			1	64		
Middlesex								
Muskoka and Parry Sound					1	28		
Norfolk	1	25	2	79	2	166	1	80
Northumberland and Durham	1	28			2	123		
Ontario			1	25	1	32		
Oxford							1	79
Peel			1	22				
Perth	1	56	1	28				
Peterborough	1	89						
Prescott and Russell	1	21						
Prince Edward								
Renfrew					2	135		
Simcoe	4	157			1	77		
Stormont, Dundas and Glengarry								
Thunder Bay	1	80			1	77		
Victoria	1	53						
Waterloo	1	45			1	62		
Welland	2	63					1	80
Wellington	2	84			5	332		
Wentworth	3	80			8	425		
York								
Total	56	2503	8	229	39	2524	6	412

OCCUPATIONS.—*Continued.*

Undertaker.		Volunteers, Soldiers and Pensioners.		Watchmakers.		Weavers.		Total Age.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	Total No. of Deaths.	Aggregate.
								18	1007 years.
								177	10400 "
						3	208	187	10248 "
		2	159			1	54	238	13112 "
		1	96			1	66	150	9534 "
		4	303	1	50	1	72	180	9787 "
		7	506	2	122			223	12759 "
		1	60	1	21	1	70	225	13099 "
								102	6123 "
				1	49			118	6708 "
		2	160			1	76	294	17220 "
		1	50			1	81	288	15969 "
								161	9722 "
								169	8984 "
								144	9115 "
		1	65	1	65	1	82	267	16378 "
								146	8800 "
1	58	1	83	1	82			172	10312 "
		5	345					489	27844 "
		1	66					69	3211 "
								159	9256 "
		1	59					311	18175 "
		2	118			1	74	199	11353 "
		1	70			3	179	196	12341 "
								113	7039 "
		2	149					193	10911 "
		1	79			1	70	142	8182 "
								107	6606 "
								123	7131 "
		1	80			1	24	102	6023 "
		3	227	1	91			220	13050 "
						2	152	236	13988 "
								11	388 "
		1	87			1	87	125	7416 "
						1	30	238	14357 "
		1	84					152	8916 "
		1	72	2	77	3	222	270	15562 "
		1	76			2	116	390	21954 "
		10	637	2	87			726	34113 "
1	58	51	3631	12	644	25	1663	7831	451093 years.
									57'60 years.

